

# Cluster Essentials for VMware Tanzu v1.5

Cluster Essentials for VMware Tanzu 1.5

You can find the most up-to-date technical documentation on the VMware by Broadcom website at:

<https://docs.vmware.com/>

**VMware by Broadcom**

3401 Hillview Ave.  
Palo Alto, CA 94304  
[www.vmware.com](http://www.vmware.com)

Copyright © 2024 Broadcom. All Rights Reserved. The term “Broadcom” refers to Broadcom Inc. and/or its subsidiaries. For more information, go to <https://www.broadcom.com>. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies. [Copyright and trademark information](#).

# Contents

Deploying Cluster Essentials v1.5.11	5
Supported Kubernetes versions	5
Supported Platforms	5
Install	5
Download artifacts from Tanzu Network	5
Set Kubernetes cluster context	6
Deploy onto cluster	6
On macOS or Linux	6
On Windows	7
Optionally install CLIs onto your \$PATH	9
Upgrade	9
Rollback	10
Uninstall	10
Cluster Essentials Release notes	11
v1.5.11	11
Resolved Issues	11
v1.5.10	11
Resolved Issues	11
v1.5.9	11
Resolved Issues	11
v1.5.8	11
Resolved Issues	11
v1.5.7	12
Resolved Issues	12
v1.5.6	12
Resolved Issues	12
v1.5.5	12
Resolved Issues	12
v1.5.4	13
Resolved Issues	13
v1.5.3	13
Resolved Issues	13

v1.5.2	13
Resolved Issues	13
v1.5.1	13
Resolved Issues	14
v1.5.0	14
New features	14

# Deploying Cluster Essentials v1.5.11

This topic tells you how to install, upgrade, and uninstall Cluster Essentials v1.5.11.

## Supported Kubernetes versions

Installation requires Kubernetes cluster v1.22, v1.23, v1.24, v1.25 Or v1.26 on one of the following Kubernetes providers:

- Azure Kubernetes Service
- Amazon Elastic Kubernetes Service
- Google Kubernetes Engine
- Red Hat OpenShift v4.11 or v4.12 running on vSphere and baremetal clusters
- Minikube
- Kind

## Supported Platforms

The Cluster Essentials install script can only be run on AMD64 CPUs with macOS, Windows or Linux.

## Install

If you are using a VMware Tanzu Kubernetes Grid cluster, you do not need to install Cluster Essentials because the contents of Cluster Essentials are already installed on your cluster.

For all other clusters, install Cluster Essentials using the following steps.

## Download artifacts from Tanzu Network

1. Sign in to [Tanzu Network](#).
2. Go to [Cluster Essentials for VMware Tanzu](#) on VMware Tanzu Network.
3. Accept or confirm that you have accepted the EULA for the product
4. Select a download according to your Kubernetes provider and operating system:
  - For macOS, download `tanzu-cluster-essentials-darwin-amd64-1.5.11.tgz`.
  - For Linux, download `tanzu-cluster-essentials-linux-amd64-1.5.11.tgz`.
  - For Windows, download `tanzu-cluster-essentials-windows-amd64-1.5.11.tgz`.
5. Unpack the TAR file into the `tanzu-cluster-essentials` directory:

On macOS or Linux:

```
mkdir $HOME/tanzu-cluster-essentials
tar -xvf DOWNLOADED-CLUSTER-ESSENTIALS-BUNDLE -C $HOME/tanzu-cluster-essentials
```

On Windows (in “Command Prompt” app):

```
:: Ensure you are in the directory where you have downloaded DOWNLOADED-CLUSTER-ESSENTIALS-BUNDLE
mkdir tanzu-cluster-essentials
tar -xvf DOWNLOADED-CLUSTER-ESSENTIALS-BUNDLE -C tanzu-cluster-essentials
```

Where `DOWNLOADED-CLUSTER-ESSENTIALS-BUNDLE` is the name of the bundle you downloaded.

## Set Kubernetes cluster context

1. List the existing contexts by running:

```
kubectl config get-contexts
```

2. Set the context to the cluster that you want to use for the Cluster Essentials install.

```
kubectl config use-context CONTEXT-NAME
```

Where `CONTEXT-NAME` can be retrieved from the outputs of the previous step.

## Deploy onto cluster

1. (Optional) If your registry needs a custom certificate, you must [load that configuration](#) into the cluster before installing `kapp-controller`. If your registry uses a public certificate, this step is not required.

Create the `kapp-controller` namespace:

```
kubectl create namespace kapp-controller
```

Create a configuration secret by using the registry’s `ca.crt` stored on local disk:

```
kubectl create secret generic kapp-controller-config \
  --namespace kapp-controller \
  --from-file caCerts=ca.crt
```

On macOS or Linux

1. Configure and run `install.sh`, which will install `kapp-controller` and `secretgen-controller` on your cluster:
  - o For online installation, run:

```
export INSTALL_BUNDLE=registry.tanzu.vmware.com/tanzu-cluster-essentials/
cluster-essentials-bundle@sha256:13232def276480a157171e332bb242e13ef22b81
15ba8392e59b9d331921d441
export INSTALL_REGISTRY_HOSTNAME=registry.tanzu.vmware.com
```

```
export INSTALL_REGISTRY_USERNAME=TANZU-NET-USER
export INSTALL_REGISTRY_PASSWORD=TANZU-NET-PASSWORD
cd $HOME/tanzu-cluster-essentials
./install.sh --yes
```

Where `TANZU-NET-USER` and `TANZU-NET-PASSWORD` are your credentials for VMware Tanzu Network.

- o For air-gapped installation, run:

```
$ IMGPKG_REGISTRY_HOSTNAME=registry.tanzu.vmware.com \
  IMGPKG_REGISTRY_USERNAME=TANZUNET-REGISTRY-USERNAME \
  IMGPKG_REGISTRY_PASSWORD=TANZUNET-REGISTRY-PASSWORD \
  imgpkg copy \
    -b registry.tanzu.vmware.com/tanzu-cluster-essentials/cluster-essentials-bundle@sha256:13232def276480a157171e332bb242e13ef22b8115ba8392e59b9d331921d441 \
    --to-tar cluster-essentials-bundle-1.5.11.tar \
    --include-non-distributable-layers

$ IMGPKG_REGISTRY_HOSTNAME=MY-REGISTRY \
  IMGPKG_REGISTRY_USERNAME=MY-REGISTRY-USER \
  IMGPKG_REGISTRY_PASSWORD=MY-REGISTRY-PASSWORD \
  imgpkg copy \
    --tar cluster-essentials-bundle-1.5.11.tar \
    --to-repo MY-REGISTRY/cluster-essentials-bundle \
    --include-non-distributable-layers \
    --registry-ca-cert-path CA_PATH

$ INSTALL_BUNDLE=MY-REGISTRY/cluster-essentials-bundle@sha256:13232def276480a157171e332bb242e13ef22b8115ba8392e59b9d331921d441 \
  INSTALL_REGISTRY_HOSTNAME=MY-REGISTRY \
  INSTALL_REGISTRY_USERNAME=MY-REGISTRY-USER \
  INSTALL_REGISTRY_PASSWORD=MY-REGISTRY-PASSWORD \
  ./install.sh
```

Where:

- `TANZUNET-REGISTRY-USERNAME` is your username of the VMware Tanzu Network.
- `TANZUNET-REGISTRY-PASSWORD` is your password of the VMware Tanzu Network.
- `MY-REGISTRY` is your air-gapped container registry.
- `MY-REGISTRY-USER` is the user with write access to `MY-REGISTRY`.
- `MY-REGISTRY-PASSWORD` is the password for `MY-REGISTRY-USER`.

## On Windows

1. Configure and run `install.bat`, which will install `kapp-controller` and `secretgen-controller` on your cluster:
  - o For online installation, run:

```

cd tanzu-cluster-essentials

set INSTALL_BUNDLE=registry.tanzu.vmware.com/tanzu-cluster-essentials/cluster-essentials-bundle@sha256:13232def276480a157171e332bb242e13ef22b8115ba8392e59b9d331921d441
set INSTALL_REGISTRY_HOSTNAME=registry.tanzu.vmware.com
set INSTALL_REGISTRY_USERNAME=TANZU-NET-USER
set /p INSTALL_REGISTRY_PASSWORD=password:
:: Interactively enter TANZU-NET-PASSWORD

install.bat

```

Where `TANZU-NET-USER` and `TANZU-NET-PASSWORD` are your credentials for VMware Tanzu Network.

- o For air-gapped installation, run:

```

cd tanzu-cluster-essentials

set IMGPKG_REGISTRY_HOSTNAME=registry.tanzu.vmware.com
set IMGPKG_REGISTRY_USERNAME=TANZUNET-REGISTRY-USERNAME
set /p IMGPKG_REGISTRY_PASSWORD=password:
:: Interactively enter TANZUNET-REGISTRY-PASSWORD
imgpkg copy ^
  -b registry.tanzu.vmware.com/tanzu-cluster-essentials/cluster-essentials-bundle@sha256:13232def276480a157171e332bb242e13ef22b8115ba8392e59b9d331921d441 ^
  --to-tar cluster-essentials-bundle-1.5.11.tar ^
  --include-non-distributable-layers

set IMGPKG_REGISTRY_HOSTNAME=MY-REGISTRY
set IMGPKG_REGISTRY_USERNAME=MY-REGISTRY-USER
set IMGPKG_REGISTRY_PASSWORD=password:
:: Interactive enter MY-REGISTRY-PASSWORD
imgpkg copy ^
  --tar cluster-essentials-bundle-1.5.11.tar ^
  --to-repo MY-REGISTRY/cluster-essentials-bundle ^
  --include-non-distributable-layers ^
  --registry-ca-cert-path CA_PATH

set INSTALL_BUNDLE=MY-REGISTRY/cluster-essentials-bundle@sha256:13232def276480a157171e332bb242e13ef22b8115ba8392e59b9d331921d441
set INSTALL_REGISTRY_HOSTNAME=MY-REGISTRY
set INSTALL_REGISTRY_USERNAME=MY-REGISTRY-USER
set /p INSTALL_REGISTRY_PASSWORD=password:
:: Interactively enter MY-REGISTRY-PASSWORD
install.bat

```

Where:

- `TANZUNET-REGISTRY-USERNAME` is your username of the VMware Tanzu Network.
- `TANZUNET-REGISTRY-PASSWORD` is your password of the VMware Tanzu Network.
- `MY-REGISTRY` is your air-gapped container registry.



- `MY-REGISTRY-USER` is the user with write access to `MY-REGISTRY`.
- `MY-REGISTRY-PASSWORD` is the password for `MY-REGISTRY-USER`.

## Optionally install CLIs onto your `$PATH`

1. (Optional) Several Tanzu products, such as Tanzu Application Platform, use the `kapp` CLI to deploy. For convenience, you may install the `kapp` CLI onto your `$PATH`:

```
sudo cp $HOME/tanzu-cluster-essentials/kapp /usr/local/bin/kapp
```

2. (Optional) Several Tanzu products, such as Tanzu Application Platform, use the `imgpkg` CLI to relocate packages. For convenience, you may install the `imgpkg` CLI onto your `$PATH`:

```
sudo cp $HOME/tanzu-cluster-essentials/imgpkg /usr/local/bin/imgpkg
```

## Upgrade

Cluster Essentials components (such as `kapp-controller` and `secretgen-controller`) cannot be upgraded on clusters provisioned using VMware Tanzu Kubernetes Grid, Tanzu Community Edition, and VMware Tanzu Mission Control.

For all other clusters, if you already have Cluster Essentials 1.0+ installed on your target cluster, you can upgrade to Cluster Essentials 1.5.11 using the following steps. Running this upgrade will update the `kapp-controller` version on your cluster to `v0.45.9` and `secretgen-controller` version to `v0.14.14`.

1. Follow the steps above to [Download artifacts from Tanzu Network](#) and [Set Kubernetes cluster context](#)
2. Configure and run `install.sh`, which will install `kapp-controller` and `secretgen-controller` on your cluster:

On macOS or Linux:

```
cd $HOME/tanzu-cluster-essentials

export INSTALL_BUNDLE=registry.tanzu.vmware.com/tanzu-cluster-essentials/cluste
r-essentials-bundle@sha256:13232def276480a157171e332bb242e13ef22b8115ba8392e59b
9d331921d441
export INSTALL_REGISTRY_HOSTNAME=registry.tanzu.vmware.com
export INSTALL_REGISTRY_USERNAME=TANZU-NET-USER
export INSTALL_REGISTRY_PASSWORD=TANZU-NET-PASSWORD

./install.sh --yes
```

On Windows (in “Command Prompt” app):

```
cd tanzu-cluster-essentials

set INSTALL_BUNDLE=registry.tanzu.vmware.com/tanzu-cluster-essentials/cluste
r-essentials-bundle@sha256:13232def276480a157171e332bb242e13ef22b8115ba8392e59b9d3
31921d441
set INSTALL_REGISTRY_HOSTNAME=registry.tanzu.vmware.com
```

```
set INSTALL_REGISTRY_USERNAME=TANZU-NET-USER
set /p INSTALL_REGISTRY_PASSWORD=password:
:: Interactively enter TANZU-NET-PASSWORD

install.bat
```

Where `TANZU-NET-USER` and `TANZU-NET-PASSWORD` are your credentials for VMware Tanzu Network.

3. Follow the [steps above](#) to optionally install newer versions of the `kapp` and `imgpkg` CLIs to your path

## Rollback



### Caution

Uninstalling Cluster Essentials when the upgrade fails will cause an unreparable state for your cluster.

To rollback to the previously installed version, follow the previous version of Cluster Essentials deployment instructions.

## Uninstall



### Caution

Uninstalling Cluster Essentials when the installation fails will cause an unreparable state for your cluster.

You must uninstall all the Custom Resources created by `kapp-controller` and `secretgen-controller` before running the uninstall script for Cluster Essentials.

1. Follow the steps above to [Set Kubernetes cluster context](#)
2. Run `uninstall.sh`, which will uninstall `kapp-controller` and `secretgen-controller` on your cluster:

On macOS or Linux:

```
cd $HOME/tanzu-cluster-essentials
./uninstall.sh --yes
```

On Windows (in “Command Prompt” app):

```
cd tanzu-cluster-essentials
uninstall.bat
```

# Cluster Essentials Release notes

This topic contains release notes for Cluster Essentials for VMware Tanzu. A new minor release for Cluster Essentials is published every quarter. Monthly patch releases are published to address critical bugs and CVEs, if there are any.

## v1.5.11

**Release Date:** March 29, 2024

### Resolved Issues

- Updating **kapp-controller to v0.45.9**. This patch release addresses CVEs identified in v1.5.10. A full list of fixes can be found in the open source [release notes](#).

## v1.5.10

**Release Date:** February 29, 2024

### Resolved Issues

- Updating **kapp-controller to v0.45.8**. This patch release addresses CVEs identified in v1.5.9. A full list of fixes can be found in the open source [release notes](#).

## v1.5.9

**Release Date:** January 31, 2024

### Resolved Issues

- Updating **kapp-controller to v0.45.7**. This patch release addresses CVEs identified in v1.5.8. A full list of fixes can be found in the open source [release notes](#).
- Updating **secretgen-controller to v0.14.14**

## v1.5.8

**Release Date:** December 29, 2023

### Resolved Issues

- Updating **kapp-controller to v0.45.6**. This patch release addresses CVEs identified in v1.5.7. A full list of fixes can be found in the open source [release notes](#).

- Updating **secretgen-controller to v0.14.13**
- Updating Carvel CLIs
  - imgpkg to v0.36.9
  - kapp to v0.55.7
  - kbld to v0.37.11
  - ytt to v0.45.9

## v1.5.7

**Release Date:** November 30, 2023

### Resolved Issues

- Updating **kapp-controller to v0.45.5**. This patch release addresses CVEs identified in v1.5.6. A full list of fixes can be found in the open source [release notes](#).
- Updating **secretgen-controller to v0.14.12**
- Updating Carvel CLIs
  - imgpkg to v0.36.8
  - kapp to v0.55.6
  - kbld to v0.37.10
  - ytt to v0.45.8

## v1.5.6

**Release Date:** October 31, 2023

### Resolved Issues

- Updating **kapp-controller to v0.45.4**. This patch release addresses CVEs identified in v1.5.5. A full list of fixes can be found in the open source [release notes](#).
- Updating **secretgen-controller to v0.14.11**
- Updating Carvel CLIs
  - imgpkg to v0.36.7
  - kapp to v0.55.5
  - kbld to v0.37.9
  - ytt to v0.45.7

## v1.5.5

**Release Date:** October 3, 2023

### Resolved Issues

- Updating **kapp-controller to v0.45.3\_vmware.2**. This patch release addresses CVEs identified in v1.5.4.

## v1.5.4

**Release Date:** August 31, 2023

### Resolved Issues

- Updating **kapp-controller to v0.45.3**. This patch release addresses CVEs identified in v1.5.3. A full list of fixes can be found in the open source [release notes](#).
- Updating **secretgen-controller to v0.14.10**
- Updating Carvel CLIs
  - imgpkg to v0.36.5
  - kapp to v0.55.4
  - kbld to v0.37.5
  - ytt to v0.45.4

## v1.5.3

**Release Date:** July 31, 2023

### Resolved Issues

- This patch release addresses CVEs identified in v1.5.2.

## v1.5.2

**Release Date:** June 30, 2023

### Resolved Issues

- Updating **kapp-controller to v0.45.2**. This patch release addresses CVEs identified in v1.5. A full list of fixes can be found in the open source [release notes](#).
- Updating **secretgen-controller to v0.14.8**
- Updating Carvel CLIs
  - imgpkg to v0.36.4
  - kapp to v0.55.2
  - kbld to v0.37.4
  - ytt to v0.45.3

## v1.5.1

**Release Date:** June 6, 2023

## Resolved Issues

- Updating **kapp-controller to v0.45.1**. This patch release addresses CVEs identified in v1.5. A full list of fixes can be found in the open source [release notes](#).
- Updating **secretgen-controller to v0.14.3**
- Updating Carvel CLIs
  - imgpkg to v0.36.2
  - kapp to v0.55.1
  - kbld to v0.37.1
  - ytt to v0.45.1

## v1.5.0

**Release Date:** March 31, 2023

## New features

- Enrich error message for kapp-controller custom resources.
- Performance enhancement by not listing labeled resources for newly created app.
- Updating **kapp-controller to v0.45.0**. A full list of new features can be found in the open source [release notes](#).
- Updating **secretgen-controller to v0.14.2**.
- Updating Carvel CLIs
  - imgpkg to v0.36.0
  - kapp to v0.55.0
  - kbld to v0.37.0
  - ytt to v0.45.0