vmware® Docs   🔍 Search for VMware Product Information

🌐 EN VMware Pages MyLibrary Login

Unified Access Gateway   **Product Documentation**

Release Notes for VMware Unified Access Gateway 2.9

🔖 | 🔊 | 💬 Feedback   ⏴ Share

📅 Updated on 12/31/1969

Released 16 March 2017 | Build 5202536 (Non-FIPS) | Build 5202538 (FIPS)

Last Updated: 31 MARCH 2017

These release notes include the following topics:

- What's New in This Release
- Internationalization
- Compatibility Notes
- Known Issues

What's New in This Release

VMware Unified Access Gateway™ 2.9 provides the following new features and enhancements.

- **Horizon BEAT Support**

  Supports BEAT (Blast Extreme Adaptive Transport), the UDP-based transport part of the Blast protocol specially designed for low bandwidth, high latency, and high packet loss networks, and the ability to choose between hybrid and UDP-only mode.

- **Access to on-premise legacy apps**

  Supports Web Reverse Proxy to on-premise legacy apps using headers and Kerberos-based authentication. The Unified Access Gateway acts as an identity bridge to convert SAML to Kerberos or headers for back end resource access.

- **FIPS OVA**

  Separate OVA for FIPS-140-2 mode. The FIPS-140-2 OVA is restricted to PCoIP in this release.

- **Admin UI**

  Enhancements to the Admin UI, including:

  - New health status for edge services and back end resources, making deployment and troubleshooting easier to perform
  - Ability to change log levels to facilitate debugging

- **Security Enhancements**

  Updates to SUSE Linux Enterprise Server (SLES), openssl and Java

Top of Page

Internationalization

The Unified Access Gateway user interface, online help, and product documentation are available in Japanese, French, German, Spanish, Brazilian Portuguese, Simplified Chinese, Traditional Chinese, and Korean. For the documentation

Cookie Settings

[Documentation Center for VMware Unified Access Gateway 2.9](#).

[Top of Page](#)

Compatibility Notes

For more information about the VMware Product Interoperability Matrix, see
http://www.vmware.com/resources/compatibility/sim/interop_matrix.php.

[Top of Page](#)

Known Issues

- Smart card authentication does not work while connecting to the Unified Access Gateway server if the alternate subject name has the email address for the certificate mapped with the domain account.
  Workaround: In the wizard for creating a certificate template for the smart card user, on the Subject Name tab, deselect the checkbox "Include this information in alternate subject name:".
- Unified Access Gateway session timeout does not disconnect the Blast Connection.
  Workaround: None.
- Client login fails after Unified Access Gateway session timeout.
  Workaround:
    - If this occurs when logging in to the Horizon Client, relaunch the client.
    - This also occurs if a tunnel is disabled on the Unified Access Gateway. In this case, first disconnect from the Unified Access Gateway server, then reconnect and launch the desktop before the session timeout occurs.

[Top of Page](#)

vmware®

Company

About Us

Executive Leadership

News & Stories

Investor Relations

Customer Stories

Diversity, Equity & Inclusion

Environment, Social & Governance

Careers

Blogs

Communities

Acquisitions

Office Locations

VMware Cloud Trust Center

COVID-19 Resources

Cookie Settings

Support

VMware Customer Connect

Support Policies

Product Documentation

Compatibility Guide

End User Terms & Conditions

California Transparency Act Statement

Twitter

YouTube

Facebook

LinkedIn

Contact Sales

© 2022 VMware, Inc.

Terms of Use

Your California Privacy Rights

Privacy

Accessibility

Site Map

Trademarks

Glossary

Help

Feedback

Cookie Settings