

VMware People Search AirWatch Admin Guide

Configuring and deploying VMware People Search with your AirWatch deployment

AirWatch v9.3

Have documentation feedback? Submit a Documentation Feedback support ticket using the Support Wizard on support.air-watch.com.

Copyright © 2018 VMware, Inc. All rights reserved. This product is protected by copyright and intellectual property laws in the United States and other countries as well as by international treaties. VMware products are covered by one or more patents listed at <http://www.vmware.com/go/patents>.

VMware is a registered trademark or trademark of VMware, Inc. in the United States and other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

Table of Contents

- Chapter 1: Overview 3
 - VMware People Search 4
 - People Search System Requirements 4
- Chapter 2: Application Configuration 5
 - Configure People Search in the VMware Identity Manager Console 6
 - Configure People Search in the AirWatch Console 7
 - People Search Custom Settings 7
- Chapter 3: Application Deployment 9
 - People Search End-User Quick Orientation 10
- Accessing Other Documents 14

Chapter 1:

Overview

VMware People Search	4
People Search System Requirements	4

VMware People Search

The VMware People Search application allows employees to search their organization's active directory to view user details and organization charts.

Users access and install the People Search application from Workspace ONE using Android and iOS devices. They can find other employees, view their organization charts and titles, and click on email addresses and weblinks to initiate communication with co-workers.

Configure People Search in VMware Identity Manager

First, enable People Search and map the Active Directory attributes required to retrieve information about employees and the organization.

For more information, see the VMware Identity Manager configuration documentation at https://docs.vmware.com/en/VMware-AirWatch/9.2/idm-administrator_aw/GUID-37C2C231-25E4-4896-9E64-FAF3A3FE4FEC.html.

Configure the People Search Application Profile in the AirWatch Console

Next, configure a profile for your People Search app deployment in the AirWatch Console. You can provide for app metrics to be collected, and configure various permissions and default settings that control how the app is used.

To configure the People Search application, see [Configure People Search in the AirWatch Console on page 7](#).

Assign People Search to End Users

Finally, assign and deploy the People Search application by configuring the flexible deployment options in the AirWatch Console. These options determine who receives the application, and, in the case of a staggered application rollout, when they receive it.

To assign People Search, see Add an Assignment to an Internal Application in the **Mobile Application Management (MAM) Guide**, available at <https://docs.vmware.com/en/VMware-AirWatch/index.html>.

For a quick end-user orientation for People Search, see [People Search End-User Quick Orientation on page 10](#).

People Search System Requirements

To deploy People Search as part of your Workspace ONE deployment, your enterprise systems must meet the following requirements.

System Requirements

- VMware Identity Manager v3.1 or higher
- For iOS, AirWatch Console v9.1 or higher
- For Android, AirWatch Console v9.1 or higher

Chapter 2:

Application Configuration

Configure People Search in the VMware Identity Manager Console	6
Configure People Search in the AirWatch Console	7
People Search Custom Settings	7

Configure People Search in the VMware Identity Manager Console

Enable VMware People Search and map the Active Directory attributes required to retrieve information about employees, including profile pictures and management hierarchy.

To configure People Search in the VMware Identity Manager console:

1. In the VMware administration console Catalog tab, select **Settings > People Search**.
2. Select **Enable People Search** and select **Next**.
3. In the page that displays, select the directory to configure for People Search.
4. Review the attribute list and select attributes to reflect which attributes to map to the Active Directory attributes and click Next.

To sync the photo profiles from the **thumbnailPhoto** attribute in the Active Directory, select the **imageURL** attribute.

Attributes that can be configured for People Search:

userName	lastName	firstName
email	address	alternatePhoneNumber
businessUnit	costCenter	country
locality	managerDN	mobile
phone	physicalDeliveryOfficeName	postalCode
region	telephoneNumber	title
userPrincipalName	distinguishedName	socialcast
slack	linkedInProfileUrl	imageURL

Important: To deploy People Search, you must configure **title**, **managerDN**, and **distinguishedName** attributes.

5. Map the attribute names listed to the Active Directory attributes.
6. If the VMware Identity Manager service is not already configured to sync all users, specify the DN to sync all users. For example, enter `CN=Users, DC=example, DC=com`.

To use the People Search application successfully, sync all users in your organization to the directory.

The directory sync profile you configured is added to the **Directory > Sync Settings > Users** sync list.

7. Select **Save and Sync**.

The Active Directory attributes sync to the directory.

To change the access time-to-live, the refresh token time-to-live, and the idle token time-to-live, go to the **Catalog > Settings > Remote App Access > Templates** page. Edit PeopleSearchOAuth2Template. For more information, see [Creating Clients for Remote Application Access](#).

Next, [Configure People Search in the AirWatch Console on page 7](#).

Configure People Search in the AirWatch Console

Before you deploy the People Search app to your organization, you must set up the app in the AirWatch Console.

To configure People Search:

1. In the AirWatch Console, navigate to **Device > Devices Settings > Apps > Settings and Policies > Settings**.
2. Configure the **Branding** on the log-in screens for your deployment of the People Search app. Applicable settings are labeled by platform.

Important: The branding settings you configure here are universal across all of your deployed applications. People Search inherits existing branding, and any changes you make to the branding affect your other VMware and AirWatch applications, such as Browser or Content Locker.

3. Configure **Logging** to record and display data for issues, events, or regular information gathering for the People Search application.

For more information on configuring application logging, see **Configure Logging for the Default SDK Profile** in the **Workspace ONE UEM Mobile Application Management Guide**, available at <https://docs.vmware.com/en/VMware-AirWatch/index.html>.

4. Configure **Custom Settings** to set app behavior and defaults. A sample configuration is included.

```
{
  "allowAddToContacts": true,
  "emailUsing": "Boxer",
  "openUrlUsing": "AWBrowser",
  "policyAllowCrashReporting": true,
  "policyAllowMetrics": true,
  "tenantHost": "ps.hwslabs.com"
}
```

For more information about the custom settings available for the People Search application, see [People Search Custom Settings on page 7](#).

For more information on configuring custom settings in the AirWatch Console, see **Configure Custom Settings for the Default SDK Profile** in the **Workspace ONE UEM Mobile Application Management Guide**, available at <https://docs.vmware.com/en/VMware-AirWatch/index.html>.

5. Select **Save** to deploy your changes.

Once you have configured your People Search application, deploy it to your end users. For more information, see **Add an Assignment to an Internal Application** in the **Mobile Application Management (MAM) Guide**, available at <https://docs.vmware.com/en/VMware-AirWatch/index.html>.

People Search Custom Settings

Configure your deployment of People Search on your end user devices by using the keys listed here.

For more information on configuring custom settings for the People Search application, see [Configure People Search in the AirWatch Console on page 7](#).

Key	Description	Type	Default	Values
tenantHost	Seeds VMware Identity Manager tenant URL Required value	String	-	
PolicyAllowMetrics	Allows app metrics to be collected and sent	Boolean	true	true or false
PolicyAllowCrashReporting	Allows Crash Reports to be sent	Boolean	true	true or false
allowAddToContacts	Allows user to add contact information of searched profile to phonebook	Boolean	true	true or false
emailUsing	Send email using Boxer or the native mail application	String	Boxer	Boxer or Native
openUrlUsing	Open a URL using AirWatch Browser or the native browser	String	AWBrowser	AWBrowser or Native

Chapter 3:

Application Deployment

People Search End-User Quick Orientation	10
--	----

People Search End-User Quick Orientation

Use the following information to introduce VMware People Search to your end users.

Workspace ONE Requirements


To use the People Search app, your end users' devices must run Workspace ONE.

Minimum OS Requirements

To deploy People Search as part of your Workspace ONE deployment, your end users' devices must run the following operating systems:

- Apple: iOS 9 or later
- Android: Android 4.4 (Kit Kat) or later

Beginning with VMware People Search v1.0.2 for iOS, VMware People Search supports full-screen display on the iPhone X.




Downloading People Search

Once you have deployed the People Search app to Workspace ONE, it will be available for your end users to download to their devices. The People Search app is pushed down to users on managed devices or made available for download to users on BYOD deployments.

Using the People Search App

The People Search app consists of a search bar where users can type names of people in your organization to find their contact information and their reporting hierarchies.



When users select a search result, they can view the searched user's profile, which includes information like email addresses, phone numbers, and office addresses. In the **Org** tab, users can view other users in the same organization, and select individual users to view them in an org chart.




From the Profile page, users can contact the searched user using the contact options provided:

- Email - uses the default email app assigned to the User profile
- Phone - uses the default phone app native to the OS to place a call

Any Custom Attributes mapped for user on the VMware Identity Manager will display on the Profiles page. Any external actions users perform on this page, such as launching a Skype call, will open the appropriate app as configured by the VMware Identity Manager.

Settings

On the People Search app home page, users select the gear icon to view app information and settings.



Accessing Other Documents

While reading this documentation you may encounter references to documents that are not included here.

The quickest and easiest way to find a particular document is to navigate to https://my.air-watch.com/help/9.2/en/Content/Release_Notes/Doc_List_PDFs.htm and search for the document you need. Each release-specific document has a link to its PDF copy on AirWatch Resources.

Alternatively, you can navigate to AirWatch Resources on myAirWatch (resources.air-watch.com) and search. When searching for documentation on Resources, be sure to select your AirWatch version. You can use the filters to sort by PDF file type and AirWatch v9.3.