

VMware Workspace ONE UEM Installation

VMware Workspace ONE UEM 1810



vmware®

You can find the most up-to-date technical documentation on the VMware website at:

<https://docs.vmware.com/>

If you have comments about this documentation, submit your feedback to

docfeedback@vmware.com

VMware, Inc.
3401 Hillview Ave.
Palo Alto, CA 94304
www.vmware.com

Copyright © 2018 VMware, Inc. All rights reserved. [Copyright and trademark information.](#)

Contents

- 1 Workspace ONE UEM Installation 5**
 - [Before you Begin Checklist 6](#)
 - [Installation Procedure Checklist for Workspace ONE with Workspace ONE UEM and VMware Identity Manager \(Windows Installer\) Components 8](#)

- 2 Preparing to Install Workspace ONE UEM 10**
 - [Database Server Prerequisites 11](#)
 - [Application Server Prerequisites 13](#)
 - [Perform Optional Installs 15](#)
 - [Create the Workspace ONE UEM Database 15](#)
 - [Create the Workspace ONE UEM SQL Service Account and Assign DB Owner Roles 16](#)
 - [Configure your Application Servers 19](#)
 - [Configure Your Internal DNS Record and Certificates 20](#)
 - [Configure Your External DNS Record and Certificates 25](#)
 - [Stage Install Files 31](#)

- 3 Installing Workspace ONE UEM Database Servers 32**
 - [Run the Workspace ONE UEM Database Setup Utility 32](#)
 - [Replicate SQL Agent Jobs on Additional Database Servers 34](#)
 - [Verify Proper Database Installation 34](#)

- 4 Installing a Workspace ONE UEM Application Server 36**
 - [Run the Workspace ONE UEM Installer on Each Application Server \(Console and Device Services\) 36](#)
 - [Generate Installation Token from myAirWatch \(Automatic\) 42](#)
 - [Generate Installation Token from myAirWatch \(Manual\) 48](#)
 - [\(Optional\) Run the Installer on Additional Application Servers 55](#)

- 5 Installing Workspace ONE UEM Reports 57**
 - [Integrate Reports with the Workspace ONE UEM console 58](#)
 - [Reports Storage 58](#)
 - [Reports Storage Requirements 58](#)
 - [Enable Reports Storage 59](#)

- 6 Verifying the Workspace ONE UEM Installation 61**
 - [Verify Correct Site URL Population 61](#)
 - [Verify Connectivity 62](#)
 - [Verify Services Are Started 62](#)

[Validate GEM Functionality](#) 63

[\(Optional\) Disable Services on Multiple Console Servers](#) 64

7 [Workspace ONE UEM Post-Installation Steps](#) 65

[Device Connection Testing](#) 65

[Run the Workspace ONE Wizard](#) 65

Workspace ONE UEM Installation

1

The VMware Workspace ONE™ UEM Windows Installer allows you to install Workspace ONE UEM components onto application servers to meet your deployment needs.

The installer handles the Workspace ONE UEM console server components, the Devices Services server components. From Workspace ONE UEM v9.4, the installer does not include installation files for the VMware Identity Manager service.

Use the [Installation Procedure Checklist for Workspace ONE with Workspace ONE UEM and VMware Identity Manager \(Windows Installer\) Components](#) to guide your installation, which proceeds through the following stages:

VMware Identity Manager Installation

If you are running VMware Identity Manager™ as part of your deployment of Workspace ONE UEM, you must set up Identity Manager before you install Workspace ONE UEM components.

To install and configure VMware Identity Manager, see the Identity Manager documentation at <https://docs.vmware.com/en/VMware-Identity-Manager/3.2/vidm-install.pdf>.

Installation Preparation

Installing Workspace ONE UEM requires specific prerequisites and procedures in an on-premises solution. Make sure to meet the prerequisites before proceeding with the installation instructions.

For detailed instructions on preparing for installation, see [Chapter 2 Preparing to Install Workspace ONE UEM](#).

The installation preparation procedure features a new tool, the [Workspace ONE Validation Tool](#), which provides feedback on your readiness to proceed with installation.

Database and Application Server Installations

Installing Workspace ONE UEM on premises involves configuring servers for your database, application, and any auxiliary components, and reports. Workspace ONE UEM comprises several different components, which can be combined with application servers or installed on their own dedicated servers.

To begin the database server installation, see [Chapter 3 Installing Workspace ONE UEM Database Servers](#).

To begin the application server installation, see [Run the Workspace ONE UEM Installer on Each Application Server \(Console and Device Services\)](#).

Reports Installation and Storage

Installing Workspace ONE UEM on premises involves installing and configuring reporting functionality for your deployment. After the reporting functionality is set up, you must configure storage for the reports that Workspace ONE UEM generates.

To install and configure reports, see [Chapter 5 Installing Workspace ONE UEM Reports](#).

Installation Verification

After Workspace ONE UEM is installed and configured, verify that all the components you have installed function properly.

To verify your installation, see [Chapter 6 Verifying the Workspace ONE UEM Installation](#).

Next Steps

When your installation is finished, [Run the Workspace ONE Wizard](#).

Recommended Architecture

To review recommended architectures based on your deployment size, refer to the **VMware Workspace ONE UEM Recommended Architecture Guide**, available at docs.vmware.com.

This chapter includes the following topics:

- [Before you Begin Checklist](#)
- [Installation Procedure Checklist for Workspace ONE with Workspace ONE UEM and VMware Identity Manager \(Windows Installer\) Components](#)

Before you Begin Checklist

Be aware of several notes and caveats before attempting to install Workspace ONE UEM on premises. Read through the following sections and ensure that you are fully prepared for following the steps in the remainder of this guide.

Obtain the Latest Version of this Document

Ensure that you are using the latest version of this guide by downloading the latest copy of the document from docs.vmware.com. Workspace ONE UEM frequently makes updates to documentation and having the latest version ensures that you are following the best practices and procedures.

Obtain the Install Package Files

Ensure that you have downloaded the installation package files. The link to these files is provided to you by your Workspace ONE UEM consultant as part of the deployment process.

Meet the Requirements

Meet all the requirements needed for a Workspace ONE UEM installation. Specific hardware and software requirements are outlined in the **Workspace ONE UEM Recommended Architecture Guide**, available on docs.vmware.com. A list of other requirements can be found in the [Chapter 2 Preparing to Install Workspace ONE UEM](#).

Note As of AirWatch v9.1 we have changed our supported SQL versions. Please check the latest list of prerequisites in the **Recommended Architecture Guide** to ensure your current version is supported.

Verify your On-Call Resources

Ensure that you have the proper on-call resources available if you need them. These resources may include technical resources such as the Database Analyst, Change Manager, Server Administrator, Network Engineer, and MDM System Administrator.

Workspace ONE UEM Components

To streamline the Workspace ONE UEM installation process, this documentation refers to both the Workspace ONE UEM console server and Workspace ONE UEM Device Services server. Before proceeding, it is important to understand each of these components and what they mean to your specific topology model.

- The **Workspace ONE UEM console Server** refers to the component of Workspace ONE UEM that renders and displays the UEM console. It presents and sends data to the database directly from the Workspace ONE UEM console.
- The **Workspace ONE UEM Device Services Server** refers to the component of Workspace ONE UEM that communicates with all managed devices. This server runs all processes involved in receiving and transmitting information from devices to other components of the system.
- The **VMware Identity Manager Server** refers to the component of Workspace ONE UEM that enables Workspace ONE functionality. This server provides services required for the Workspace ONE application and brand new functionality like mobile single sign-on and conditional access for third-party applications.

As of Workspace ONE UEM 9.4, the installer for the VMware Identity Manager is separate from the Workspace ONE UEM installer. This documentation details where you need to transfer to the Identity Manager documentation to complete your setup. VMware Identity Manager documentation is available on docs.vmware.com.

- The **Workspace ONE UEM Application Server** is any server that runs a Workspace ONE UEM instance. The standard Workspace ONE UEM deployment method involves installing multiple application servers for these components alongside a database. For each procedure in this guide that references an Application server, complete the procedure on all Workspace ONE UEM servers (Console, Device Services, AWCM, API).
- This documentation assumes that you are using one of the recommended architectures as detailed in the **Workspace ONE UEM Recommended Architecture Guide**, available on docs.vmware.com. If you are not using one of these architectures, contact VMware AirWatch for additional assistance.

A Note About Screenshots in this Document

Where applicable, this documentation uses screenshots from Windows Server 2012. If you are using Windows Server 2008 R2 or 2016, then perform the same actions documented in this guide, with the knowledge that the exact steps may slightly differ.

Installation Procedure Checklist for Workspace ONE with Workspace ONE UEM and VMware Identity Manager (Windows Installer) Components

Use the following checklist to track your installation progress for the Workspace ONE system by integrating Workspace ONE UEM and VMware Identity Manager (Windows installer).

Use the links provided to jump to a particular section, but ensure that you complete all the required steps.

StatusChecklist	Requirement	Notes
Step 1: Prepare for Your Installation		
	Verify Database Server Prerequisites Are Met for both VMware Identity Manager and Workspace ONE UEM	See Database Server Prerequisites .
	Verify Application Server Prerequisites Are Met for Workspace ONE UEM	See Application Server Prerequisites .
	Verify Identity Manager Service Server Prerequisites Are Met	
	Perform Optional Installs for Workspace ONE UEM	See Perform Optional Installs .
	Create the Workspace ONE UEM Database	See Create the Workspace ONE UEM Database .
	Assign Workspace ONE UEM Database Roles	See Create the Workspace ONE UEM SQL Service Account and Assign DB Owner Roles .
	Create the VMware Identity Manager Database	
	Assign Identity Manager Database Roles	
	Configure Application Servers for Workspace ONE UEM	See Configure your Application Servers .
	Server Internal DNS and Certificate Requirements for Workspace ONE UEM	See Configure Your Internal DNS Record and Certificates .

StatusChecklist	Requirement	Notes
	Server External DNS and Certificate Requirements for Workspace ONE UEM	See Configure Your External DNS Record and Certificates .
	Stage Install Files for Workspace ONE UEM	See Stage Install Files .
	(OPTIONAL) Run the Workspace ONE Validation Tool	
Step 2: Perform the Database Installation		
	Run the Workspace ONE UEM Database Setup Utility	See Run the Workspace ONE UEM Database Setup Utility .
	Verify Proper Database Installation	See Verify Proper Database Installation .
Step 3: Perform Application Server Installation		
	Start the Workspace ONE UEM Installer on Each Application Server	See Run the Workspace ONE UEM Installer on Each Application Server (Console and Device Services) .
	(IF APPLICABLE) Run the Workspace ONE UEM Installer on Any Additional Device Services Servers	See (Optional) Run the Installer on Additional Application Servers .
	(IF APPLICABLE) Run the Workspace ONE UEM Installer on Identity Manager Server	
Step 4: Perform Reports Installation		
	Integrate Reports with the Console and Enable Reports Storage	See Integrate Reports with the Workspace ONE UEM console and Reports Storage

This guide does not cover post-install configuration, but does include a [Chapter 7 Workspace ONE UEM Post-Installation Steps](#), which covers some of the essential procedures to get you started.

Preparing to Install Workspace ONE UEM

2

Installing Workspace ONE UEM requires specific prerequisites and procedures for an on-premises solution. Make sure to meet the prerequisites before proceeding with the installation instructions.

Prepare for installation by completing the following:

- 1 [Database Server Prerequisites](#)
- 2 [Application Server Prerequisites](#)
- 3 [Perform Optional Installs](#)
- 4 [Chapter 5 Installing Workspace ONE UEM Reports](#)
- 5 [Create the Workspace ONE UEM Database](#)
- 6 [Create the Workspace ONE UEM SQL Service Account and Assign DB Owner Roles](#)
- 7 [Configure your Application Servers](#)
- 8 [Configure Your Internal DNS Record and Certificates](#)
- 9 [Configure Your External DNS Record and Certificates](#)
- 10 [Stage Install Files](#)
- 11 [Run the Workspace ONE Validation Tool](#)

This chapter includes the following topics:

- [Database Server Prerequisites](#)
- [Application Server Prerequisites](#)
- [Perform Optional Installs](#)
- [Create the Workspace ONE UEM Database](#)
- [Create the Workspace ONE UEM SQL Service Account and Assign DB Owner Roles](#)
- [Configure your Application Servers](#)
- [Configure Your Internal DNS Record and Certificates](#)
- [Configure Your External DNS Record and Certificates](#)
- [Stage Install Files](#)

Database Server Prerequisites

Meet the database server prerequisites before installing the database server. The prerequisites listed here apply to any database you plan to install (for example, the Workspace ONE UEM or VMware Identity Manager databases).

SQL Server Hardware Requirements

The exact specifications needed for your SQL server depend on the size and needs of your deployment. Gather this information before proceeding so you size your servers correctly. Read the **Workspace ONE UEM Recommended Architecture Guide**, available at docs.vmware.com, for hardware sizing information and other technical details that ensure the smooth operation of your Workspace ONE UEM database.

SQL Server Software Requirements

Meet the following SQL Server software requirements:

- SQL Server 2012, SQL Server 2014, SQL Server 2016, or SQL Server 2017 with Client Tools (SQL Management Studio, Integration Services, SQL Server Agent, latest service packs). Ensure the SQL Servers are 64-bit (OS and SQL Server).

Workspace ONE UEM does not support Express, Workgroup, or Web editions of SQL Server. These editions do not support all the features used in the Workspace ONE UEM application. Currently only Standard and Enterprise Editions are supported.

- Microsoft SQL Server 2012 Native Client 11.3.6538.0 is required to run the database installer. If you do not want to install Microsoft SQL Server 2012 Native Client 11.3.6538.0 on to your database server, then run the database installer from another AirWatch server or a jump server where Microsoft SQL Server 2012 Native Client 11.3.6538.0 can be installed.
- .NET 4.6.2 is required to run the database installer, .NET 4.7 and 4.7.1 are also supported. If you do not want to install .NET on to your database server, then run the database installer from another Workspace ONE UEM server or a jump server where .NET can be installed.
- Ensure the SQL Server Agent Windows service is set to Automatic or Automatic (Delayed) as the Start type for the service. If set to Manual, it has to be manually started before database installation.
- You must have the access and knowledge required to create, back up, and restore a database.

When the database installer runs, it automatically updates your SQL Server with the latest versions of:

- ODBC Driver 13 for SQL Server 64-bit
- Command Line Utilities 13 for SQL Server 64-bit

TCP/IP Enabled

Use TCP/IP to connect to the database and disable Named Pipes. In SQL Server Configuration Manager, navigate to SQL Server Network Configuration and select **Protocols for MSSQLSERVER**.

SQL Server AlwaysOn

The SQL Server AlwaysOn capability combines failover clustering with database mirroring and log shipping. AlwaysOn allows for multiple read copies of your database and a single copy for read-write operations.

For more information about AlwaysOn functionality, see <https://msdn.microsoft.com/en-us/library/ff877884.aspx>.

If you have the bandwidth to support the traffic generated by Workspace ONE UEM, the Workspace ONE UEM database supports AlwaysOn. The following AlwaysOn functionality has been tested for support:

- Database in an Availability Group
- Availability Group failover
- Secondary Replica promotion to Primary
- Synchronous Replication

To integrate SQL Server AlwaysOn, set up the following prerequisites:

- Create a database listener to integrate with the Workspace ONE UEM Application and Database installations.

For more information on creating a database listener, see <https://docs.microsoft.com/en-us/sql/database-engine/availability-groups/windows/create-or-configure-an-availability-group-listener-sql-server>.

- If your AlwaysOn Availability Group uses different network subnets, you must configure your Availability Group Listener settings before you can deploy Workspace ONE UEM. Run the following commands using PowerShell on each database server in your cluster before you run the database installer:

```
>Get-ClusterResource <AG Listener Resource Name> | Set-ClusterParameter -Name HostRecordTTL -Value 60
```

```
>Get-ClusterResource <AG Listener Resource Name> | Set-ClusterParameter -Name RegisterAllProvidersIP -Value 0
```

For more information about HostRecordTTL values, including how to retrieve the AG Listener Resource Name, see <https://blogs.msdn.microsoft.com/alwaysonpro/2014/06/03/connection-timeouts-in-multi-subnet-availability-group/>.

Your database administrators decide the value for the HostRecordTTL. Low values result in a faster reconnection after a fail-over. For example, with a value of 60, the listener's DNS record updates take up to 60 seconds to match the IP address of the Primary (Active) SQL Node after a SQL fail-over.

Application Server Prerequisites

Meet the application server prerequisites before installing the application server. The prerequisites listed here apply to any application server you plan to install.

Hardware Requirements

A Workspace ONE UEM installation can involve many servers, and the exact specifications depend on the size and needs of your deployment. You may need to gather this information before proceeding so you size your servers correctly. Read through the **Workspace ONE UEM Recommended Architecture Guide**, available at docs.vmware.com, for hardware sizing information and other technical details that ensure the smooth operation of your Workspace ONE UEM solution.

Network Requirements

Review all the network requirements as outlined in the **Workspace ONE UEM Recommended Architecture Guide**. These requirements include the firewall ports that must be opened for Workspace ONE UEM to function properly.

Software Requirements

Ensure that you meet the following software requirements for the application servers:

- Internet Explorer 9+ installed on all application servers
- Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, or Windows Server 2016
- 64-bit Java (JRE 1.8) server needed for the server on which AWCM is installed. The Java installer is packaged with the Workspace ONE UEM installer and installs automatically if it is not already present.
- 64-bit Java (JRE 1.8) installed on all app servers. The Java installer is packaged with the Workspace ONE UEM installer and installs automatically if it is not already present.
- .NET Framework 4.6.2. The .NET Framework 4.6.2 installer is packaged with the Workspace ONE UEM installer and installs automatically if it is not already present. .NET 4.7 and 4.7.1 are also supported.
- PowerShell version 3.0+ if you are deploying the PowerShell MEM-direct model for email. To verify your version, open PowerShell and run the command `$PSVersionTable`. More details on this and other email models are available in the **Workspace ONE UEM Mobile Email Management Guide**, available at docs.vmware.com.

- Microsoft SQL Server 2012 Native Client 11.3.6538.0 to run the database installer. If you do not want to install SQL Server 2012 Native Client, run the database installer from another UEM server (or a jump server) where Microsoft SQL Server 2012 Native Client 11.3.6538.0 can install.
- If you use Windows for SQL authentication, you must join application servers that talk to the database to the Windows user's domain. The Active Directory service account must have administrator-level permissions.

Proxy Requirements

The Workspace ONE UEM servers can be configured with a proxy / PAC file for outbound Internet access. Apple APNs traffic, however, is not HTTP traffic, and cannot be authorized through traditional HTTP proxies. This traffic must go straight out to the Internet or through an application/SOCKS proxy.

If you are performing outbound proxying of APNs messages, your proxy application must support SOCKS V5.

SOCKS V4 and SOCKS V4a are not supported.

Install Role from Server Manager

Ensure that you meet the following IIS requirements, depending on your Windows Server version:

- IIS 7.0 (Server 2008 R2)
- IIS 8.0 (Server 2012 or Server 2012 R2)
- IIS 8.5 (Server 2012 R2 only)
- IIS 10.0 (Server 2016)

See additional information on the required roles and features under [Configure your Application Servers](#).

RDP and VM Access to Application Servers

You must have remote access to the servers that Workspace ONE UEM is installed on. Verify this access before attempting to install Workspace ONE UEM servers.

Remote Desktop Connection Manager can be downloaded from the following link:

<https://www.microsoft.com/en-us/download/details.aspx?id=44989>

Verify you can connect using RDP to your application servers or appropriate VM hosts.

- 1 Open Remote Desktop Connection:
 - Start > Run
 - Type **mstsc**
 - Select **OK**
- 2 Enter the IP address of the server and select **Connect**.
- 3 Log in using credentials for the server. Verify a successful log-in.

Permissions of Workspace ONE UEM Service Accounts

The service account you create for Workspace ONE UEM needs the appropriate permissions to integrate with your back end systems. This can be one service account that has all required access. Verify connectivity between your Workspace ONE UEM service account and your backend systems.

Perform Optional Installs

Install optional software to ensure a smooth installation process and to make troubleshooting easier.

Supported Browsers

The Workspace ONE Unified Endpoint Management (UEM) console supports the latest stable builds of the following web browsers.

- Chrome
- Firefox
- Safari
- Internet Explorer 11
- Microsoft Edge

Note If using IE to access the UEM console, navigate to **Control Panel > Settings > Internet Options > Security** and ensure you have a security level or custom security level that includes the **Font Download** option being set to **Enabled**.

If you are using a browser older than those listed above, upgrade your browser to guarantee the performance of the UEM console. Comprehensive platform testing has been performed to ensure functionality using these web browsers. The UEM console may experience minor issues if you choose to run it in a non-certified browser.

Notepad++


Download and install Notepad++ (<http://notepad-plus-plus.org/>). This application is helpful because it allows you to view many log files at once using the tabular format and allows for the auto-refresh of a log file if it is regenerated.

Create the Workspace ONE UEM Database

To create the database, you must perform the following steps with an administrator account that has the correct read/write permissions.

- 1 On the SQL Server, open SQL Server Management Studio.
- 2 Log in using your user name and password.

- 3 Click **Connect**.
- 4 Right-click **Databases** and select **New Database**.
- 5 Enter **Workspace ONE UEM** as the Database name.
- 6 Scroll to the right side of Database files, select the ... next to **Autogrowth for Workspace ONE UEM**, and change **File Growth** to “In Megabytes” and the size to **128**, then select **OK**.
- 7 Select **Options**, and set the Collation to **SQL_Latin1_General_CP1_CI_AS**.




- 8 Select **OK** to create the Workspace ONE UEM database.
- 9 Expand **Databases** and verify the Workspace ONE UEM database is created.

Create the Workspace ONE UEM SQL Service Account and Assign DB Owner Roles


After you create the Workspace ONE UEM database, you must configure the credentials of the SQL user that will run the Workspace ONE UEM database setup utility.

- 1 Open SQL Server Management Studio.

- 2 Log in to the DB server containing the Workspace ONE UEM database.




- 3 Navigate to **Security > Login**, right-click, and select **New Login**.
- 4 Select whether to use a **Windows** account or local **SQL Server** account for authentication. For SQL Server authentication, enter your user credentials.
- 5 Select the Workspace ONE UEM database as the **Default database**.
- 6 Navigate to the **Server Roles** tab. Select server role as **Public**.




7 Select User Mapping.

- Select the Workspace ONE UEM Database. Then, select the **db_owner** role.

For a successful installation, you must ensure that the SQL User you are planning to run the Workspace ONE UEM Database Script with has the database db_owner role selected.



- Select the msdb Database. Then, select the **SQLAgentUserRole** and **db_datareader** roles. SQLAgentUserRole is not pictured below due to space constraints.



8 Select **OK**.

Configure your Application Servers

The Workspace ONE UEM installer configures the following roles and permissions as part of the installation. If you prefer to configure these manually, or to verify them, you can use the procedure below.

- 1 On the **Workspace ONE UEM console Server** and **Workspace ONE UEM Device Services Server**, from the Taskbar, open **Server Manager** and select **Manage > Add Roles and Features**. Click **Next** to advance to the **Server Roles** tab.
- 2 Expand Web Server (IIS), and under it expand Web Server.
- 3 Verify that the following role services are enabled (most may already be enabled):
 - **Common HTTP Features:** Static Content, Default Document, HTTP Errors, HTTP Redirection

- **Application Development:** ASP.NET, .NET Extensibility, ASP, ISAPI Extensions, ISAPI Filters, Server Side Includes

When ASP.NET is selected, select Add Required Features to associate features with the ASP framework. Ensure that other required role services are enabled.

- **Health and Diagnostics:** HTTP Logging, Logging Tools, Request Monitor, Tracing
- **Security:** Request Filtering, IP, and Domain Restrictions
- **Performance:** Static Content Compression, Dynamic Content Compression
- **Management Tools:** IIS Management Console and IIS 6 Metabase Compatibility
- Ensure WebDAV is not installed.

4 Click **Next**.

5 On the **Features** tab, verify the following required features are added:

- **.NET Framework 4.6.2 Features:** Entire module (.NET Framework and WCF Activation)

When .NET is selected, select Add Required Features, to associate features with the .NET framework. Expand to verify every .NET/WCF feature is enabled. For a 2012 R2, .NET Framework 4.6.2 Features is required.

- **Message Queuing:** Message Queuing Server (expand Message Queuing > Message Queuing Services to select)
- **Telnet Client**

6 Click **Next** and verify that the features which must be enabled have been so enabled.

7 Select **Install**.

8 When the installation is finished, verify that the Installed succeeded messages are shown, then select **Close**.

Install URL Rewrite Module 2.0

The URL Rewrite Module 2.0 cannot be installed until the IIS role is installed.

- 1 Navigate to <http://www.iis.net/downloads/microsoft/url-rewrite#additionalDownloads> and download the appropriate version for your install.
- 2 Run the installer and accept the defaults for installation.


Configure Your Internal DNS Record and Certificates

An internally registered DNS record is for devices connecting over your organization's internal Wi-Fi network, and it tells them how to connect to Workspace ONE UEM (specifically, the Device Services server). An internal DNS record must be registered on the internal domain server.


In the standard, multi-server deployment, you must generate a self-signed certificate for your Console server (or you can use an internally issued certificate).

The externally available URL of the Workspace ONE UEM server must be set up with a trusted SSL certificate. A wildcard or individual Web site certificate is required.


- 1 Open **Server Manager** and navigate to **Roles > Web Server (IIS)**.
- 2 Click the **Server Name**.
- 3 Double-click **Server Certificates**.




4 On the right, select **Create Self-Signed Certificate**.




- 5 Enter the friendly name (FQDN) and select OK.



- Next you can add a 443 binding to the Default Web site in IIS. The bindings for a completed server look like the following. Your SSL certificate appears in the drop-down menu of available certificates.



- Verify that you have a private key that corresponds to your certificate.



Configure Your External DNS Record and Certificates

The two main components of Workspace ONE UEM are the Device Services server and the Console server. In the standard deployment model, these components are installed on separate servers, and only the Device Services component requires an external DNS record, while the Console component can remain only internally available.


An externally registered DNS record is a friendly name that refers to the IP to tell external devices how to connect to Workspace ONE UEM (the Device Services server). This externally available URL must be set up with a trusted SSL certificate trusted by all device types. For Apple, you can see a list of root certificates natively trusted by iOS On the Apple Support webpage. For other OEMs, check with the OEM to see which third-party certificate authorities are natively trusted. You can also typically retrieve this information from the device by looking for the Trusted Root CAs under Settings.

A wildcard or individual website certificate is required.

Important Ensure that these steps are performed on both the Workspace ONE UEM console and Device Services servers.


- 1 Obtain SSL certificates for each of your external DNS entries. A list of root certificates natively trusted by iOS can be found here: <http://support.apple.com/kb/HT5012>
- 2 On the **Workspace ONE UEM console** and **Device Services** Servers, open **MMC**:
 - a Start > Run
 - b Type mmc
 - c Select **OK**
- 3 In MMC, navigate to **File > Add/Remove Snap-in ...**
- 4 Select **Certificates** from the list of add-ins and select **Add**.
- 5 Choose **Computer account** and select **Next**.

- 6 Keep **Local computer** selected and select **Finish** and **OK**.




- 7 Expand the **Certificates** folder and right-click **Personal**.
- 8 Select **All Tasks** and choose **Import**.
- 9 In the **Certificate Import Wizard**, select **Next** and perform the following steps:
- Click **Browse** and navigate to the **Cert** folder, which was staged earlier, and change the file type drop-down to **All Files**.
If the drop-down is not changed to All Files, the certificate cannot be selected for import.
 - Select the appropriate certificate and select **Open**.
In a standard, multi-server installation, this certificate is the external third-party certificate for the DS server and for the Console it can be a self-signed or internally issued certificate.
This certificate must be a PFX file.
 - Click **Next**, and complete the following settings:
 - Password: Your certificate password
 - Enable **Mark this key as Exportable**
(This setting is optional and allows you to export the certificate from this server to use it on another server.)
 - Enable **Include all extended properties**
 - Click **Next** and select **Finish**.
 - Select **OK** to close the “**The import was successful**” pop-up.
- 10 Expand the **Personal** folder to show the **Certificates** folder.

- 11 Drag the **Root CA Certificate** into the **Trusted Root Certification Authorities** folder. Navigate to **Trusted Root Certification Authorities > Certificates** and verify that the move was successful.
- 12 Navigate back to **Personal > Certificates**, and drag the **Intermediate CA Certificate** into the **Intermediate Certification Authorities** folder. Navigate to **Intermediate Certification Authorities > Certificates** and verify that the move was successful.
- 13 To close MMC, select **File > Exit** . Select **No** to save changes.
- 14 Open Server Manager, select **Roles** and expand: **Web Server (IIS) > Information Services (IIS) Manager**.
- 15 In the right pane, under **Connections**, select the server.
- 16 Under the IIS section, double-click on **Server Certificates** and verify that the certificate is located in the certificate list. An example is shown.



Once uploaded on your server you can use it to add a 443 binding to the Default website in IIS. Your SSL certificate appears in the drop-down menu of available certificates.

17 Under **Connections**, expand **Sites** and select **Default Website**.




18 Under **Actions**, to the far right side, under **Edit Site**, select **Bindings** and select **Add...**

19 Configure the following settings:


- Type: https
- SSL certificate: Your certificate

20 Click **OK** and select to **Close**.


The IP address and Port are not altered. Do not populate the Hostname with an IP or DNS entry, since it affects the functionality of the SSL binding. A slight delay occurs when the certificate is bound to the website.




- 21 Click **OK** and select to **Close**.
- 22 Under **Actions/Browse Website**, verify **Browse *.443 (https)** is an available option.
- 23 Also verify that you have a private key that corresponds to your certificate.



24 Verify that the certificate contains the common name in the subject.



25 Verify that your DNS name is listed in the Subject Alternative Name.



26 Validate that you can connect to the server over HTTPS (https://[yourUEMDomain].com). At this point, the IIS splash page displays.

Important If SSL is used for UEM console access, ensure that FQDN is enabled.

Stage Install Files

After meeting the database and application server prerequisites and configuring your internal and external DNS, you can stage the install files on the appropriate Console, Device Services, and SQL servers.

To stage the install files:

- 1 Download the latest GA or Feature Pack Full Installer.zip file from the Resource Portal. Receive a direct link to the files from your Workspace ONE UEM consultant as part of the deployment process.
- 2 Unzip the files on to the appropriate server.
- 3 Extract the contents.

Installing Workspace ONE UEM Database Servers

3

Installing Workspace ONE UEM on premises involves configuring servers for your database before you proceed with the installation.

Install the required database servers by completing the following:

- 1 [Run the Workspace ONE UEM Database Setup Utility](#)
- 2 [Replicate SQL Agent Jobs on Additional Database Servers](#)
- 3 [Verify Proper Database Installation](#)

This chapter includes the following topics:

- [Run the Workspace ONE UEM Database Setup Utility](#)
- [Replicate SQL Agent Jobs on Additional Database Servers](#)
- [Verify Proper Database Installation](#)

Run the Workspace ONE UEM Database Setup Utility

Run the Workspace ONE UEM database executable once all prerequisites are met, such as creating the database and the Workspace ONE UEM SQL account and assigning DB owner roles used for installation.

For the following procedure, if you are planning to use Windows authentication, then you must be logged in as the account you want to use or you must shift+right-click when you run the Workspace ONE UEM database executable and select **Run as different user**. The installer can be run directly on the database server, or on an application server if you have security concerns.

Important If there is an open connection to the Workspace ONE UEM database, the population of the tables during the Database setup fails.

- 1 On either the Workspace ONE UEM console or Database Server, open the **9.4 DB** folder, right-click the Workspace ONE UEM Database executable, and **Run as an administrator**. If you plan to use Windows authentication for SQL, then run the installer using this account.
- 2 The DB Installer automatically prompts you to install any essential missing components. When complete, select **Next**.
- 3 Accept the Workspace ONE UEM **EULA**, and then select **Next**.

- 4 Select a location to install the Workspace ONE UEM Database files, and then select **Next**. The best practice is to install wherever the Workspace ONE UEM folder exists on your system. For example, C:\Workspace_ONE_UEM.

The Database Server screen displays.

- 5 Click the **Browse** button next to the **Database** server text box and select your Workspace ONE UEM database from the list of options.

- If a custom port was used, do not select **Browse...** Instead, use the following syntax: **DBHostName,<customPortNumber >** and then select **Browse...** to select the database server.
- Select the **Server authentication use the Login ID and password below** radio button and enter the SQL Admin credentials. Click the **Browse** button next to the database catalog text box and select the **Workspace ONE UEM database catalog**.

The Workspace ONE UEM database installation user (the account used to install the database only) has DB owner privileges on the Workspace ONE UEM Database and SQLAgentUserRole and db_datareader on the msdb database.

- If you are integrating SQL AlwaysOn Availability Groups, select the **Using SQL AlwaysOn Availability Groups?** checkbox. This creates a SQL Agent job for an AlwaysOn Availability Group. This job checks the status of the server to see if it is currently the primary node or not. If the server is the primary node, it keeps the other jobs enabled, and if not, the job disables them. The new job is named 'AAG_EnableJobs.'

For more information about SQL AlwaysOn functionality, see [Database Server Prerequisites](#).

- 6 Click **Next**. A warning pop-up displays to ensure the account accessing the database has sufficient rights. Click **OK** and **Install**.
- 7 Click **Finish** once the database upgrade process completes.

- 8 On the **SQL Server**, open **SQL Server Management Studio**, expand the **Workspace ONE UEM database** and verify Workspace ONE UEM tables have been populated.

Replicate SQL Agent Jobs on Additional Database Servers

If you are deploying SQL Server AlwaysOn, SQL jobs are created under the SQL Server Agent during the Workspace ONE UEM Database deployment. These jobs must be available in all database servers which belong to the SQL Availability Group.

T-SQL scripts are generated from the jobs, which are then transferred to target databases and run against them to create the same exact jobs.

After deploying the Workspace ONE UEM Database against one of the servers, perform the following:

- 1 Using SSMS (SQL Server Management Studio), navigate to **SQL Server Agent > Jobs**. Locate the jobs for the target Workspace ONE UEM database which follow the naming convention `AirWatch_<DatabaseName> - <JobName>`, including the **AAG_EnableJobs** job.
- 2 For each Workspace ONE UEM job:
 - a Right-click the job, then select **CREATE TO > New Query Editor Window**.
 - b Save the T-SQL script to your local computer.
- 3 When you have saved all jobs as a script, perform the following steps:
 - a Transfer all generated T-SQL scripts (for example using a file share) to the database servers which belong to the SQL Availability group.
 - b Open each T-SQL script in SSMS and run it.
 - c Verify that all jobs are present by navigating to **SQL Server Agent > Jobs** (a refresh of the SSMS instance might be necessary).
- 4 If the SQL user account used for Workspace ONE UEM has minimal permissions, assign permission to run the **AAG_EnableJobs** job by running the following command in each database server that contains the **AAG_EnableJobs** job:

```
GRANT VIEW SERVER STATE TO [AccountName]
```

[AccountName] is the SQL user account used to access the Workspace ONE UEM database.

If a target database fails to join the SQL Availability Group, see [https://technet.microsoft.com/en-us/library/ms178029\(v=sql.120\).aspx](https://technet.microsoft.com/en-us/library/ms178029(v=sql.120).aspx) for troubleshooting steps.

Verify Proper Database Installation

After running the database setup utility and completing installation, check to make sure that the installation was successful.

To verify a successful installation:

- 1 From SQL Server Management Studio, select your Workspace ONE UEM instance and enter:

```
SELECT * FROM dbo.DatabaseVersion
```
- 2 Click **Execute**.
- 3 Verify the correct version displays in the Results window. (If performing a 9.4 or later GA release, you see **MajorVersion** 9, **MinorVersion** 4, and **Description** Workspace ONE UEM 9.4 GA.)

Installing a Workspace ONE UEM Application Server

4

Installing Workspace ONE UEM on premises involves configuring your application servers before you proceed with the installation.

Install the required application servers by completing the following:

- 1 [Run the Workspace ONE UEM Installer on Each Application Server \(Console and Device Services\)](#)
- 2 [Generate Installation Token from myAirWatch \(Automatic\)](#)
- 3 [Generate Installation Token from myAirWatch \(Manual\)](#)
- 4 [\(Optional\) Run the Installer on Additional Application Servers](#)

This chapter includes the following topics:

- [Run the Workspace ONE UEM Installer on Each Application Server \(Console and Device Services\)](#)
- [\(Optional\) Run the Installer on Additional Application Servers](#)

Run the Workspace ONE UEM Installer on Each Application Server (Console and Device Services)

Run the Workspace ONE UEM executable file on your application servers to install the Workspace ONE UEM console and Device Services features.

For the following procedure, if you are planning to use Windows authentication, then you must be logged in as the account you want to use or you must shift+right-click when you run the installer EXE file and select **Run as different user**.

- 1 On the application server (which is either your Console or DS), open the **1810 Application** folder and run the **Workspace ONE UEM Application 1810 Full Install.exe**.

Execute the Workspace ONE UEM installer from an account with administrator privileges. If you do not have administrative privileges, right-click and choose **Run as Administrator** to run the installer.

The installer stops all the services on the App server automatically.

- 2 The installer installs pending server prerequisites, if any.

Certain software components you might be prompted to download, such as .NET and TLS, require a reboot. Reboot when prompted. The Workspace ONE UEM Installer automatically resumes after the prerequisites install.

- 3 Click **Next** once the Workspace ONE UEM installer begins. The **End User License Agreement (EULA)** appears.
- 4 Accept the EULA and select **Next**.
- 5 Next, specify if you are importing or exporting any Workspace ONE UEM Setup Configurations from or to any other identically configured Workspace ONE UEM servers.
 - Disregard this setting if you are deploying Workspace ONE UEM without any load balanced High Availability (HA) or Disaster Recovery (DR) servers.
 - If you have multiple load-balanced Device Services servers, then you can export settings from the first Device Services server to use on any of the additional Device Services servers and increase install speed or import settings that you have previously exported. For more information, see [\(Optional\) Run the Installer on Additional Device Services Servers](#).
- 6 Select the Workspace ONE UEM features that you want to install on the specific server.
 - In a standard, multi-server environment, enable only the UEM console features or the Workspace ONE UEM Device Services features for the respective server type.
 - If you want to enable Remote Management v3.0 capabilities to provide remote management capabilities to your supported devices, then refer to the **Workspace ONE UEM Remote Management v3.0 Guide**, available at docs.vmware.com, which provides steps to enable this functionality through a standalone installer.
- 7 The Workspace ONE UEM Prerequisites screen displays to ensure that you meet the requirements. At this point, the installer checks for modules that are required for a successful deployment of Workspace ONE UEM. You are prompted to install any missing components. Select **Next**.
- 8 Choose the directory to install Workspace ONE UEM, and then select **Next**.
- 9 Enter information about the Workspace ONE UEM Database.

- Select **Browse** next to the **Database server** text box and select your Workspace ONE UEM database from the list of options. If you are using a custom port, do not select Browse. Instead, use the following syntax: **DBHostName,<customPortNumber >** , and then select **Browse** to select the Database server.
 - i.e. db.acme.com,8043
 - Select one of the following authentication methods:
 - Choose **Windows Authentication** mode to connect to the database, and then select **Next**. You are prompted to enter the service account that you want to use. This service account is used to run all the application pools and Workspace ONE UEM related services. This account must be an account that has Workspace ONE UEM Database access.
 - Choose **SQL Server Authentication** mode to connect to the database. You are prompted to enter the user name and password.
 - Enter the name of the Workspace ONE UEM database or browse the SQL server to select it from a list.
- 10 Enter the Internal DNS URL or FQDN of the Console Server in the **UEM console DNS/IP Address** text box for the **Web Console**. Enter the External DNS for the **Device Services External DNS name** text box for the **Device Services** server.

Ensure that you are entering the full internal DNS URL or FQDN of the Console Server in the UEM console DNS/IP Address text box. Do **not** enter the shortname for the server. For example, if the Console server is awconsole.company.local, do **not** simply enter awconsole for your URL.

Ensure that the DNS names are correct and there are no spaces after the end of each. If an error is made, the whole installation must be removed and reinstalled.

Select whether to enable support for the SOAP API endpoints to be SSL Offloaded by selecting **API Server SSL Offloaded?**

Web Console and Device Services Server Information vmware airwatch

Specify server settings and whether HTTPS is being used. If settings are the same, please select same as above.

Web Console

Admin Console DNS/IP Address

HTTPS?

Device Services

Device Services External DNS name

HTTPS?

Same as above?


API Server SSL Offloaded?

InstallShield

< Back Next > Cancel

- 11 If the Global Enterprise Manager screen displays, then verify your Company name.
 - Enter your **Company Name**, which is your organization's Salesforce name provided by Workspace ONE UEM.
 - Select your **Environment Type** from the drop-down menu.
 - Enter your **Installation Token** from myAirWatch.
 - See [Generate Installation Token from myAirWatch \(Automatic\)](#) if your application server has outbound Internet access to the Workspace ONE UEM signing service, as defined under the Network Requirements in the Workspace ONE UEM Recommended Architecture Guide.
 - See [Generate Installation Token from myAirWatch \(Manual\)](#) if your application server does not have Internet access to reach the Workspace ONE UEM signing service.
- 12 Choose whether you want to participate in the VMware User Experience Improvement Program.

This program collects and uses technical information related to the performance, configuration and use of Workspace ONE UEM to improve and benchmark its products and services, fix problems, and to advise customers on how to use its products and services.



13 Choose the Workspace ONE UEM used Web site. By default, the 'Default Web Site' is selected.

14 If you choose to install the **AirWatch Cloud Messaging** component (selected by default for the Device Services server), you receive a prompt to enter the AWCM settings:

- Enter **0.0.0.0** for the value of the listening address, which is a wildcard value that tells AWCM to listen on all available interfaces on the server.

The value for listening address might be a specific IP address matching an interface on the server if this is needed per your network deployment.

Use 2001 as the **AWCM Services Port**. Consult your Workspace ONE UEM account services representative before using another port.

- To automatically use a Workspace ONE UEM certificate without any additional configuration, ensure **Use custom SSL Certificate instead of built-in Workspace ONE UEM certificate?** is disabled. Otherwise, select the **Use custom SSL Certificate instead of built-in Workspace ONE UEM Certificate** check box and locate the PFX file of your SSL certificate.

If you are using your own certificate, ensure that you extract the full chain as part of the PFX file before uploading it.

- If using SSL offloading through your load balancer, enable **AWCM Server SSL Offloaded?** and enter in the load balancer hostname. If you are not SSL Offloading AWCM, then you must upload your Device Services certificate for AWCM.

AirWatch Cloud Messaging Server Information

Please specify AWCM server settings vmware airwatch

AWCM Listening Interface	<input type="text" value="0.0.0.0"/>
AWCM Services Port	<input type="text" value="2001"/>
<input checked="" type="checkbox"/> Use custom SSL certificate instead of built-in AirWatch certificate ?	<input type="button" value="Browse..."/>
	<input type="text"/>
Certificate Password	<input type="password"/>

InstallShield

15 When deploying AWCM node(s), select a clustering mode.

- **Implicit Clustering** – The default, recommended method. Requires load balancer-based persistence.
- **Explicit Clustering** – An alternative method for deploying multiple AWCM Nodes that does not use load balancer-based persistence – data is shared in memory across all nodes. For more information, see the **Workspace ONE UEM Cloud Messaging Guide**.

If the SQL accounts used for Workspace ONE UEM are created with minimal permissions, you may need to script the SQL account creation on the secondary nodes.

You will need to query the system table on the primary node to get the hexadecimalSID for the login. Use the following query:

```
USE [master]SELECT * FROM SYS.SYSLOGINS WHERE NAME LIKE '%LOGINNAME%'
```

Once you get the SID, the script below can be used to create the login on secondary nodes.

```
USE [master]GOCREATE LOGIN [SqlLogin] WITH PASSWORD=N'[Password]', SID=[HexadecimalSID],
DEFAULT_DATABASE=[myDatabase], DEFAULT_LANGUAGE=[us_english], CHECK_EXPIRATION=[setting],
CHECK_POLICY=[setting]GO
```

16 Click **Install** when prompted.

If you install using Windows Server 2016, a dialog box prompts you to disable HTTP2 support. Disable and continue.

- 17 Click **Finish** once all the files are copied to the server to complete the Workspace ONE UEM installation.

The installation log file can be viewed by selecting a check box before Finish is selected.

Internet Explorer auto-launches and may fail, since IIS has not yet fully refreshed the Web sites.

- 18 Close Internet Explorer and run Chrome.

For the Console: Type **https://localhost/airwatch** to verify that the UEM console renders successfully.

For Device Services: Type **https://localhost/devicemanagement/enrollment** to verify that the device Group ID prompt is shown.

Since the SSL certificate is not bound to the localhost session, an error displays. Select **Proceed** to view the site. The first time the Web site displays, it may take up to minute to resolve.

- 19 If necessary, reset IIS using the Command Prompt to bring the site online: **iisreset**

As part of the standard, multi-server installation, you must now go through the procedure again, this time for the other app servers. If you have extra device services servers, then you must run the installer on each additional Device Services server.

If you are enabling SQL AlwaysOn, you must replicate the SQL Agent Jobs on the any additional database servers. For more information, see [Replicate SQL Agent Jobs on Additional Database Servers](#).

Generate Installation Token from myAirWatch (Automatic)

Toward the end of your Workspace ONE UEM installation, you may see a screen asking for your Installation Token generated from myAirWatch. This token is used to provision the necessary secure channel certificate to your Workspace ONE UEM database if it is not already present, such as in the case of a new installation.

To retrieve the token automatically, your Workspace ONE UEM application server must have outbound Internet access to the Workspace ONE UEM signing service, as defined under Network Requirements in the Workspace ONE UEM Recommended Architecture Guide.

- 1 After Workspace ONE UEM installation, on the Global Enterprise Manager screen, enter your **Company Name** and **Environment Type**.

- 2 Select the myAirWatch link, which should open the myAirWatch website. If the token field is not displayed, then no certificates are needed or the signing service could not be reached. If the service cannot be reached, see [Generate Installation Token from myAirWatch \(Manual\)](#).

Global Enterprise Manager (GEM)
Please enter your company information

vmware airwatch

Company Name

Environment Type

Installation Token


Please generate your token at [MyAirWatch](#)

InstallShield


< Back Next > Cancel

- 3 Log in to myAirWatch and navigate to myAirWatch > My Company.

4 Select **Certificate Signing Portal**.



5 Select **Authorize Install**.



6 Select **Generate a Token**.


The screenshot shows the 'myairwatch' web interface. At the top left is a hamburger menu icon. The header contains the 'myairwatch' logo. The main content area is titled 'Install'. Below the title, there is explanatory text: 'AirWatch needs to ensure that the installation of the console is performed by an authorized user. During the installation process, the installer will check for network access from the application server to the Certificate Authority (CA) server, which is located in an open or closed network environment. Select one of the options below to proceed with the installation.'

Two options are presented in a white box:

- Option 1:** 'My AirWatch application server **DOES** have access to the public internet'. This is accompanied by an icon of a smartphone connected to a globe via a green double-headed arrow with a checkmark.
- Option 2:** 'The AirWatch installer will prompt you to enter an Installation Token, which you can generate by clicking here.' This is accompanied by an icon of three gears pointing to a green circle containing a white key.

Below the second option is a large button labeled 'GENERATE A TOKEN'. A small search icon is visible in the bottom right corner of the interface.

- 7 Enter your token in the **Installation Token** field on the [Run the Workspace ONE UEM Installer on Each Application Server \(Console and Device Services\)](#) to complete the installation.




The screenshot shows the myairwatch web interface. At the top left is a hamburger menu icon and the 'myairwatch' logo. The main content area displays a message: 'This method of authentication requires the AirWatch console installed is of Version 9.1+ higher'. To the right of the text is an icon of an open box labeled 'airwatch 9.1+' with a green checkmark. Below this message, the text reads: 'Follow the steps below to complete the installation and proceed with installation:'. A list of four steps follows: 1. Run the AirWatch installer and follow the prompts until you a... 2. Copy the token displayed on this page. You may also regener... 3. Return to the AirWatch installer and paste the copied token in... 4. Follow the remaining prompts in the installer to complete the...

Generate Installation Token from myAirWatch (Manual)

Toward the end of your Workspace ONE UEM installation, you may see a Global Enterprise Manager screen asking for your Installation Token generated from myAirWatch. This token is used to provision the necessary secure channel certificate to your Workspace ONE UEM database if it is not already present, such as in a new installation.


If your Workspace ONE UEM application server does not have outbound Internet access to the signing service, as defined under Network Requirements, then the Authentication Token field does not display on the Global Enterprise Manager. In this case, the manual flow installer is automatically launched. In case the installer is not automatically launched, you can manually run it by navigating to **Workspace ONE UEM/Supplemental Software/CertInstaller/** and running **CertificateInstaller.exe**. This EXE file opens a screen to guide you through the manual installation method.

- 1 Select **Next** to continue and start the wizard.
- 2 Select whether to use SQL Authentication or Windows Authentication. Select the same option that you chose during the main installation procedure. For SQL Authentication, the appropriate credentials are seeded in your config file. For Windows Authentication, you must enter the credentials of the Windows user to authenticate.




The screenshot shows a Windows-style dialog box titled "AirWatch Certificate Installer". The main heading is "Database Authentication Mode". Below the heading, there is a paragraph of text: "Choose the mode of Authentication to the AirWatch Database. The settings here should be the same as defined in the AirWatch installer earlier in the installation. Choosing 'SQL Authentication' will use the values entered earlier in the install. Choosing 'Windows Authentication' will require entering the windows user with which to authenticate with again." There are two radio button options: "SQL Authentication" (unselected) and "Windows Authentication" (selected). Below these options are three text input fields labeled "Domain:", "Username:", and "Password:". At the bottom right of the dialog, there are three buttons: "< Back", "Next >", and "Cancel".

- 3 Select the **Get File** button and generate a PLIST file that contains a batch of certificate signing requests. Save this file to a location that has outbound Internet access to the myAirWatch signing service.




- 4 Log in to myAirWatch and navigate to **Hamburger menu > myAirWatch > My Company**.

5 Select **Certificate Signing Portal**.



6 Select **Authorize Install**.



7 Select **Upload Your File**.


The screenshot shows the 'myairwatch' web interface. At the top left is a hamburger menu icon. The header contains the 'myairwatch' logo. The main content area is titled 'Install' and contains the following text: 'AirWatch needs to ensure that the installation of the console is performed by an authorized user. The installer will check for network access from the application server to the Certificate Authority located in an open or closed network. Select one of the options below.'

Two options are presented in a white box:

- Option 1:** 'My AirWatch application server **DOES** have access to the public internet'. This is accompanied by an icon of a smartphone connected to a globe via a green double-headed arrow with a checkmark.
- Option 2:** 'The AirWatch installer will prompt you to enter an Install Token, which you can generate by clicking here.' This is accompanied by an icon of three gears pointing to a green circle containing a white key.


Below the second option is the text 'GENERATE A TOKEN'.

- Using the link, upload a PLIST file from your computer and select the PLIST file you saved previously.



The screenshot shows the myairwatch web interface. At the top left is a hamburger menu icon and the 'myairwatch' logo. The main content area has a light gray background. On the right side, the word 'Up' is partially visible. The central text reads 'This method of authorization on'. Below this is an illustration of an AirWatch software box labeled 'airwatch 9.1+' with a green checkmark icon. To the right of the box, the text says 'The AirWatch console being installed is of **Version 9.1 or higher**'. Below this, the text 'The ins' is partially visible. Further down, the text 'Follow the steps below to complete the autho' is shown. A numbered list follows: 1. Run the AirWatch installer and follow the prompts until you are asked to download... 2. Click on the section below and upload the plist file. 3. Upon submission, the page will download a response file that has been signed... 4. Go back to the AirWatch installer and upload the signed response file. 5. Follow the remaining prompts in the installer to complete the installation process. At the bottom right, there is a blue link that says 'Click here to upload' and a search icon in a dark square.

- 9 Select **Upload This File** and save the file provided.



- 10 In the installer, select **Set File** and select the file myAirWatch provided. If successful, the **Next** button is enabled and you may proceed with installation.


Installation Failed

If you see the installation failed screen at any point during installation, then something went wrong. You can select Back to try again or contact Workspace ONE Support for assistance.

(Optional) Run the Installer on Additional Application Servers

Running the installer extra times is only required if you have more Application servers, because you must run the installer on each additional server.

- 1 Log on to one of your Device Services servers and start the **Workspace ONE UEM Installer**.
- 2 Click through the screens until you reach the **Export/Import Setup Configuration** form. This time, select **Export configuration and use it on multiple servers** if you have multiple load-balanced Application servers. If you only have one Application server, then choose **Continue Setup without exporting/importing config file** once again.



- 3 Next, select the Workspace ONE UEM features that you want to install on the specific server.
If you are installing multiple AWCMs (which are typically on the Device Services servers), then you should refer to the following Knowledge Base article: <https://support.airwatch.com/articles/115001666028>.
- 4 Enter the file path to the Workspace ONE UEM Directory once again, and choose **Next**.
- 5 Enter the information about the Workspace ONE UEM Database. Do not select the check box as there is no need to generate a database script.
- 6 Enter the Console and Device Services Server URLs.

- 7 Specify the Workspace ONE UEM website.
- 8 Click **Install**, and then select **Finish**.
- 9 If you have additional Device Services servers to install, run the installer on each server but import the existing configuration file that you exported on your first Device Services server. You need to only select through the Installer without entering any configuration details.

Installing Workspace ONE UEM Reports

5

This section walks you through the process of installing Workspace ONE UEM Reports to enable report configuration, report subscription, and data driven email for your Workspace ONE UEM deployment.

For more information on Custom Reports, see the **Report Analytics Guide**, available on docs.vmware.com.

Reports Options

There are three options for configuring reporting.

- Option 1: Custom Reports

Custom reports allow you to create reports on your Workspace ONE UEM deployment based on your business needs. Custom reports use a cloud-based report storage to gather data and create the reports. The custom reports feature provides faster, easier access to critical business intelligence data than normal Workspace ONE UEM reports. Custom reports allow you to build customized reports using starter templates or create a report from scratch. You can choose from a wide range of data fields such as Apps and Devices.

- Option 2: New Reports

The reports functionality allows you to access detailed information about the devices, users, and applications in your Workspace ONE UEM solution. The exports of these reports are in CSV format.

- Option 3: Legacy SSRS

The Workspace ONE UEM Reporting module integrates with SQL Server Reporting Services (SSRS), which is a SQL Server module deployed with the main SQL Server instance. Sometimes the SSRS module is deployed on a separate Server. In this case, install Workspace ONE UEM Reporting on the Server hosting SSRS.

The SSRS installer is no longer included with the Workspace ONE UEM installation package. To add Legacy SSRS reporting to your deployment, run the Reports installer for AirWatch v.9.1 in addition to your normal Workspace ONE UEM installation, and use the documentation for that version.

Important While your reports server can be installed on the same server as the database, a dedicated SSRS instance is required for reports installations. Installing Workspace ONE UEM Reports on an existing production reporting instance may cause reporting failures.

This chapter includes the following topics:

- [Integrate Reports with the Workspace ONE UEM console](#)
- [Reports Storage](#)

Integrate Reports with the Workspace ONE UEM console

The final step to enable Workspace ONE UEM Reports in the UEM console is configuring the application to use the Report Server endpoint.

If the SQL Server is on a separate domain from the Console Server, you must enter the Domain Name of the SQL Server.

- 1 In the UEM console, navigate to **Groups & Settings > All Settings > Installation > Reports**. Ensure you are logged in as an administrator with the System Administrator role at the Global organization group level.
- 2 Enter the following parameters:
 - **Server URL** – The Report Server URL (<http://YourReportServer/reportserver> by default).
 - **Username** – The Workspace ONE UEM SSRS user that you created.
 - **Password** – The Workspace ONE UEM SSRS user password.
 - **Domain Name** – Enter the domain name of your active directory. This is only needed if you are using a Domain Service Account.

Reports Storage

Optimize the storage of your Reports through reports storage. This storage feature increases the performance of Reports.

This storage is different than file storage used by reports, internal applications, and content. If you already use file storage, you do not need to enable reports storage. Consider enabling reports storage if you see a performance impact on your database when using reports. Reports storage applies to reports only, helping increase overall reports performance, and reducing the burden on your database.

If you enable both file storage and reports storage, reports storage overrides file storage when storing reports.

Report storage requires a dedicated server to host the service and storage of the reports.

Reports Storage Requirements

To deploy the reports storage solution, ensure that your server meets the requirements.

Note If you are already using File Storage, then Report Storage is available, but not required to run your deployment. If you configure Reports Storage alongside File Storage, the report files will prioritize report storage over file storage.

Create the Shared Folder on a Server in Your Internal Network

- Report storage can reside on a separate server or the same server as one of the other application servers in your internal network. Ensure only the components that require access to the server can access the report storage server, such as the Console and Device Services servers.
- If the Device Services server, Console server, and the server hosting the shared folder are not in the same domain, then establish Domain Trust between the domains to avoid an authentication failure. If the Device Services or Console servers are not joined to any domain, then supplying the domain during service account configuration is sufficient.

Configure Reports Storage at the Global Organization Group

Configure reports storage settings at the Global organization group level in the UEM console. **Create a Service Account with Correct Permissions**

- Create an account with read and write permissions to the shared storage directory.
- Create the same local user and password on the Console, Device Services, and the server that is being used for report storage.
- Give the local user read/write/modify permissions to the file share that is being used for the Report Storage Path.

If you give the user modify permission, Workspace ONE UEM deletes old reports from the storage. If you do not give the user modify permissions, consider monitoring report storage to prevent running out of space.

- Configure the Report Storage Impersonation User in Workspace ONE UEM with the local user.

You can also use a domain service account instead of a local user account.

Allocate Sufficient Hard Disk Capacity

Your specific storage requirements can vary depending on how you plan to use reports storage. Ensure that the reports storage location has enough space to accommodate the reports you intend to use.

For storing reports, your storage requirements depend on the number of devices, the daily number of reports, and the frequency with which you purge them. As a starting point, plan to allocate at least 50 GB for deployment sizes up to 250,000 devices running about 200 daily reports. Adjust these numbers based on the actual amount you observe in your deployment. Also apply this sizing to your Console server if you enable caching.

Enable Reports Storage

Enable reports storage to store your reports on a dedicated server and improve performance.

To enable reports storage, take the following steps.

- 1 Navigate to **Groups & Settings > All Settings > Installation > Reports**.
- 2 Set **Report Storage Enabled** to **Enabled**.

3 Configure the report storage settings.

Settings	Description
Report Storage File Path	Enter the path reports are to be stored in the following format: \\{Server Name}\{Folder Name}, where Folder Name is the name of the shared folder you created on the server.
Report Storage Caching Enabled	When enabled, files are cached locally on the DS server when accessed for the first time. Subsequent requests are served using the file cached on the DS server instead of streaming from the file storage location. If you enable caching, consider accommodating for the amount of space needed on the server. For more information, see Reports Storage Requirements .
Report Storage Impersonation Enabled	Enabling this option adds a service account with the correct permissions.
Report Storage Impersonation user name	Enter the user name of a valid service account with both read, write, and modify permissions to the shared storage directory. Displays when Report Storage Impersonation Enabled is enabled.
Report Storage Impersonation Password	Enter the password of a valid service account with both read, write, and modify permissions to the shared storage directory. Displays when Report Storage Impersonation Enabled is enabled.

4 Select the **Test Connection** button to test the configuration.

Verifying the Workspace ONE UEM Installation

6

Once Workspace ONE UEM is installed and configured, verify that all the components you have installed function properly.

To verify that your components are functioning correctly, complete the following:

- 1 [Verify Correct Site URL Population](#)
- 2 [Verify Connectivity](#)
- 3 [Verify Services Are Started](#)
- 4 [Validate GEM Functionality](#)
- 5 [\(Optional\) Disable Services on Multiple Console Servers](#)

This chapter includes the following topics:

- [Verify Correct Site URL Population](#)
- [Verify Connectivity](#)
- [Verify Services Are Started](#)
- [Validate GEM Functionality](#)
- [\(Optional\) Disable Services on Multiple Console Servers](#)

Verify Correct Site URL Population

The Workspace ONE UEM system settings have a page that displays your site URLs. Verify these values have populated correctly as part of the installation.

- 1 Open a browser and access the console using the publicly signed URL.
- 2 Verify the Workspace ONE UEM version by selecting **About Workspace ONE UEM**.
- 3 Log in to the Workspace ONE UEM console by selecting a language, if applicable, and entering your credentials.
- 4 Accept the terms of use.
- 5 Define a Password Question and/or Security PIN.

6 Verify Correct Site URL Population.

- Navigate to **Groups & Settings > All Settings > System > Advanced > Site URLs** and verify the URLs populated correctly.

The only Site URL that might include “localhost” is the Peripheral Service URL. Google Play has a hostname connected to a port number.

7 Change SOAP and REST API URLs from the UEM console URL to the Workspace ONE UEM Devices Services server URL:

For example, <https://acme-console.com/AirWatchServices> becomes <https://acme-ds.com/AirWatchServices> and <https://acme-console.com/API> becomes <https://acme-ds.com/API>.

For deployments of up to 100,000 devices and higher, Workspace ONE UEM recommends a standalone API server, in which case you should change the Site URL to match your dedicated API server URL.

Verify Connectivity


After installation, navigate to the various endpoints for each of the installed components to ensure that they are up and running.

- 1 Navigate to **<https://localhost/AirWatch>** from the Console server. An SSL error displays. Select to **Proceed anyway** and then the Workspace ONE UEM console login page displays.
- 2 Navigate to **<https://localhost/DeviceManagement/Enrollment>** on the Device Services server. On a device connected through data network connection or internal Wi-Fi, navigate to **https://<DS_URL>/DeviceManagement/Enrollment**.
- 3 From the Workspace ONE UEM Devices Services Server, if that is where you installed the AWCM component, verify AWCM communication by opening the status page: **[https://<DS_URL> : 2001/awcm/status](https://<DS_URL>:2001/awcm/status)**.

Verify Services Are Started

After installation, verify that the various services for each of the installed components are started to ensure that they are up and running.

- 1 Open the **Server Manager**.
- 2 From the left pane, select Local Server then navigate to **Tools > Services**.




You will see all AirWatch Services at the top of the services list in alphabetical order. Each of these services start with AirWatch in the name.

- 3 Verify that each of these services show **Started** as the Status.

Validate GEM Functionality

After installation, ensure that the GEM Inventory Service is up and running.

- 1 On your Console server, navigate to **C:\AirWatch\Logs\Services**. Delete the AirWatchGemAgent.log file.
- 2 Open the **Server Manager**.
- 3 From the left pane, select Local Server and navigate to **Tools > Services**.



- 4 You will see all Workspace ONE UEM Services at the top of the services list in alphabetical order. Each of these services start with AirWatch in the name. For the **GEM Inventory Service**, right-click and select **Restart**.

- 5 Check your C:\AirWatch\Logs\Services\ folder to see if a log regenerates. If a log regenerates with errors, contact Workspace ONE UEM Support for further assistance.

If you do not see a log file in this folder, then this is normal and you do not need to contact Workspace ONE Support.

(Optional) Disable Services on Multiple Console Servers

Certain Workspace ONE UEM services must only be active on one primary console server to ensure maximum performance. If you deploy these services, disable them on non-primary servers after you have fully installed Workspace ONE UEM.

Workspace ONE UEM Services that must only be active on one server are:

- AirWatch Device Scheduler
- AirWatch GEM Inventory Service
- Directory Sync
- Content Delivery Service

Note This task is only applicable if you have **multiple console servers**.

Disable these services on any console servers other than the primary server:

- 1 On your non-primary console servers, open the **Server Manager**.
- 2 From the left pane, select Local Server and navigate to **Tools > Services**.
- 3 The active Workspace ONE UEM Services at the top of the services appear in alphabetical order. For the **AirWatch Device Scheduler**, **Directory Sync**, **Content Delivery Service**, and **AirWatch GEM Inventory Service**, right-click and select **Stop**.
- 4 When you upgrade your UEM console, the Content Delivery Service automatically restarts. Manually disable the applicable services again on all extra servers to maintain expected performance.

Workspace ONE UEM Post-Installation Steps

7

This guide does not cover post-install configuration, but does include two post-installation steps , which cover some of the essential procedures to get you started.

After you complete the installation, consider:

- 1 [Device Connection Testing](#)
- 2 [Run the Workspace ONE Wizard](#)

This chapter includes the following topics:

- [Device Connection Testing](#)
- [Run the Workspace ONE Wizard](#)

Device Connection Testing

Now that you have installed Workspace ONE UEM, you will want to perform some testing, such as test enrolling devices. To do this you will need the devices themselves, such as an iPhone/iPad or Android smartphone or tablet. You will also need to create a corporate Apple ID.

Create a Company-Dedicated Apple ID

If your deployment includes Apple iOS devices, you must generate an APNs certificate on behalf of your company. You can easily generate this certificate post-installation but it requires an Apple ID. Because this certificate must be renewed, Workspace ONE UEM recommends that an Apple ID is created with an email address multiple users have access to. This way, your company does not have to rely on one person in order to renew the certificate. If you need to create a new Apple ID, follow the link below and select Create an Apple ID:

<https://appleid.apple.com>

Run the Workspace ONE Wizard

VMware Identity Manager is required for Workspace ONE deployments and must be configured to communicate with your Workspace ONE UEM console. This process is largely automated through the Workspace ONE UEM Getting Started experience in the UEM console. Consider using the Getting Started wizard before attempting to use the Workspace ONE application.

Only run the Getting Started wizard after the health API has passed and the load balancer (if you are using one) shows "green."

For a walkthrough of enabling VMware Identity Manager integration, the Workspace ONE application, and core Workspace ONE features, please see the **Workspace ONE Quick Configuration Guide**, available at docs.vmware.com.