

# Infinite Peripherals Device Management

VMware Workspace ONE UEM 1903



vmware®

You can find the most up-to-date technical documentation on the VMware website at:

<https://docs.vmware.com/>

If you have comments about this documentation, submit your feedback to

[docfeedback@vmware.com](mailto:docfeedback@vmware.com)

**VMware, Inc.**  
3401 Hillview Ave.  
Palo Alto, CA 94304  
[www.vmware.com](http://www.vmware.com)

Copyright © 2019 VMware, Inc. All rights reserved. [Copyright and trademark information.](#)

# Contents

<b>1</b>	<b>Infinite Peripherals Overview</b>	<b>4</b>
	<a href="#">Introduction to Infinite Peripherals Supported Devices</a>	<a href="#">4</a>
<b>2</b>	<b>Configuring Peripheral Server</b>	<b>5</b>
	<a href="#">Add Peripheral Server</a>	<a href="#">5</a>
	<a href="#">Register the Peripheral Server</a>	<a href="#">6</a>
<b>3</b>	<b>Managing IPC Devices</b>	<b>7</b>
	<a href="#">View IPC Devices</a>	<a href="#">7</a>
	<a href="#">Delete Enrolled Devices</a>	<a href="#">7</a>

# Infinite Peripherals Overview

Infinite Peripherals (IPC) devices provide enterprise features such as barcode reader and mag-stripe or RFID readers to consumer grade iOS devices. With Workspace ONE UEM 9.2 and later versions, you can integrate and view your IPC devices and other managed devices from a central location in the Workspace ONE UEM console.

## Introduction to Infinite Peripherals Supported Devices

Know more about the supported IPC devices on the Workspace ONE UEM.

### Supported Devices

- Linea Pro 5
- Linea Pro 6
- Infinea Blue Pad
- Infinea Tab
- Infinea mPos
- Infinea X
- Infinea Omni

# Configuring Peripheral Server

This chapter includes the following topics:

- [Add Peripheral Server](#)
- [Register the Peripheral Server](#)

## Add Peripheral Server

To view device information in the UEM console, pair your IPC device with a host iOS device and register it in InfinealQ dashboard. For Workspace ONE UEM to communicate with your IPC devices, add the peripheral server to Workspace ONE UEM using the options provided in the UEM console.

To add a peripheral server in Workspace ONE UEM, perform the following steps:

- 1 Log in to the UEM console.
- 2 Ensure that the correct Organization Group is displayed at the top of the page.
- 3 Navigate to **Devices > Peripherals > Settings > Server**, and then select **Add Server**.
- 4 On the **Add Server** page, complete the following fields.

Fields	Description
<b>Friendly Name</b>	Choose a meaningful name to identify the peripheral server.
<b>HMAC Token</b>	The UEM console randomly generates this token. Provide this token to make all subsequent requests from the peripheral server to be HMAC signed. Select the entire 32-character string and copy it to the clipboard (Ctrl+C).
<b>User Id</b>	The user Id or user name associated with a peripheral server on the UEM console. The user name gets associated with the IPC device after enrollment.
<b>Service UID</b>	Enter the Service UID or select <b>Generate UID</b> . The Service UID can be an alphanumeric value having 16 through 36 characters.

- 5 Select **Save**. The status displays pending registration.

## Register the Peripheral Server


Register the Workspace ONE UEM Peripheral Server in the InfinealQ environment. Registering the Peripheral Server enables secure communication between Workspace ONE UEM and your IPC devices.

### Prerequisite

Access to InfinealQ portal.

### Procedure

To register a Peripheral Server:

- 1 Log in to InfinealQ environment. InfinealQ portal displays the dashboard.
- 2 Select . The InfinealQ Admin page opens.
- 3 Select **Edit MDM Settings**. The MDM Settings page opens.
- 4 Enter the URL in the **AirWatch Base URL** text box. For example, *example.awmdmd.com*.
- 5 Enter the HMAC token in the **HMAC Token** text box. Workspace ONE UEM provides the HMAC token when adding the peripheral server.
- 6 Enter the UID in the **Server UID** text box.
- 7 Enter the group ID in the **Group ID** text box.
- 8 Enter the user name in the **Username** text box.
- 9 Enter the password associated with the user name in the **Password** text box.
- 10 Select **Save**.
- 11 To verify the registration, log in to the UEM console and navigate to **Devices > Peripherals > Settings > Server**. The UEM console displays the notification end point. For example, *https://example.ipciq.com/airwatch*. The peripheral server status displays as registered.

# Managing IPC Devices

This chapter includes the following topics:

- [View IPC Devices](#)
- [Delete Enrolled Devices](#)

## View IPC Devices

With Workspace ONE UEM release v9.2, you can view your IPC devices in the UEM console. Certain features like creating profiles, pushing files, and configuring settings are currently not supported.

You can use the InfinealIQ portal for enrolling your IPC device. After enrollment, you can view the device information from List View.

To view IPC devices in UEM console:

- 1 Navigate to **Devices > Peripherals > List View**. The Peripheral List View page displays your enrolled IPC devices.
- 2 Select **IPC device friendly name**. You can view detailed information about the selected IPC device.

## Delete Enrolled Devices

You can delete enrolled IPC devices from the List View.

To delete an IPC device:

- 1 Navigate to **Devices > Peripherals > List View** and select the check box corresponding to the device. You can select multiple check boxes to bulk delete multiple devices.
- 2 Select **Delete Device** to delete your IPC device. Deleting your IPC device from UEM console does not remove it from the InfinealIQ portal.