

Reconfiguring VMware vSphere Update Manager

VMware vSphere 5.5
vSphere Update Manager 5.5



vmware®

You can find the most up-to-date technical documentation on the VMware website at:

<https://docs.vmware.com/>

If you have comments about this documentation, submit your feedback to

docfeedback@vmware.com

VMware, Inc.
3401 Hillview Ave.
Palo Alto, CA 94304
www.vmware.com

Copyright © 2009–2017 VMware, Inc. All rights reserved. [Copyright and trademark information.](#)

Contents

| | |
|--|----|
| Reconfiguring VMware vSphere Update Manager | 4 |
| Updated Information | 5 |
| 1 Introduction to the Update Manager Utility | 6 |
| 2 Installing the Update Manager Utility | 7 |
| Install the Update Manager Server and the Update Manager Utility | 7 |
| Install UMDS and the Update Manager Utility | 9 |
| 3 Using the Update Manager Utility | 12 |
| Start the Update Manager Utility and Log In | 12 |
| Launch the Update Manager Utility with UMDS | 13 |
| Reconfigure the Proxy Settings | 13 |
| Reinitialize the Update Manager Database | 14 |
| Change the Update Manager Database Connection Settings | 14 |
| Re-register Update Manager with vCenter Server | 15 |
| Change the Update Manager SSL Certificate | 15 |
| Restart the Update Manager Service | 16 |

Reconfiguring VMware vSphere Update Manager

Reconfiguring VMware vSphere Update Manager provides information about configuring VMware[®] vSphere Update Manager and VMware[®] vSphere Update Manager Download Service (UMDS) by using the VMware[®] vSphere Update Manager Utility.

This information provides instructions about changing the database password and proxy authentication, re-registering Update Manager with vCenter Server, and replacing the SSL certificates for Update Manager.

Intended Audience

This information is intended for anyone who wants to reconfigure Update Manager by using the Update Manager Utility. The information is written for experienced Windows or Linux system administrators who are familiar with virtual machine technology, datacenter operations, and Update Manager.

Updated Information

This *Reconfiguring VMware vSphere Update Manager* documentation is updated with each release of the product or when necessary.

This table provides the update history of the *Reconfiguring VMware vSphere Update Manager* document.

| Revision | Description |
|--------------|--|
| EN-001149-01 | Added new topic for about how to reinitialize the Update Manager database if it gets corrupt. For more information, see Reinitialize the Update Manager Database . |
| EN-001149-00 | Initial release. |

Introduction to the Update Manager Utility

1

The Update Manager Utility is an optional tool for Update Manager that allows you to configure the Update Manager server and UMDS after installation.

The Update Manager Utility allows you to reconfigure the following Update Manager settings without the need to reinstall Update Manager and UMDS:

- | | |
|--|---|
| Proxy settings | When you install the Update Manager server or the UMDS, you specify the proxy settings. If these settings change after installation, you must reconfigure Update Manager or UMDS to use the newly configured proxy. |
| Database user name and password | If the database user name and password change after you install the Update Manager server or UMDS, you can reconfigure Update Manager and UMDS without the need to reinstall them. |
| vCenter Server IP address | When you install the Update Manager server, you register it with the vCenter Server system with which Update Manager will work. Every time the vCenter Server IP is requested, you must provide the IP of the vCenter Server system with which Update Manager is registered. If the IP of the vCenter Server system or Update Manager changes, you must be able to re-register the Update Manager server with the vCenter Server system. |
| SSL certificate | You can replace the default Update Manager SSL certificates with either self-signed certificates or certificates signed by a commercial Certificate Authority (CA). You can replace only the SSL certificates that Update Manager uses for communication between the Update Manager server and client components. You cannot replace the SSL certificates that Update Manager uses when you are importing offline bundles or upgrade release files. |

Installing the Update Manager Utility

2

When you install Update Manager or UMDS, the Update Manager Utility is silently installed on your system.

You can install the Update Manager server and UMDS only on 64-bit operating system platforms.

This chapter includes the following topics:

- [Install the Update Manager Server and the Update Manager Utility](#)
- [Install UMDS and the Update Manager Utility](#)

Install the Update Manager Server and the Update Manager Utility

When you install the Update Manager server, the Update Manager Utility is installed on your system as an additional component.

The Update Manager installation requires a connection to a single vCenter Server instance. You can install Update Manager on the same computer on which vCenter Server is installed or on a different computer.

Prerequisites

- Verify that your system meets the installation requirements listed in *Installing and Administering VMware vSphere Update Manager*.
- Before installation, create and set up an Update Manager database and 32-bit DSN, unless you are using the bundled SQL Server 2008 R2 Express. For more information about setting up the Update Manager database, see *Installing and Administering VMware vSphere Update Manager*.
- Make sure that you create the ODBC connection to a supported database server version by using a supported database client version.

If you create an ODBC connection to a database server that is of an unsupported version, and your database client is of a supported version, a DSN for the unsupported database might be displayed in the drop-down menu of the Update Manager installation wizard.

- Ensure that the database privileges meet the requirements listed in *Installing and Administering VMware vSphere Update Manager*.

- Before installing Update Manager, install vCenter Server. If prompted, restart the machine on which vCenter Server is installed. Otherwise, you might not be able to register Update Manager with vCenter Server, and the Update Manager installation might fail. For more information about installing vCenter Server, see *vSphere Installation and Setup*.
- If you plan to use the bundled Microsoft SQL Server 2008 R2 Express database, make sure that you install Microsoft Windows Installer version 4.5 (MSI 4.5) on your system. You can download MSI 4.5 from the Microsoft Web site.

Procedure

- 1 In the software installer directory, double-click the `autorun.exe` file at `C:\installer_location`, and select **vSphere Update Manager**.

If you cannot launch the `autorun.exe` file, browse to locate the `UpdateManager` folder and run `VMware-UpdateManager.exe`.

- 2 Select a language for the installer and click **OK**.
- 3 Review the Welcome page and click **Next**.
- 4 Read the patent agreement and click **Next**.
- 5 Accept the terms in the license agreement and click **Next**.
- 6 Review the support information, select whether to download updates from the default download sources immediately after installation, and click **Next**.

If you deselect **Download updates from default sources immediately after installation**, Update Manager downloads updates once daily according to the default download schedule or immediately after you click the **Download Now** button on the Download Settings page. You can modify the default download schedule after the installation is complete.

- 7 Type the vCenter Server IP address or name, HTTP port, and the administrative account that the Update Manager server will use to connect to the vCenter Server system, and click **Next**.
- 8 Select the type of database that you want to use.

- If you do not have an existing database, select **Install a Microsoft SQL Server 2008 R2 Express instance (for small scale deployments)** and click **Next**.

This database is suitable for deployments of up to 5 hosts and 50 virtual machines.

- If you have a supported database, select **Use an existing supported database** and select a DSN from the drop-down menu. If the DSN does not use Windows NT authentication, type the user name and password for the DSN and click **Next**.

Important The DSN must be a 32-bit DSN.

9 Select the database options.

- If the system DSN you type points to an existing Update Manager database with the same schema, select to leave your existing database or replace it with an empty one.
- If the system DSN you type points to an older schema, on the Database Upgrade page, select **Yes, I want to upgrade my Update Manager database**, and **I have taken a backup of the existing Update Manager database**, and click **Next**.

10 Specify how to identify your Update Manager instance on the network by selecting an IP address or host name from the drop-down menu.

If the computer on which you install Update Manager has one NIC, the Update Manager installer automatically detects the IP address. If the computer has multiple NICs, select the correct IP address or use a DNS name. The DNS name must be resolved from all hosts that this Update Manager instance will manage.

11 Specify the Update Manager port settings, select whether you want to configure the proxy settings, and click **Next**.

12 Provide information about the proxy server and port and whether the proxy should be authenticated and click **Next**.

13 Select the Update Manager installation and patch download directories and click **Next**.

If you do not want to use the default locations, click **Change** to browse to a different directory.

14 In the warning message about the disk free space, click **OK**.

This message appears when you try to install Update Manager on a computer that has less than 120GB free space.

15 Click **Install** to begin the installation.

16 Click **Finish**.

You completed the installation of the Update Manager server and the Update Manager Utility.

Install UMDS and the Update Manager Utility

When you install UMDS, the Update Manager Utility is silently installed on your system as an additional component.

Prerequisites

- Verify that the machine on which you install UMDS has Internet access, so that UMDS can download upgrades, patch metadata and patch binaries.
- Uninstall UMDS 1.0.x or UMDS 4.x if it is installed on the machine. If such a version of UMDS is already installed, the installation wizard displays an error message and the installation cannot proceed.

- Create a database instance and configure it before you install UMDS. When you install UMDS on a 64-bit machine, you must configure a 32-bit DSN and test it from ODBC. The database privileges and preparation steps are the same as the ones used for Update Manager. For more information, see *Installing and Administering VMware vSphere Update Manager*.
- UMDS and Update Manager must be installed on different machines.

Procedure

- 1 Insert the VMware vSphere Update Manager installation DVD into the DVD drive of the Windows server that will host UMDS.
- 2 Browse to the umds folder on the DVD and run VMware-UMDS.exe.
- 3 Select the language for the installation and click **OK**.
- 4 (Optional) If the wizard prompts you, install the required items such as Windows Installer 4.5.
This step is required only if Windows Installer 4.5 is not present on your machine and you must perform it the first time you install a vSphere 5.0 product. After the system restarts, the installer launches again.
- 5 Review the Welcome page and click **Next**.
- 6 Read the patent agreement and click **Next**.
- 7 Accept the terms in the license agreement and click **Next**.
- 8 Select the database options and click **Next**.
 - If you do not have an existing database, select **Install a Microsoft SQL Server 2008 R2 Express instance (for small scale deployments)**.
 - If you want to use an existing database, select **Use an existing supported database** and select your database from the list of DSNs. If the DSN does not use Windows NT authentication, type the user name and password for the DSN and click **Next**.
- 9 Specify the Update Manager Download Service proxy settings and click **Next**.
- 10 Select the Update Manager Download Service installation and patch download directories and click **Next**.
If you do not want to use the default locations, you can click **Change** to browse to a different directory. You can select the patch store to be an existing download directory from a previous UMDS 4.x installation and reuse the applicable downloaded updates in UMDS 5.5. Once you associate an existing download directory with UMDS 5.5, you cannot use it with earlier UMDS versions.
- 11 (Optional) In the warning message about the disk free space, click **OK**.
- 12 Click **Install** to begin the installation.
- 13 Click **OK** in the Warning message notifying you that .NET Framework 3.5 SP1 is not installed.
The UMDS installer installs the prerequisite before the actual product installation.
- 14 Click **Finish**.

UMDS and the Update Manager Utility are installed on your system.

Using the Update Manager Utility

3

By using the Update Manager Utility, you can change the database connection settings and proxy authentication, re-register Update Manager with vCenter Server, and replace the SSL certificate.

This chapter includes the following topics:

- [Start the Update Manager Utility and Log In](#)
- [Launch the Update Manager Utility with UMDS](#)
- [Reconfigure the Proxy Settings](#)
- [Reinitialize the Update Manager Database](#)
- [Change the Update Manager Database Connection Settings](#)
- [Re-register Update Manager with vCenter Server](#)
- [Change the Update Manager SSL Certificate](#)
- [Restart the Update Manager Service](#)

Start the Update Manager Utility and Log In

To use the Update Manager Utility, you must start the utility and log in.

Prerequisites

- Make sure that you have local administrative credentials for the machine on which the Update Manager server is installed.
- Stop the Update Manager service.

Procedure

- 1 Log in as an administrator to the machine on which the Update Manager server is installed.
- 2 Navigate to the Update Manager installation directory.
The default location is C:\Program Files (x86)\VMware\Infrastructure\Update Manager.
- 3 Double-click the VMwareUpdateManagerUtility.exe file.
- 4 Type the vCenter Server machine IP address or host name and the administrative credentials to the vCenter Server system.

5 Click **Login**.

You successfully logged in to the Update Manager Utility.

What to do next

Use the Update Manager Utility to reconfigure the Update Manager server.

Launch the Update Manager Utility with UMDS

To use the Update Manager Utility with UMDS, you must log in to the machine on which UMDS is installed.

Procedure

1 Log in as an administrator to the machine where the UMDS is installed.

2 Navigate to the UMDS installation directory.

The default location is C:\Program Files (x86)\VMware\Infrastructure\Update Manager.

3 Double-click the VMwareUpdateManagerUtility.exe file.

You successfully logged in to the Update Manager Utility.

What to do next

Use the Update Manager Utility to reconfigure UMDS.

Reconfigure the Proxy Settings

If your system proxy settings change after you have installed the Update Manager server or UMDS, you must reconfigure the Update Manager server and UMDS to use the new proxy settings.

Prerequisites

Stop the Update Manager service.

Procedure

1 In the Options pane of the Update Manager Utility, click **Proxy Settings**.

2 In the Configurations pane, select the **Use Proxy** check box.

3 Type the proxy server settings and the credentials used for the proxy authentication.

4 Click **Apply**.

5 Restart the Update Manager service.

The Update Manager server and UMDS are reconfigured to use the new proxy settings.

Reinitialize the Update Manager Database

If your Update Manager database becomes corrupt you can reinitialize it. This requires less time than uninstalling and installing the database again.

For example, the Update Manager database might become corrupt from an import of incorrect metadata. To use the Update Manager database you can uninstall and then install it again. This erases the entire existing Update Manager database, which is time consuming task. You can save time and achieve the same result if you apply the following procedure to reinitialize the database. Reinitializing the database erases the entire existing Update Manager database, and all patches that you or other users imported to Update Manager. After you reinitialize the database, you can download the patches you need from the default Update Manager depots.

Prerequisites

Verify that you have an account with vCenter Server administrator privileges.

Procedure

- 1 Navigate to the Update Manager installation directory.

The default location is the following:

```
C:\Program Files (x86)\VMware\Infrastructure\Update Manager\
```

- 2 Double click the `VMwareUpdateManagerUtility.exe` file.
- 3 Log in to the Update Manager Utility with an account that has administrator privileges on vCenter Server.
- 4 Click **Database Settings**.
- 5 Select the **Re-Initialize Database** check box, and click **Apply**.
- 6 Close the VMware vCenter Update Manager Utility.
- 7 Restart the VMware vCenter Update Manager service.

Update Manager deletes all old data from the database and is ready to store new data.

Change the Update Manager Database Connection Settings

You can specify a different user name and password for the Update Manager or UMDS database connection.

Important If you are using an Oracle database for Update Manager or UMDS, you can change only the database password.

Prerequisites

- Verify that the ODBC connection to the database works fine before you change the database connection settings.
- Stop the Update Manager service.

Procedure

- 1 In the Options pane of the Update Manager Utility, click **Database Settings**.
- 2 In the Configurations pane, type the new user name and password for the DSN.
- 3 Type the password again in the **Confirm Password** text box.
- 4 Click **Apply**.
- 5 Restart the Update Manager service.

Re-register Update Manager with vCenter Server

You might need to re-register Update Manager with vCenter Server in certain situations, for example when the IP address of vCenter Server or Update Manager changes.

Prerequisites

Stop the Update Manager service.

Procedure

- 1 In the Options pane of the Update Manager Utility, click **Re-register to vCenter Server**.
- 2 In the Configurations pane, provide the connection and authentication details.
 - a In the **vCenter Server IP Address or Name** text box, type the new IP address or host name of the vCenter Server system.
 - b In the **User Name** and the **Password** text boxes, type the administrator user name and password for the vCenter Server system.
- 3 Click **Apply**.
- 4 Restart the Update Manager service.

The Update Manager server is re-registered to the reconfigured vCenter Server system.

Change the Update Manager SSL Certificate

You can change the SSL certificate that Update Manager uses to authenticate against vCenter Server.

Prerequisites

Stop the Update Manager service.

Procedure

- 1 In the Options pane of the Update Manager Utility, click **SSL Certificate**.
- 2 In the Configurations pane, follow the provided procedure.
- 3 Select the **Followed and verified the steps** check box.
- 4 Click **Apply**.
- 5 Restart the Update Manager service.

You changed the SSL certificate that Update Manager uses to authenticate against vCenter Server.

Restart the Update Manager Service

In certain cases, such as when you change the network connectivity settings, you must restart the Update Manager service.

Procedure

- 1 Log in as the administrator to the machine on which the Update Manager server component is installed.
- 2 Right-click **My Computer** and click **Manage**.
- 3 In the left pane of the **Computer Management** window, expand **Services and Applications** and click **Services**.
- 4 In the right pane, right-click **VMware vSphere Update Manager Service** and select **Restart**.

The service restarts on the local computer.