

Using VMware vRealize Orchestrator 8.2 Plug-Ins

15 MARCH 2021

vRealize Orchestrator 8.2

You can find the most up-to-date technical documentation on the VMware website at:

<https://docs.vmware.com/>

VMware, Inc.
3401 Hillview Ave.
Palo Alto, CA 94304
www.vmware.com

Copyright © 2008-2021 VMware, Inc. All rights reserved. [Copyright and trademark information.](#)

Contents

Using VMware vRealize Orchestrator Plug-Ins	9
1 Introduction to vRealize Orchestrator Plug-Ins	10
vRealize Orchestrator Architecture	11
Plug-Ins Installed with the vRealize Orchestrator Server	11
Access the vRealize Orchestrator API Explorer	14
Time Zone Codes	15
2 Configure the vRealize Orchestrator Plug-Ins	18
Manage vRealize Orchestrator Plug-Ins	18
Install or Update a vRealize Orchestrator Plug-In	19
Delete a Plug-In	19
3 Using the Active Directory Plug-In	21
Configuring the Active Directory Plug-In	21
Using the Active Directory Plug-In Workflow Library	22
Computer Workflows	22
Organizational Unit Workflows	22
User Workflows	23
User Group Workflows	23
Client-Side Load Balancing for the Active Directory Plug-In	24
4 Using the AMQP Plug-In	25
Configuring the AMQP Plug-In	25
Add a Broker	25
Subscribe to Queues	26
Update a Broker	27
Using the AMQP Plug-In Workflow Library	27
Declare a Binding	28
Declare a Queue	28
Declare an Exchange	29
Send a Text Message	30
Delete a Binding	31
5 Using the Configuration Plug-In	32
6 Using the Dynamic Types Plug-In	34
Dynamic Types Configuration Workflows	34

- 7 Using the F5 BIG-IP Plug-In 36**
 - Run the Attach BIG-IP Workflow 37
 - F5 Plug-In Workflow Library 38

- 8 Using the HTTP-REST Plug-In 43**
 - Configuring the HTTP-REST Plug-In 43
 - Add a REST Host 44
 - Add a REST Operation 46
 - Add a Schema to a REST Host 46
 - Generate a New Workflow from a REST Operation 47
 - Invoke a REST Operation 48
 - Invoking a REST Operation 48

- 9 Using the Library Plug-In 49**

- 10 Using the Mail Plug-In 51**
 - Using the Mail Plug-In Sample Workflows 51
 - Define the Default SMTP Connection 52

- 11 Using the Multi-Node Plug-In 53**
 - Introduction to the vRealize Orchestrator Multi-Node Plug-In 53
 - Configuring the Multi-Node Plug-In 54
 - Add an Orchestrator Server 54
 - Using Proxy Workflows 55
 - Synchronous Proxy Workflows 55
 - Asynchronous Proxy Workflows 56
 - Remote Execution Workflows 57
 - Using the Multi-Node Plug-In Inventory 58
 - Remote Management Workflows 58
 - Access the Multi-Node Plug-In API 59
 - Multi-Node Plug-In Use Cases 59
 - Create a Multi-Proxy Action 59
 - Maintenance of Remote and Proxy Workflows 60
 - Deploy a Package from a Local Server 61

- 12 Using the Net Plug-In 62**

- 13 Using the PowerShell Plug-In 63**
 - Introduction to the vRealize Orchestrator PowerShell Plug-In 63
 - PowerShell Plug-In Components 64
 - Configuring WinRM 64

- Configure WinRM to Use HTTP 65
- Configure WinRM to Use HTTPS 66
- Configure Kerberos Authentication 68
- Configuring the PowerShell Plug-In 69
 - Configuration Workflows 70
 - Add a PowerShell Host 70
- Access the PowerShell Plug-In API 71
- Using the PowerShell Plug-In Inventory 71
- Running PowerShell Scripts 72
 - Invoke a PowerShellScript 72
 - Invoke an External Script 72
- Generating Actions 73
 - Generate an Action from a PowerShell Script 73
 - Generate an Action for a PowerShell Cmdlet 74
- Passing Invocation Results Between Actions 75
- PowerCLI Integration with the PowerShell Plug-In 75
 - Converter Workflows 76
- Working with PowerShell Results 76
- Sample Workflows 77
- Examples of Scripts for Common PowerShell Tasks 77
- Troubleshooting 79
 - Enable Kerberos Event Logging 79
 - Servers Not Found in Kerberos Database 80
 - Unable to Obtain a Kerberos Ticket 80
 - Kerberos Authentication Fails Due to Different Time Settings 81
 - Kerberos Authentication Session Mode Fails 81
 - Unable to Reach a Key Distribution Center for a Realm 82
 - Unable to Locate the Default Realm 82
- 14 Using the SNMP Plug-In 83**
 - Managing SNMP Devices 83
 - Device Management Workflows 83
 - Register an SNMP Device 84
 - Managing SNMP Queries 85
 - Query Management Workflows 85
 - Add a Query to an SNMP Device 85
 - Managing the SNMP Trap Host 86
 - Trap Host Management Workflows 86
 - Add a SNMP trap port to the vRealize Orchestrator Appliance 87
 - Set the SNMP Trap Port 87
 - Receiving SNMP Traps 88

Wait for a Trap on an SNMP Device	88
Set an SNMP Trap Policy	89
Configure an SNMP Trap Host Policy	89
Edit a Trap Policy	90
Generic SNMP Request Workflows	91
15 Using the SOAP Plug-In	92
Configuring the SOAP Plug-In	92
Add a SOAP Host	93
Generate a New Workflow from a SOAP Operation	94
Test a Custom-Generated Workflow	95
Invoke a SOAP Operation	95
16 Using the SQL Plug-In	96
Configuring the SQL Plug-In	96
Add a Database	97
Add Tables to a Database	98
Update a Database	98
Running the SQL Sample Workflows	99
Generate a JDBC URL	99
Test a JDBC Connection	100
Create a Table by Using JDBC	100
Insert a Row into a JDBC Table	101
Select Rows from a JDBC Table	101
Delete an Entry from a JDBC Table	102
Delete All Entries from a JDBC Table	103
Drop a JDBC Table	103
Run a Complete JDBC Cycle	104
Running SQL Operations	104
Generate CRUD Workflows for a Table	105
17 Using the SSH Plug-In	106
Configuring the SSH Plug-In	106
Add an SSH Host	106
Running the SSH Plug-In Sample Workflows	107
Generate a Key Pair	108
Change the Key Pair Passphrase	108
Register a vRealize Orchestrator Public Key on an SSH Host	109
Run an SSH Command	109
Copy a File from an SSH Host	110
Copy a File to an SSH Host	111

18	Using the vCenter Server Plug-In	112
	Configuring the vCenter Server Plug-In	113
	Configure the Connection to a vCenter Server Instance	113
	vCenter Server Plug-In Scripting API	115
	Using the vCenter Server Plug-In Inventory	115
	Performance Considerations for Querying	115
	Using XPath Expressions with the vCenter Server Plug-In	116
	Using XPath Expressions with the vCenter Server Plug-In Examples	116
	vCenter Server Plug-In Workflow Library	117
	Batch Workflows	120
	Cluster and Compute Resource Workflows	121
	Configuration Workflows	121
	Custom Attributes Workflows	122
	Datacenter Workflows	122
	Datastore and Files Workflows	123
	Datacenter Folder Management Workflows	123
	Host Folder Management Workflows	123
	Virtual Machine Folder Management Workflows	124
	Guest Operation Files Workflows	124
	Guest Operation Processes Workflows	124
	Power Host Management Workflows	125
	Basic Host Management Workflows	125
	Host Registration Management Workflows	125
	Networking Workflows	126
	Distributed Virtual Port Group Workflows	126
	Distributed Virtual Switch Workflows	127
	Standard Virtual Switch Workflows	127
	Networking Virtual SAN Workflows	127
	Resource Pool Workflows	128
	Storage Workflows	128
	Storage DRS Workflows	129
	Storage VSAN Workflows	129
	Basic Virtual Machine Management Workflows	130
	Clone Workflows	131
	Linked Clone Workflows	131
	Linux Customization Clone Workflows	132
	Tools Clone Workflows	132
	Windows Customization Clone Workflows	133
	Device Management Workflows	133
	Move and Migrate Workflows	134
	Other Workflows	134

Power Management Workflows 135

Snapshot Workflows 136

VMware Tools Workflows 136

19 Using the vCloud Suite API (vAPI) Plug-In 137

Configuring the vCloud Suite API Plug-In 137

Import a vCloud Suite API Metamodel 137

Add a vCloud Suite API Endpoint 138

Access the vCloud Suite API Plug-In API 139

20 Using the XML Plug-In 140

Running the XML Plug-In Sample Workflows 140

Create a Simple XML Document 141

Find an Element in an XML Document 141

Modify an XML Document 142

Create an Example Address Book from XML 143

Using VMware vRealize Orchestrator Plug-Ins

Using VMware vRealize Orchestrator Plug-Ins provides information and instructions about configuring and using the standard set of plug-ins installed with VMware[®] vRealize Orchestrator.

Intended Audience

This information is intended for advanced vSphere administrators and experienced system administrators who are familiar with virtual machine technology and data center operations.

Introduction to vRealize Orchestrator Plug-Ins

1

With the vRealize Orchestrator plug-ins, you can access and control external technologies and applications. Exposing an external technology in a vRealize Orchestrator plug-in lets you incorporate objects and functions in workflows and run workflows on the objects of that external technology.

The external technologies that you access by using plug-ins include virtualization management tools, email systems, databases, directory services, and remote control interfaces.

vRealize Orchestrator provides a standard set of preinstalled plug-ins, which expose the VMware vCenter Server API, email and authentication capabilities, and other technologies. In addition, the vRealize Orchestrator open plug-in architecture lets you develop plug-ins to access other applications. vRealize Orchestrator implements open standards to simplify integration with external systems.

The standard set of plug-ins is automatically installed with the vRealize Orchestrator server. You might need to configure some of the plug-ins, for example the vCenter Server plug-in, before you start using them.

Plug-ins extend the vRealize Orchestrator scripting engine with new object types and methods, and plug-ins publish notification events from the external system that triggers events in vRealize Orchestrator and in the plugged-in technology. Plug-ins provide an inventory of JavaScript objects that you can access on the **Inventory** page of the vRealize Orchestrator Client. Each plug-in contains packages of workflows and actions that you can run on the objects in the inventory to automate the typical use cases of the integrated product.

This chapter includes the following topics:

- [vRealize Orchestrator Architecture](#)
- [Plug-Ins Installed with the vRealize Orchestrator Server](#)
- [Access the vRealize Orchestrator API Explorer](#)
- [Time Zone Codes](#)


vRealize Orchestrator Architecture

vRealize Orchestrator contains a workflow library and a workflow engine to allow you to create and run workflows that automate orchestration processes. You run workflows on the objects of different technologies that vRealize Orchestrator accesses through a series of plug-ins.

vRealize Orchestrator provides a standard set of plug-ins, including a plug-in for vCenter Server, to allow you to orchestrate tasks in the different environments that the plug-ins expose.

vRealize Orchestrator also presents an open architecture for plugging in external third-party applications to the orchestration platform. You can run workflows on the objects of the plugged-in technologies that you define yourself. vRealize Orchestrator connects to an authentication provider to manage user accounts and to a preconfigured PostgreSQL database to store information from the workflows that it runs. You can access vRealize Orchestrator, the objects it exposes, and the vRealize Orchestrator workflows through the vRealize Orchestrator Client, or through Web services. Monitoring and configuration of vRealize Orchestrator workflows and services is done through the vRealize Orchestrator Client and Control Center.

Figure 1-1. VMware vRealize Orchestrator Architecture



Plug-Ins Installed with the vRealize Orchestrator Server

vRealize Orchestrator includes a collection of standard plug-ins. Each plug-in exposes an external product API to the vRealize Orchestrator platform. Plug-ins provide inventory classes, additional object types for the scripting engine, and publish notification events from the external system. Each plug-in also provides a library of workflows for automating the typical use cases of the integrated external products.

You can see the list of installed plug-ins on the **Manage Plug-Ins** page in Control Center.

Table 1-1. Plug-Ins Installed with vRealize Orchestrator

Plug-In	Purpose	Configuration
Active Directory	Provides interaction between vRealize Orchestrator and Microsoft Active Directory.	See Configuring the Active Directory Plug-In .
AMQP	Lets you interact with Advanced Message Queuing Protocol (AMQP) servers also known as brokers.	See Configuring the AMQP Plug-In .

Table 1-1. Plug-Ins Installed with vRealize Orchestrator (continued)

Plug-In	Purpose	Configuration
Configuration	Provides workflows for configuring and managing the vRealize Orchestrator server keystores and trusted certificates.	None
Dynamic Types	Lets you define dynamic types and create and use objects of these dynamic types.	See Chapter 6 Using the Dynamic Types Plug-In .
Enumeration	Provides common Enumerated Types that can be used in workflows by other plug-ins.	See Time Zone Codes
HTTP-REST	Enables management of REST Web services through an interaction between vRealize Orchestrator and REST hosts.	See Configuring the HTTP-REST Plug-In .
Library	Provides workflows that act as basic building blocks for customization and automation of client processes. The workflow library includes templates for life-cycle management, provisioning, disaster recovery, hot backup, and other standard system management processes. You can copy and edit the templates to modify them according to your needs.	None
Mail	Uses Simple Mail Transfer Protocol (SMTP) to send email from workflows.	Set the default values for the <code>EmailMessage</code> object to use. See Define the Default SMTP Connection .
Multi-Node	Contains workflows for hierarchical management, management of vRealize Orchestrator instances, and scale-out of Orchestrator activities.	See Chapter 11 Using the Multi-Node Plug-In .
Net	Uses the Jakarta Apache Commons Net Library. Provides implementations of the Telnet, FTP, POP3, and IMAP protocols. The POP3 and IMAP protocols is used for reading email. With the Mail plug-in, the Net plug-in provides complete email sending and receiving capabilities in workflows.	
PowerShell	Lets you manage PowerShell hosts and run custom PowerShell operations.	See Chapter 13 Using the PowerShell Plug-In .
SNMP	Enables vRealize Orchestrator to connect and receive information from SNMP-enabled systems and devices.	
SOAP	Lets you manage SOAP Web services by providing interaction between vRealize Orchestrator and SOAP hosts.	See Configuring the SOAP Plug-In .
SQL	Provides the Java Database Connectivity (JDBC) API, which is the industry standard for database-independent connectivity between the Java programming language and a wide range of databases. The databases include SQL databases and other tabular data sources, such as spreadsheets or flat files. The JDBC API provides a call-level API for SQL-based database access from workflows.	

Table 1-1. Plug-Ins Installed with vRealize Orchestrator (continued)

Plug-In	Purpose	Configuration
SSH	Provides an implementation of the Secure Shell v2 (SSH-2) protocol. Allows remote command and file transfer sessions with password and public key-based authentication in workflows. Supports keyboard-interactive authentication. Optionally, the SSH plug-in can provide remote file system browsing directly in the vRealize Orchestrator Client inventory.	See Add an SSH Host .
vCenter Server	Provides access to the vCenter Server API so that you can incorporate all the vCenter Server objects and functions into the management processes that you automate by using vRealize Orchestrator.	See Configuring the vCenter Server Plug-In .
vCloud Suite API (vAPI)	Provides access to the API services exposed by any vAPI provider.	
XML	A complete Document Object Model (DOM) XML parser that you can implement in workflows. Alternatively, you can use the ECMAScript for XML (E4X) implementation in the vRealize Orchestrator JavaScript API.	

Plug-In Components

The components of each plug-in, such as workflow categories and API modules, use different naming conventions.

Table 1-2. Names of Plug-In Components

Plug-In Name in the Configuration UI	Workflow Categories	API Module
Active Directory	Computer Configuration Organizational Unit User User Group	AD
AMQP	Configuration	AMQP
Configuration	Configuration	Configurator
Dynamic Types	Configuration	DynamicTypes
Common enumerated types	None	Enums
HTTP-REST	Configuration	REST
Library	Locking Orchestrator Tagging	Not applicable.
Mail	Mail	Mail

Table 1-2. Names of Plug-In Components (continued)

Plug-In Name in the Configuration UI	Workflow Categories	API Module
Orchestrator Multi-Node	Servers Configuration Remote Execution Remote Management Tasks Workflows	VC0
Net	None	Net
PowerShell	Configuration Generate Templates	PowerShell
SNMP	Device Management Query Management Trap Host Management	SNMP
SOAP	Configuration	SOAP
SQL	JDBC SQL	SQL
SSH	SSH	SSH
Support	None	Support
vAPI	VAPI	VAPI
vCenter Server	vCenter	VC
XML	XML	XML

Access the vRealize Orchestrator API Explorer

You can use the vRealize Orchestrator API Explorer as an in-product reference guide to JavaScript objects exposed by the vRealize Orchestrator and all installed plug-ins.

You can consult an online version of the Scripting API for the vRealize Orchestrator plug-ins on the vRealize Orchestrator documentation home page.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **API Explorer**.

Results

The API Explorer appears. You can use it to search all the objects and functions of the vRealize Orchestrator API.

What to do next

Use the vRealize Orchestrator API Explorer as a reference guide when you write scripts for scriptable items or actions.

Time Zone Codes

When implementing common enumerated types in workflows, you can use time zone codes as possible values for the `Enums:MSTimeZone` enumeration.

Time Zone Code	Time Zone Name	Description
000	Dateline Standard Time	(GMT-12:00) International Date Line West
001	Samoa Standard Time	(GMT-11:00) Midway Island, Samoa
002	Hawaiian Standard Time	(GMT-10:00) Hawaii
003	Alaskan Standard Time	(GMT-09:00) Alaska
004	Pacific Standard Time	(GMT-08:00) Pacific Time (US and Canada); Tijuana
010	Mountain Standard Time	(GMT-07:00) Mountain Time (US and Canada)
013	Mexico Standard Time 2	(GMT-07:00) Chihuahua, La Paz, Mazatlan
015	U.S. Mountain Standard Time	(GMT-07:00) Arizona
020	Central Standard Time	(GMT-06:00) Central Time (US and Canada)
025	Canada Central Standard Time	(GMT-06:00) Saskatchewan
030	Mexico Standard Time	(GMT-06:00) Guadalajara, Mexico City, Monterrey
033	Central America Standard Time	(GMT-06:00) Central America
035	Eastern Standard Time	(GMT-05:00) Eastern Time (US and Canada)
040	U.S. Eastern Standard Time	(GMT-05:00) Indiana (East)
045	S.A. Pacific Standard Time	(GMT-05:00) Bogota, Lima, Quito
050	Atlantic Standard Time	(GMT-04:00) Atlantic Time (Canada)
055	S.A. Western Standard Time	(GMT-04:00) Caracas, La Paz
056	Pacific S.A. Standard Time	(GMT-04:00) Santiago
060	Newfoundland and Labrador Standard Time	(GMT-03:30) Newfoundland and Labrador
065	E. South America Standard Time	(GMT-03:00) Brasilia
070	S.A. Eastern Standard Time	(GMT-03:00) Buenos Aires, Georgetown
073	Greenland Standard Time	(GMT-03:00) Greenland

Time Zone Code	Time Zone Name	Description
075	Mid-Atlantic Standard Time	(GMT-02:00) Mid-Atlantic
080	Azores Standard Time	(GMT-01:00) Azores
083	Cape Verde Standard Time	(GMT-01:00) Cape Verde Islands
085	GMT Standard Time	(GMT) Greenwich Mean Time: Dublin, Edinburgh, Lisbon, London
090	Greenwich Standard Time	(GMT) Casablanca, Monrovia
095	Central Europe Standard Time	(GMT+01:00) Belgrade, Bratislava, Budapest, Ljubljana, Prague
100	Central European Standard Time	(GMT+01:00) Sarajevo, Skopje, Warsaw, Zagreb
105	Romance Standard Time	(GMT+01:00) Brussels, Copenhagen, Madrid, Paris
110	W. Europe Standard Time	(GMT+01:00) Amsterdam, Berlin, Bern, Rome, Stockholm, Vienna
113	W. Central Africa Standard Time	(GMT+01:00) West Central Africa
115	E. Europe Standard Time	(GMT+02:00) Bucharest
120	Egypt Standard Time	(GMT+02:00) Cairo
125	FLE Standard Time	(GMT+02:00) Helsinki, Kyiv, Riga, Sofia, Tallinn, Vilnius
130	GTB Standard Time	(GMT+02:00) Athens, Istanbul, Minsk
135	Israel Standard Time	(GMT+02:00) Jerusalem
140	South Africa Standard Time	(GMT+02:00) Harare, Pretoria
145	Russian Standard Time	(GMT+03:00) Moscow, St. Petersburg, Volgograd
150	Arab Standard Time	(GMT+03:00) Kuwait, Riyadh
155	E. Africa Standard Time	(GMT+03:00) Nairobi
158	Arabic Standard Time	(GMT+03:00) Baghdad
160	Iran Standard Time	(GMT+03:30) Tehran
165	Arabian Standard Time	(GMT+04:00) Abu Dhabi, Muscat
170	Caucasus Standard Time	(GMT+04:00) Baku, Tbilisi, Yerevan
175	Transitional Islamic State of Afghanistan Standard Time	(GMT+04:30) Kabul
180	Ekaterinburg Standard Time	(GMT+05:00) Ekaterinburg
185	West Asia Standard Time	(GMT+05:00) Islamabad, Karachi, Tashkent

Time Zone Code	Time Zone Name	Description
190	India Standard Time	(GMT+05:30) Chennai, Kolkata, Mumbai, New Delhi
193	Nepal Standard Time	(GMT+05:45) Kathmandu
195	Central Asia Standard Time	(GMT+06:00) Astana, Dhaka
200	Sri Lanka Standard Time	(GMT+06:00) Sri Jayawardenepura
201	N. Central Asia Standard Time	(GMT+06:00) Almaty, Novosibirsk
203	Myanmar Standard Time	(GMT+06:30) Yangon (Rangoon)
205	S.E. Asia Standard Time	(GMT+07:00) Bangkok, Hanoi, Jakarta
207	North Asia Standard Time	(GMT+07:00) Krasnoyarsk
210	China Standard Time	(GMT+08:00) Beijing, Chongqing, Hong Kong SAR, Urumqi
215	Singapore Standard Time	(GMT+08:00) Kuala Lumpur, Singapore
220	Taipei Standard Time	(GMT+08:00) Taipei
225	W. Australia Standard Time	(GMT+08:00) Perth
227	North Asia East Standard Time	(GMT+08:00) Irkutsk, Ulaan Bataar
230	Korea Standard Time	(GMT+09:00) Seoul
235	Tokyo Standard Time	(GMT+09:00) Osaka, Sapporo, Tokyo
240	Yakutsk Standard Time	(GMT+09:00) Yakutsk
245	A.U.S. Central Standard Time	(GMT+09:30) Darwin
250	Gen. Australia Standard Time	(GMT+09:30) Adelaide
255	A.U.S. Eastern Standard Time	(GMT+10:00) Canberra, Melbourne, Sydney
260	E. Australia Standard Time	(GMT+10:00) Brisbane
265	Tasmania Standard Time	(GMT+10:00) Hobart
270	Vladivostok Standard Time	(GMT+10:00) Vladivostok
275	West Pacific Standard Time	(GMT+10:00) Guam, Port Moresby
280	Central Pacific Standard Time	(GMT+11:00) Magadan, Solomon Islands, New Caledonia
285	Fiji Islands Standard Time	(GMT+12:00) Fiji Islands, Kamchatka, Marshall Islands
290	New Zealand Standard Time	(GMT+12:00) Auckland, Wellington
300	Tonga Standard Time	(GMT+13:00) Nuku'alofa

Configure the vRealize Orchestrator Plug-Ins

2

The vRealize Orchestrator Appliance provides access to a preinstalled library of default plug-ins. The default vRealize Orchestrator plug-ins are configured with plug-in specific workflows run in the vRealize Orchestrator Client.

The default vRealize Orchestrator plug-ins come with configuration workflows. You can run these workflows from the vRealize Orchestrator Client to register endpoints for management.

The configuration workflows have the *Configuration* tag. For example, to access workflows that are used to manage AMQP brokers and subscriptions, enter the tags *AMQP* and *Configuration* in the search text box of the workflow library.

This chapter includes the following topics:

- [Manage vRealize Orchestrator Plug-Ins](#)
- [Install or Update a vRealize Orchestrator Plug-In](#)
- [Delete a Plug-In](#)

Manage vRealize Orchestrator Plug-Ins

On the **Manage Plug-Ins** page of vRealize Orchestrator Control Center, you can view a list of all plug-ins that are installed in vRealize Orchestrator and perform basic management actions.

Install or Upgrade a Plug-In

With the vRealize Orchestrator plug-ins, the vRealize Orchestrator server can integrate with other software products. vRealize Orchestrator comes with a set of preinstalled default plug-ins. You can further expand the capabilities of the vRealize Orchestrator platform by installing custom plug-ins.

You can install or upgrade plug-ins from the **Manage Plug-Ins** page of the vRealize Orchestrator. The file extension that can be used is `.vmoapp`.

For more information on installing or upgrading vRealize Orchestrator plug-ins, see [Install or Update a vRealize Orchestrator Plug-In](#).

Change Plug-In Logging Level

Instead of changing the logging level for vRealize Orchestrator, you can change it only for specific plug-ins.

Disable a Plug-In

You can disable a plug-in by deselecting the **Enable plug-in** option next to the name of the plug-in.

This action does not remove the plug-in file. For more information on uninstalling a plug-in in vRealize Orchestrator, see [Delete a Plug-In](#).

Install or Update a vRealize Orchestrator Plug-In

You can install or update third-party plug-ins with the vRealize Orchestrator Control Center.

Prerequisites

Download the `.vmoapp` file of the vRealize Orchestrator plug-in.

Procedure

- 1 Log in the Control Center as **root**.
- 2 Select the **Manage Plug-ins** page.
- 3 Click **Browse** and select the `.vmoapp` file of the plug-in you want to install or update.
- 4 Click **Upload**.
- 5 Review the plug-in information, if applicable, accept the end-user license agreement, and click **Install**.

The plug-in is installed or updated and the vRealize Orchestrator server service is restarted.

What to do next

Verify that the correct plug-in information is listed on the **Manage Plug-ins** page.

Delete a Plug-In

You can delete third-party plug-ins through the vRealize Orchestrator Control Center.

Note Deleting the plug-in deletes the plug-in package.

Procedure

- 1 Log in to the Control Center as **root**.
- 2 Select **Manage Plug-ins**.
- 3 Find the plug-in you want to delete and click the delete icon ().

4 Confirm that you want to delete the plug-in, and click **Delete**.

Results

You deleted the plug-in from the vRealize Orchestrator Appliance.

Using the Active Directory Plug-In

3

The VMware vRealize Orchestrator plug-in for Microsoft Active Directory allows interaction between vRealize Orchestrator and Microsoft Active Directory. You can use the plug-in to run vRealize Orchestrator workflows that automate Active Directory processes.

The Active Directory plug-in contains a set of standard workflows. You can also create custom workflows that implement the plug-in API to automate tasks in your Active Directory environment.

This chapter includes the following topics:

- [Configuring the Active Directory Plug-In](#)
- [Using the Active Directory Plug-In Workflow Library](#)
- [Client-Side Load Balancing for the Active Directory Plug-In](#)

Configuring the Active Directory Plug-In

To connect to a Microsoft Active Directory instance by using the Active Directory plug-in, you must configure the connection parameters for the Microsoft Active Directory instance.

You can configure Active Directory by running the configuration workflows included in the plug-in.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **active_directory** and **configuration** tags in the workflow search box.

Workflow Name	Description
Add an Active Directory server	Adds a new Active Directory domain configuration.
Configure Active Directory plug-in options	Configures the search limitation options of the Active Directory plug-in.
Update an Active Directory server	Modifies an existing Active Directory server configuration.
Remove an Active Directory server	Removes an Active Directory server configuration.
Configure Active Directory server (Deprecated)	Creates or updates the default Active Directory server configuration. Use Update an Active Directory server.
Reset configuration (Deprecated)	Deletes the default Active Directory server configuration. Use Remove an Active Directory server.

Using the Active Directory Plug-In Workflow Library

The Active Directory plug-in workflow library contains workflows that allow you to run automated processes related to the management of Microsoft Active Directory objects.

Using the Active Directory Plug-In Inventory

The Active Directory plug-in exposes all objects in the connected Microsoft Active Directory instance in the **Inventory** view.

To display the workflows that are available for an Active Directory inventory object, navigate to **Administration > Inventory > Active Directory** in the vRealize Orchestrator Client.

Active Directory Plug-In Workflows

The Active Directory plug-in contains a set of standard workflows that cover the most common LDAP functionality. You can use the workflows as building blocks for creating complex custom solutions. By combining standard workflows, you can automate multistep processes in the Active Directory environment.

Active Directory Plug-In Computer Workflows

The Computer workflow category contains workflows that are related to Active Directory computer management.

To access these workflows, navigate to **Library > Workflows** and enter the **active_directory** and **computer** tags in the workflow search box.

Workflow Name	Description
Create a computer in a group	Creates an Active Directory computer in a group.
Create a computer in an organizational unit	Creates an Active Directory computer in an organizational unit.
Destroy a computer	Deletes a computer from an Active Directory instance.
Destroy a computer and delete its subtree	Deletes a computer from an Active Directory instance and all objects within the computer subtree.
Disable a computer	Disables a computer from an Active Directory instance.
Enable a computer	Enables a computer in an Active Directory instance.

Active Directory Plug-In Organizational Unit Workflows

The Organizational Unit workflow category contains workflows that are related to Active Directory organizational unit management.

To access these workflows, navigate to **Library > Workflows** and enter the **active_directory** and **organizational_unit** tags in the workflow search box.

Workflow Name	Description
Create an organizational unit	Creates an organizational unit in an existing organizational unit.
Destroy an organizational unit	Deletes an organizational unit from an Active Directory instance.
Destroy an organizational unit and delete its subtree	Deletes an organizational unit from an Active Directory instance and all objects within the organizational unit subtree.

Active Directory Plug-In User Workflows

The User workflow category contains workflows that are related to Active Directory user management.

To access these workflows, navigate to **Library > Workflows** and enter the **active_directory** and **user** tags in the workflow search box.

Workflow Name	Description
Add a user to a user group	Adds one user as a member of a user group.
Change a user password	Changes the password for a user. SSL connection is required, and the password must meet the Active Directory restrictions.
Create a user in a group	Creates a user without a password. The password must be created at the next login. Domain policies must allow users to have empty passwords.
Create a user in an organizational unit	Creates a user in an organizational unit. If SSL connection is disabled, you cannot create a password for the user. Domain policies must allow users to have empty passwords.
Create a user with a password in a group	Creates a user and sets a password for the user. The password can be changed at the next login.
Create a user with a password in an organizational unit	Creates a user in an organizational unit and sets a password for the user. The password can be changed at the next login. If SSL connection is disabled, you cannot specify a password.
Destroy a user	Deletes a user from an Active Directory instance.
Disable a user	Disables a user from an Active Directory instance.
Enable a user	Enables a user in an Active Directory instance.
Remove a user from a user group	Removes a user from a user group.

Active Directory Plug-In User Group Workflows

The User Group workflow category contains workflows that are related to Active Directory user group management.

To access these workflows, navigate to **Library > Workflows** and enter the **active_directory** and **user_group** tags in the workflow search box.

Workflow Name	Description
Add computers to group members	Adds one or more computers as members of a user group.
Add groups to group members	Adds one or more user groups as members of a user group.
Add users to group members	Adds one or more users as members of a user group.

Workflow Name	Description
Create a user group in a group	Creates a user group in an existing container (group).
Create a user group in a group and set attribute "Group name (pre-Windows 2000)"	Creates a user group in an existing container (organizational unit) and sets the Group name (pre-Windows 2000) attribute.
Create a user group in an organizational unit	Creates a user group in an existing container (organizational unit).
Destroy a user group	Deletes a user group from an Active Directory instance.
Remove computers from group members	Removes one or more computers from a user group.
Remove groups from group members	Removes one or more user groups from a user group.
Remove users from group members	Removes one or more users from a user group.

Client-Side Load Balancing for the Active Directory Plug-In

You can use client-side load balancing and failover to improve the stability of your Active Directory plug-in configuration.

You can configure client-side load balancing when running the **Add an Active Directory server** and **Update an Active Directory server** workflows. Client-side load balancing is possible through the ServerSet Java class.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Navigate to **Library > Workflows** and enter the **active_directory** and **configuration** tags in the workflow search box.
- 3 Run the **Add an Active Directory server** or **Update an Active Directory server** workflow.
- 4 Select the **Alternative hosts** tab.
- 5 From the drop-down menu, select **Single Server**, **Round-Robin DNS Server**, **Round-Robin**, or **Failover**.

Option	Description
Single Server	A server set implementation that connects to only one server.
Round-Robin DNS Server	A server set where server handles the case in which a given host name may resolve to multiple IP addresses. This server set does strictly require DNS server setup. The ordering mechanism for selecting an address is round-robin.
Round-Robin	A server set where load is distributed evenly between several directory servers. If a server is unavailable, the connection will move to the next server in the set.
Failover	A server set where server connections are established in order. This implementation can establish connections between separate server sets. Useful for providing high availability in complex environments.

- 6 When you finish configuring the workflow run, click **Run**.

Using the AMQP Plug-In

4

The AMQP plug-in allows you to interact with Advanced Message Queuing Protocol (AMQP) servers also known as brokers. You can define AMQP brokers and queue subscriptions as inventory objects by running configuration workflows, and perform AMQP operations on defined objects.

The plug-in contains a set of standard workflows related to managing AMQP brokers and calling AMQP operations.

This chapter includes the following topics:

- [Configuring the AMQP Plug-In](#)
- [Using the AMQP Plug-In Workflow Library](#)

Configuring the AMQP Plug-In

You must use the vRealize Orchestrator Client to configure the AMQP plug-in.

You can configure AMQP by running the configuration workflows included in the plug-in. The Configuration workflow category contains workflows that allow you to manage AMQP brokers.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **amqp** and **configuration** tags in the workflow search box.

Workflow Name	Description
Add a broker	Adds an AMQP broker.
Remove a broker	Removes an AMQP broker.
Remove a subscription	Removes an AMQP message subscription.
Subscribe to queues	Creates a subscription element.
Update a broker	Updates broker properties.
Validate a broker	Validate a broker by attempting to start a connection.

Add a Broker

You can run a workflow to add an AMQP broker.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Navigate to **Library > Workflows** and enter the **amqp** and **configuration** tags in the workflow search box.
- 3 Locate the **Add a broker** workflow and click **Run**.
- 4 On the **AMQP broker properties** tab, enter the name of the broker.
- 5 On the **AMQP connection properties** tab, provide the information required for the broker connection.

Option	Action
Host	Enter the address of the host.
Port	Enter the port of the AMQP broker service. The default port is 5672.
Virtual host	Enter the address of the virtual host. The default value provided is /.
Use SSL	Select whether to use SSL certificates.
Accept all certificates	Select whether to accept all SSL certificates without validation.
User name	Enter the user name for the broker.
Password	Enter the password for the broker.

- 6 Click **Run**.

Results

After the workflow runs successfully, the AMQP broker appears in the **Inventory** view.

What to do next

You can run a Validate a broker workflow. If an error occurs, use the Update a broker workflow to change the properties of the broker before validating again.

Subscribe to Queues

You can run a workflow to create a new subscription element.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an AMQP broker from the **Inventory** view.
- Verify that the AMQP broker has all queues included in the subscription declared.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **amqp** and **configuration** tags in the workflow search box.
- 2 Locate the **Subscribe to queues** workflow and click **Run**.

- 3 On the **Subscription** tab, enter the name of the queue to display.
- 4 On the **AMQP Broker** tab, select the broker to which you want to add the subscription.
- 5 On the **Queues** tab, select all the queues for message subscription.
- 6 Click **Run**.

Results

After the workflow runs successfully, a child of the broker appears in the **Inventory** view.

What to do next

You can create a policy.

Update a Broker

You can run a workflow to update the broker properties.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an AMQP broker from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **amqp** and **configuration** tags in the workflow search box.
- 2 Locate the **Update a broker** workflow and click **Run**.
- 3 On the **AMQP Broker** tab, select the broker that you want to update.
Current properties of the broker appear on the **New AMQP connection properties** tab.
- 4 On the **New AMQP connection properties** tab, edit the properties that you want.
- 5 Click **Run**.

Using the AMQP Plug-In Workflow Library

The AMQP workflow category contains workflows that allow you to run AMQP operations.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **amqp** tag in the workflow search box.

Workflow Name	Description
Bind	Creates a binding in a specified broker.
Declare a queue	Adds a queue to a specified broker.
Declare an exchange	Adds an exchange to a specified broker.
Delete a queue	Deletes a queue from a specified broker.

Workflow Name	Description
Delete an exchange	Deletes an exchange from a specified broker.
Receive a text message	Receives a text message from a specified broker.
Send a test message	Sends a text message using a specified broker.
Unbind	Unbinds binding in a specified broker.

Declare a Binding

You can run a workflow to create a binding in a specified broker.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an AMQP broker from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **amqp** tag in the workflow search box.
- 2 Locate the **Bind** workflow and click **Run**.
- 3 On the **AMQP Broker** tab, select a broker in which you want to create a binding.
- 4 On the **Binding Properties** tab, provide information about the binding.

Option	Action
Queue name	Enter the name of the queue.
Exchange name	Enter the name of the exchange.
Routing key	Enter the routing key.

- 5 Click **Run**.

Declare a Queue

You can run a workflow to add a queue to a specified broker.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an AMQP broker from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **amqp** tag in the workflow search box.
- 2 Locate the **Declare a queue** workflow and click **Run**.
- 3 On the **AMQP Broker** tab, select a broker to which you want to add the queue.

- 4 On the **Queue Properties** tab, define the queue properties.
- In the **Name** text box, enter the name of the queue to display.
 - Select whether the queue is durable.

Option	Description
Yes	The queue is removed after a broker restart.
No	The queue remains after a broker restart.

- Select whether an exclusive client is set for the specific queue.

Option	Description
Yes	Sets one client for this specific queue.
No	Sets more clients for this specific queue.

- Select whether to delete the queue with activated subscription automatically.

Option	Description
Yes	Automatically deletes the queue when no more clients are connected to it. The queue remains until at least one client subscribes to it.
No	Does not delete the queue.

- 5 Click **Run**.

Declare an Exchange

You can run a workflow to add an exchange in a specified broker.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an AMQP broker from the **Inventory** view.

Procedure

- Navigate to **Library > Workflows** and enter the **amqp** tag in the workflow search box.
- Locate the **Declare an exchange** workflow and click **Run**.
- On the **AMQP Broker** tab, select a broker to which you want to add the exchange.

- 4 On the **Exchange Properties** tab, define the exchange properties.
- In the **Name** text box, enter the name of the queue to display.
 - Select the exchange type.

Option	Description
direct	Makes a direct match between the routing key provided in the message and the routing criteria used when a queue is bound to this exchange.
fanout	Forwards any message sent to this exchange to all queues bound to it. Queues that are bound to this exchange contain no arguments.
headers	Queues are bound to this exchange with a table of arguments that can contain headers and values. A special argument named x-match determines the matching algorithm.
topic	Performs a wildcard match between the routing key and the routing pattern specified in the binding.

- Select whether the exchange is durable.

Option	Description
Yes	The exchange remains after a broker restart.
No	The exchange is removed after a broker restart.

- Select whether to delete the exchange with activated subscription automatically.

Option	Description
Yes	Automatically deletes the exchange when no more queues are bound to it. The exchange remains until at least one queue is bound to it.
No	Does not delete the exchange.

- 5 Click **Run**.

Send a Text Message

You can run a workflow to send a text message using a specified broker.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an AMQP broker from the **Inventory** view.

Procedure

- Navigate to **Library > Workflows** and enter the **amqp** tag in the workflow search box.
- Locate the **Send a text message** workflow and click **Run**.
- On the **AMQP Broker** tab, select a broker from which you want to send a message.

- 4 On the **Exchange** tab, specify the name of the exchange and the routing key.
- 5 On the **Message** tab, enter the message you want to send.
- 6 Click **Run**.

Delete a Binding

You can run a workflow to delete a binding in a specified broker.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an AMQP broker from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **amqp** tag in the workflow search box.
- 2 Locate the **Unbind** workflow and click **Run**.
- 3 On the **AMQP Broker** tab, select a broker to remove the binding from.
- 4 On the **Binding Properties** tab, enter the name of the queue, the name of the exchange, and the routing key.
- 5 Click **Run**.

Using the Configuration Plug-In

5

In addition to configuring vRealize Orchestrator by using Control Center, you can modify the vRealize Orchestrator server configuration settings by running workflows from the Configuration plug-in.

With the Configuration plug-in, you can configure and manage the vRealize Orchestrator server keystores and trusted certificates.

SSL Trust Manager Workflows

The SSL Trust Manager category contains workflows that you can use for deleting and importing SSL certificates.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **configuration** and **ssl_trust_manager** tags in the workflow search box.

Workflow Name	Description
Delete a trusted certificate	Deletes an SSL certificate from the server trust store.
Import certificate from URL	Imports an SSL certificate from a URL into the server trust store.
Import a certificate from URL using authenticated proxy server	Imports an SSL certificate from a URL that is reachable through an authenticated proxy server.
Import certificate from URL using proxy server	Imports an SSL certificate from a URL that is reachable through a proxy server.
Import certificate from URL with certificate alias	Imports an SSL certificate from a URL into the server trust store.
Import trusted certificate from a file	Imports an SSL certificate from a file into the server trust store.

Keystore Workflows

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **configuration** and **keystores** tags in the workflow search box.

Workflow Name	Description
Add certificate	Adds a certificate to a keystore.
Add key	Adds a key.
Create a keystore	Creates a new keystore.
Delete a keystore	Deletes a keystore.
Delete certificate	Deletes a certificate from a keystore.
Delete entry	Deletes an entry.
Delete key	Deletes a key.

Using the Dynamic Types Plug-In

6

The vRealize Orchestrator Dynamic Types plug-in allows you to define dynamic types, create objects of these types, and set relations between them. You can use the Dynamic Types plug-in to expose third-party objects as custom types in the vRealize Orchestrator Scripting API.

The definition of a dynamic type contains the descriptions of its properties and a set of finder workflows and actions which can be used to find dynamic objects of this type. Runtime instances of dynamic types are called dynamic objects. You can run workflows on the dynamic objects you create and perform different operations on them.

Each dynamic type must be defined in a namespace. Namespaces are helper dynamic objects that let you group dynamic types in containers.

- 1 Define a new dynamic type and its properties by running the Define Namespace and Define Type workflows from the Dynamic Types plug-in. In result, you obtain a set of finder and inventory workflows for finding objects of the new dynamic type and their relations with other objects.
- 2 Modify the new finder and inventory workflows, so that they receive their input from the third-party REST API.
 - a Create REST operations by using the Add a REST Operation workflow from the HTTP-REST plug-in and map these operations to the corresponding REST API methods.
 - b Modify the finder and inventory workflows to invoke these REST operations and consume their outputs.

This chapter includes the following topics:

- [Dynamic Types Configuration Workflows](#)

Dynamic Types Configuration Workflows

The workflows in the Configuration package of the Dynamic Types plug-in let you create dynamic types, export and import type definitions from an XSD file, and define relations between the dynamic types you created.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **dynamic_types** tag in the workflow search box.

Workflow Name	Description
Define Namespace	Defines a new namespace.
Define Relation	Defines a new relation between types.
Define Type	Defines a new type within a given namespace.
Export Configuration As Package	Exports a Dynamic Types definition configuration as a file-based configuration. The exported package can be used for importing to other servers.
Import Configuration From Package	Imports a file-based configuration to the plug-in configuration.
Import Type Definitions From XSD	Imports type definitions from an XSD file.
Remove Namespace	Removes a namespace.
Remove Relation	Removes a relation.
Remove Type	Removes a type.
Update Namespace	Updates a namespace.
Update Type	Updates a type.

Using the vRealize Orchestrator Plug-In for F5 BIG-IP

7

The VMware vRealize Orchestrator Plug-in for F5 BIG-IP replicates the entire F5 REST API, providing workflows and actions that enable users to automate and configure their F5 environments from vRealize Orchestrator.

The vRealize Orchestrator Plug-in for F5 BIG-IP provides nearly 200 out-of-the-box workflows for common F5 administrative tasks. For a full list of available workflows, see [F5 Plug-In Workflow Library](#).

System requirements

Before installing the plug-in on your vRealize Orchestrator 8.x deployment, ensure your system meets the following requirements.

F5 BIG-IP Requirements	
Version	F5 BIG-IP 14.x, 15.x, 16.x
Connection	Hostname (Management IP or DNS name) of the F5 BIG-IP system
Credentials	User name and password with Administrative level access

Installing the F5 plug-in

Download the plug-in installation file from the [VMware Marketplace](#). For instructions how to install the plug-in, see [Install or Update a vRealize Orchestrator Plug-In](#).

Configuring the F5 plug-in

After the plug-in has been installed, you must configure the plug-in to an F5 BIG-IP instance. See [Run the Attach BIG-IP Workflow](#).

Accessing the F5 plug-in API

The vRealize Orchestrator Plug-in for F5 BIG-IP also provides more than 900 scripting objects available for creating your own custom workflows. To view all of the available scripting objects that are available with the plug-in, navigate to the **API Explorer**.

You can search by specific F5 object names and keywords, or scroll through the list to browse. Select a scripting object to view related properties.

This chapter includes the following topics:

- [Run the Attach BIG-IP Workflow](#)
- [F5 Plug-In Workflow Library](#)

Run the Attach BIG-IP Workflow

The **Attach BIG-IP** workflow configures an F5 BIG-IP endpoint to pull in the necessary F5 objects.

Prerequisites

Download and install the vRealize Orchestrator Plug-in for F5 BIG-IP. See [Chapter 7 Using the vRealize Orchestrator Plug-In for F5 BIG-IP](#)

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter **Attach BIG-IP** in the workflow search box.
- 3 Locate the **Attach BIG-IP** workflow and click **Run**.
- 4 On the **General** tab, enter the following information.
 - The name of your F5 BIG-IP instance.
 - The hostname or IP address of your F5 BIG-IP instance.
 - The user name of your F5 BIG-IP instance.
 - The password associated with the user name of your F5 BIG-IP instance.
- 5 On the **Advanced Parameters** tab, configure the following settings.
 - Enter the interval length in minutes for data collection.
 - Enter the maximum number of threads that you want to be used during data collection.
 - (Optional) Decide how SSL is used during collection. Select one of the following options.
 - **No Verify**. Trust all server certificates.
 - **Verify**. Validate the certificate against the Java trust store.
 - **No SSL**. Do not use SSL.
 - Enter the timeout value in seconds for API requests.
- 6 On the **Collection Parameters** tab, set the modules for which you want configuration data collected to **true**.

7 Click **Run**.

After the workflow finishes, a green checkmark appears next to the workflow indicating it was successful.

Note If the workflow fails, a red X appears next to the workflow, and errors are logged at the bottom of the screen.

What to do next

- Verify the F5 Networks Inventory Tree. After your F5 BIG-IP instance is configured, click the **Inventory** tab to ensure that the F5 objects appear in the F5 Networks Inventory Tree.
- Run any of the other workflows provided with the plug-in. See [F5 Plug-In Workflow Library](#) for the full list of available workflows.

F5 Plug-In Workflow Library

The vRealize Orchestrator Plug-in for F5 BIG-IP contains out-of-the-box workflows.

To access these workflows, navigate to **Library > Workflows** and enter the **f5_ tag** in the workflow search box.

Category	Workflows
Asm	<ul style="list-style-type: none"> ■ ASM Activate Policy ■ ASM Assign Policy to VIP ■ ASM Blocking_Transparent Policy ■ ASM Export Policy ■ ASM Install Policy
Auth Partition	<ul style="list-style-type: none"> ■ Create Partition ■ Delete Partition
Basic	<ul style="list-style-type: none"> ■ Add Device to Device Group ■ Attach BIG-IP ■ Change Device Name ■ Create Device Group ■ Detach BIG-IP ■ License BIG-IP ■ License Plugin ■ Make REST Call ■ Provision Module ■ Save Configuration ■ Sync Device Group ■ Update Management IP and Route ■ Update Plugin License from 2.0

Category	Workflows
Gtm	<ul style="list-style-type: none">■ Create DNS Datacenter■ Create DNS Link■ Create DNS Listener■ Create DNS Pool■ Create DNS Server■ Create iRule■ Create Wide-IP■ Remove DNS Datacenter■ Remove DNS Link■ Remove DNS Listener■ Remove DNS Pool A■ Remove DNS Pool AAAA■ Remove DNS Pool CNAME■ Remove DNS Pool MX■ Remove DNS Pool NAPTR■ Remove DNS Pool SRV■ Remove DNS Server
Net Route	<ul style="list-style-type: none">■ Create/Delete Route■ Create/Delete Route Domain■ Create Route Domain Member■ Delete Route■ Delete Route Domain

Category	Workflows
Ltm	<ul style="list-style-type: none"> ■ Create DNS Zone ■ Instantiate App Services iApp ■ Upload_Add iRule ■ Updoad_Add iRule ■ Upload_Install iApp <p>Monitor</p> <ul style="list-style-type: none"> ■ Create LTM Monitor Diameter ■ Create LTM Monitor DNS ■ Create LTM Monitor External ■ Create LTM Monitor Firepass ■ Create LTM Monitor FTP ■ Create LTM Monitor Gateway ICMP ■ Create LTM Monitor HTTP ■ Create LTM Monitor HTTPS ■ Create LTM Monitor ICMP ■ Create LTM Monitor IMAP ■ Create LTM Monitor Inband ■ Create LTM Monitor LDAP ■ Create LTM Monitor Module Score ■ Create LTM Monitor MSSQL ■ Create LTM Monitor MySQL ■ Create LTM Monitor NNTP ■ Create LTM Monitor Oracle ■ Create LTM Monitor Pop3 ■ Create LTM Monitor PostgreSQL ■ Create LTM Monitor Radius ■ Create LTM Monitor Radius Accounting ■ Create LTM Monitor Real Server ■ Create LTM Monitor RPC ■ Create LTM Monitor SASP ■ Create LTM Monitor Scripted ■ Create LTM Monitor SIP ■ Create LTM Monitor SMB ■ Create LTM Monitor SMTP ■ Create LTM Monitor SNMP DCA ■ Create LTM Monitor SNMP DCA BASE ■ Create LTM Monitor SOAP ■ Create LTM Monitor TCP ■ Create LTM Monitor TCP Echo ■ Create LTM Monitor TCP Half Open ■ Create LTM Monitor UDP ■ Create LTM Monitor Virtual Location ■ Create LTM Monitor WAP ■ Create LTM Monitor WMI ■ Remove LTM Monitor Diameter

Category	Workflows
	<ul style="list-style-type: none"> ■ Remove LTM Monitor DNS ■ Remove LTM Monitor External ■ Remove LTM Monitor Firepass ■ Remove LTM Monitor FTP ■ Remove LTM Monitor Gateway ICMP ■ Remove LTM Monitor HTTP ■ Remove LTM Monitor HTTPS ■ Remove LTM Monitor ICMP ■ Remove LTM Monitor IMAP ■ Remove LTM Monitor Inband ■ Remove LTM Monitor LDAP ■ Remove LTM Monitor Module Score ■ Remove LTM Monitor MSSQL ■ Remove LTM Monitor MySQL ■ Remove LTM Monitor NNTP ■ Remove LTM Monitor Oracle ■ Remove LTM Monitor Pop3 ■ Remove LTM Monitor PostgreSQL ■ Remove LTM Monitor Radius ■ Remove LTM Monitor Radius Accounting ■ Remove LTM Monitor Real Server ■ Remove LTM Monitor RPC ■ Remove LTM Monitor SASP ■ Remove LTM Monitor Scripted ■ Remove LTM Monitor SIP ■ Remove LTM Monitor SMB ■ Remove LTM Monitor SMTP ■ Remove LTM Monitor SNMP DCA ■ Remove LTM Monitor SNMP DCA BASE ■ Remove LTM Monitor SOAP ■ Remove LTM Monitor TCP ■ Remove LTM Monitor TCP Echo ■ Remove LTM Monitor TCP Half Open ■ Remove LTM Monitor UDP ■ Remove LTM Monitor Virtual Location ■ Remove LTM Monitor WAP ■ Remove LTM Monitor WMI
	<p>Node</p> <ul style="list-style-type: none"> ■ Create Node ■ Delete Node
	<p>Pool</p> <ul style="list-style-type: none"> ■ Create Pool ■ Create Pool Member ■ Create SNAT Pool ■ Delete Pool

Category	Workflows
	<ul style="list-style-type: none"> ■ Delete Pool Member ■ Disable Pool Member ■ Enable Pool Member ■ Get Pool Member by Name ■ Get Pool Members ■ Get Pool Member Stats ■ Get Pools <p>Profile</p> <ul style="list-style-type: none"> ■ Create Client SSL Profile ■ Create Server SSL Profile ■ Delete Client SSL Profile ■ Delete Server SSL Profile <p>Virtual Server</p> <ul style="list-style-type: none"> ■ Add iRule to Virtual Server ■ Add Persistence Profile to Virtual Server ■ Add Protocol Profile to Virtual Server ■ Add Standard Profile to Virtual Server ■ Create Virtual Server ■ Delete Virtual Server ■ Duplicate Virtual Server ■ Remove Profile from Virtual Server ■ Set Firewall Policy on Virtual Server ■ Set Virtual Server SNAT
Security	<ul style="list-style-type: none"> ■ Create AFM Address List ■ Create AFM Port List ■ Create AFM Rule ■ Create AFM Rules List ■ Create AFM Schedule ■ Create Firewall Policy ■ Remove AFM Address List ■ Remove AFM Port List ■ Remove AFM Rule ■ Remove AFM Rules List ■ Remove AFM Schedule
Sys	<ul style="list-style-type: none"> ■ Set DNS Settings ■ Set NTP Settings ■ Set Syslog Settings <p>SSL</p> <ul style="list-style-type: none"> ■ Create SSL Cert ■ Create SSL Key ■ Delete SSL Cert ■ Delete SSL Key ■ Upload_Install Certificate

Using the HTTP-REST Plug-In



The HTTP-REST plug-in allows you to manage REST Web services by providing interaction between vRealize Orchestrator and REST hosts. You can define REST services and their operations as inventory objects by running configuration workflows, and perform REST operations on the defined objects.

The plug-in contains a set of standard workflows related to managing REST hosts and invoking REST operations. You can also generate custom workflows to automate tasks in a REST environment.

This chapter includes the following topics:

- [Configuring the HTTP-REST Plug-In](#)
- [Generate a New Workflow from a REST Operation](#)
- [Invoke a REST Operation](#)

Configuring the HTTP-REST Plug-In

You can configure HTTP-REST by running the configuration workflows included in the plug-in. The Configuration workflow category contains workflows that help you to manage REST hosts.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **http-rest** and **configuration** tags in the workflow search box.

Workflow Name	Description
Add a REST host	Adds a REST host to the plug-in inventory.
Add a REST host by Swagger spec as a string	Adds a REST host based on a Swagger spec web resource provided as a string.
Add a REST host by Swagger spec from a URL	Adds a REST host based on a Swagger spec available at a specific URL.
Add a REST operation	Adds an operation to a REST host.
Add schema to a REST host	Adds an XSD schema to a REST host.
Clone a REST host	Creates a clone of a REST host.
Clone a REST operation	Creates a clone of a REST operation.

Workflow Name	Description
Reload plug-in configuration	Refreshes the list of REST hosts in the plug-in inventory.
Remove a REST host	Removes a REST host from the plug-in inventory.
Remove a REST operation	Removes an operation from a REST host.
Remove schemas form a REST host	Removes all associated XSD schemas from a REST host.
Update a REST host	Updates a REST host in the plug-in inventory.
Update a REST operation	Updates an operation on a REST host.

Add a REST Host

You can run a workflow to add a REST host and configure the host connection parameters.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Navigate to **Library > Workflows** and enter the **http-rest** and **configuration** tags in the workflow search box.
- 3 Locate the **Add a REST host** workflow and click **Run**.
- 4 On the **Host Properties** tab, enter the properties of the new host.
 - a In the **Name** text box, enter the name of the host.
 - b In the **URL** text box, enter the address of the host.

Note The Kerberos authentication requires a Fully Qualified Domain Name (FQDN) host address.

- c In the **Connection timeout** text box, enter the number of seconds before a connection times out.
- d In the **Operation timeout** text box, enter the number of seconds before an operation times out.
- e Select **Yes** to accept the REST host certificate.

The certificate is added to the vRealize Orchestrator server trust store.

- 5 On the **Host Authentication** tab, select the authentication type.

Option	Description
None	No authentication is required.
OAuth 1.0	On the OAuth 1.0 tab, provide the required authentication parameters.
OAuth 2.0	On the OAuth 2.0 tab, provide the authentication token.

Option	Description
Basic	<p>Provides basic access authentication.</p> <p>On the User credentials tab, select the session mode.</p> <ul style="list-style-type: none"> ■ If you select Shared Session, provide credentials for the shared session. ■ If you select Per User Session, the Orchestrator client retrieves credentials from the user who is logged in.
Digest	<p>Provides digest access authentication that uses encryption.</p> <p>On the User credentials tab, select the session mode.</p> <ul style="list-style-type: none"> ■ If you select Shared Session, provide credentials for the shared session. ■ If you select Per User Session, the Orchestrator client retrieves credentials from the user who is logged in.
NTLM	<p>Provides NT LAN Manager (NTLM) access authentication within the Window Security Support Provider (SSPI) framework.</p> <p>On the User credentials tab, select the session mode.</p> <ul style="list-style-type: none"> ■ If you select Shared Session, provide credentials for the shared session. ■ If you select Per User Session, the Orchestrator client retrieves credentials from the user who is logged in. <p>On the NTLM tab, provide the NTLM settings.</p>
Kerberos	<p>Provides Kerberos access authentication.</p> <p>On the User credentials tab, select the session mode.</p> <ul style="list-style-type: none"> ■ If you select Shared Session, provide credentials for the shared session. ■ If you select Per User Session, the Orchestrator client retrieves credentials from the user who is logged in.

- 6 (Optional) On the **Proxy Settings** tab, select whether to use a proxy server.
 - a Enter the address and the port of the proxy server.
 - b Select the proxy authentication type.

Option	Description
None	No authentication is required.
Basic	<p>Provides basic access authentication.</p> <p>On the Proxy Credentials tab, select the session mode.</p> <ul style="list-style-type: none"> ■ If you select Shared Session, provide credentials for the shared session. ■ If you select Per User Session, the Orchestrator client retrieves credentials from the user who is logged in.

- 7 On the **SSL** tab, select whether you want the target hostname to match the name stored in the server certificate.
- 8 (Optional) Select a keystore entry to use to authenticate against the server. The keystore entry must be of the PrivateKeyEntry type.
- 9 Click **Run**.

Results

After the workflow runs successfully, the REST host appears in the **Inventory** view.

What to do next

You can add operations and XSD schema to the REST host, and run workflows from the **Inventory** view.

Add a REST Operation

You can run a workflow to add an operation to a REST host from the plug-in inventory.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a REST host from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **http-rest** and **configuration** tags in the workflow search box.
- 2 Locate the **Add a REST operation** workflow and click **Run**.
- 3 Select the parent host to which you want to add the operation.
- 4 In the **Name** text box, enter the name of the operation.
- 5 In the **Template URL** text box, enter only the operation part of the URL.
You can include placeholders for parameters that are provided when you run the operation.
The following is an example URL syntax.
`/customer/{id}/orders?date={date}`
- 6 Select the HTTP method that the operation uses.
If you select **POST** or **PUT**, you can provide a Content-Type request header for the method.
- 7 Click **Run**.

What to do next

You can run workflows on the operation from the **Inventory** view.

Add a Schema to a REST Host

You can run a workflow to add an XSD schema to a REST host from the plug-in inventory.

The XSD schema describes the XML documents that are used as input and output content from Web services. By associating such a schema with a host, you can specify the XML element that is required as an input when you are generating a workflow from a REST operation.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a REST host from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **http-rest** and **configuration** tags in the workflow search box.
- 2 Locate the **Add a schema to a REST host** workflow and click **Run**.
- 3 On the **Host** tab, select the host to which you want to add the XSD schema.
- 4 On the **XSD Schema Details** tab, select whether to load the schema from URL.

Option	Action
Yes	Enter the URL of the schema.
No	Provide the schema content.

- 5 Click **Run**.

Generate a New Workflow from a REST Operation

You can create a custom workflow from a REST operation.

You can integrate custom-generated workflows into high-level workflows. For more information about workflow development, see the *Developing Workflows with vRealize Orchestrator* guide.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a REST host from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **http-rest** tag in the workflow search box.
- 2 Locate the **Generate a new workflow from a REST operation** workflow and click **Run**.
- 3 Select the REST operation from the list of available operations.

If the operation takes input and XSD schemas are added to its host, you can specify the request input type.

- 4 In the **Name** text box, type the name of the workflow to generate.
- 5 Select the workflow folder in which to generate the new workflow.
You can select any existing folder from the workflow library.
- 6 Click **Run**.

Invoke a REST Operation

Call a REST operation directly.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a REST host from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **http-rest** and **configuration** tags in the workflow search box.
- 2 Locate the **Invoke a REST operation** workflow and click **Run**.
- 3 On the **Operation** tab, select the REST operation from the list of available operations.
- 4 Provide the input parameters and content that the operation requires.
- 5 Click **Run**.

Invoking a REST Operation

To make REST requests, you can either invoke a configured REST operation or invoke a REST operation dynamically by using a configured REST operation as a template and replacing any of the parameters at runtime.

There are several ways to invoke a REST operation.

- Configure REST hosts and associate REST operations with them by running the **Add a REST Host** and **Add a REST Operation** workflows. The registered REST hosts and REST operations are persistent and can be found in the **Inventory** and **Resources** views.
- Invoke a REST operation without previously configuring REST hosts and adding REST operations by running the **Invoke a dynamic REST operation** workflow from **Library > Workflows**. With this workflow, you can provide REST host base URL and operation parameters. The data is not persistent and is not available in the **Inventory** and **Resources** views.
- Configure REST hosts, associate REST operations with them, and use the configured REST hosts and REST operations as templates for further use, by running the **Invoke a REST host with dynamic params** and **Invoke a REST operation with dynamic params** workflows from **Library > Workflows**. You can replace some of the parameters of already configured REST hosts and REST operations when you run the workflows. The original REST hosts and REST operations are not affected.

Using the Library Plug-In

9

You can use the Library plug-in workflows as templates for customization and automation of client processes, and to troubleshoot vRealize Orchestrator. The Library plug-in provides workflows in the **Locking**, **Orchestrator**, and **Tagging** workflow categories.

Locking Workflows

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **locking** tag in the workflow search box.

Workflow Name	Description
Display all locks	Shows all locks.
Locking test	A test workflow that creates a lock.
Locking test (x5)	A test workflow that creates five locks.
Release all locks	Releases all locks.

Task Workflows

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **tasks** tag in the workflow search box.

Workflow Name	Description
Create recurrent task	Creates a recurrent task and returns the newly created task.
Create task	Schedules a workflow to run at a later time and date, as a task.

Orchestrator Workflows

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **orchestrator** and **workflows** tags in the workflow search box.

Workflow Name	Description
Refresh stale workflow runs in waiting state	Processes all workflow runs that are in waiting state for the specified remote server and updates the workflow state according to the remote workflow run. You can use this workflow if there is data loss between the workflow runs, for example, when there is loss of connectivity between the vRealize Orchestrator servers.
Start workflows in a series	Runs a workflow multiple times in a series, one instance after the other. You provide workflow parameters in an array. You also provide a property list, with one property per workflow input, for each instance of the workflow that starts. The number of properties in the array define the number of workflow runs.
Start workflows in parallel	Runs a workflow multiple times, with different parameters. You provide workflow parameters in an array. You also provide a property list, with one property per workflow input, for each instance of the workflow that starts. The number of properties in the array define the number of workflow runs.

Tagging Workflows

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **tagging** tag in the workflow search box.

Workflow Name	Description
Find objects by tag	Finds objects by the tags assigned to them. You provide the names and values of the tags and the workflow returns a list of the objects to which these tags apply.
List workflow tags	Lists the tags assigned to the workflow you specified as an input parameter.
Tag workflow	Assigns a tag to a workflow. You must specify the workflow you want to tag and the tag name and value.
Tagging example	Demonstrates workflow tagging.
Untag workflow	Removes a tag from a workflow. You must specify the workflow you want to untag and the tag you want to remove from the workflow.

Using the Mail Plug-In

10

You can send email messages from workflows by using the Mail plug-in, which uses the Simple Mail Transfer Protocol (SMTP). For example, you can create a workflow to send an email to a given address if the workflow requires user interaction or when it completes its run.

This chapter includes the following topics:

- [Using the Mail Plug-In Sample Workflows](#)
- [Define the Default SMTP Connection](#)

Using the Mail Plug-In Sample Workflows

You can call the sample workflows of the Mail plug-in from custom workflows to implement the email functionality to the custom workflows. You can run an example workflow to test the interaction between vRealize Orchestrator and your SMTP server.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **mail** tag in the workflow search box.

Note Before you can access the workflows, verify that the user account that you are logged in with has the necessary permissions to run Mail workflows.

Workflow Name	Description
Configure mail	Defines the connection to the SMTP server, the SMTP authentication account, and the address and display name of the sender.
Retrieve messages	Retrieves the messages of a given email account by using the POP3 protocol.
Retrieve messages (via MailClient)	Retrieves the messages of a certain email account, without deleting them, by using the new scripting API provided by the MailClient class.
Send notification	Sends an email with specified content to a given email address. If optional parameters are not specified, the workflow uses the default values set through the Configure mail workflow.
Send notification to mailing list	Sends an email with specified content to a given email address list, CC list, and BCC list. If optional parameters are not specified, the workflow uses the default values set through the Configure mail workflow.

Define the Default SMTP Connection

The Mail plug-in is installed together with the vRealize Orchestrator server and is used for sending and receiving email notifications. You can set the default email account that can authenticate against an SMTP server to send and receive email notifications.

Note Avoid load balancers when configuring mail in vRealize Orchestrator. Otherwise, you might receive SMTP_HOST_UNREACHABLE error.

Procedure

- 1 Log in to the vRealize Orchestrator client.
- 2 Navigate to **Library > Workflows** and enter the **mail** tag in the workflow search box.
- 3 Locate the **Configure mail** workflow and click **Run**.
- 4 On the **Host** tab, enter the IP address or domain name of your SMTP server and a port number to match your SMTP configuration.

The default SMTP port is 25.

- 5 On the **Credentials** tab, enter a user name and password for authentication.
Enter a valid email account and an associated password. vRealize Orchestrator uses the email account to send emails.
- 6 On the **Email Content** tab, enter a sender's email address and name.
The sender information appears in all emails sent by vRealize Orchestrator.
- 7 Click **Run**.

Using the Multi-Node Plug-In

11

The Multi-Node plug-in workflow library contains workflows for hierarchical orchestration, management of vRealize Orchestrator instances, and scale-out of vRealize Orchestrator activities.


This chapter includes the following topics:

- [Introduction to the vRealize Orchestrator Multi-Node Plug-In](#)
- [Configuring the Multi-Node Plug-In](#)
- [Using Proxy Workflows](#)
- [Using the Multi-Node Plug-In Inventory](#)
- [Access the Multi-Node Plug-In API](#)
- [Multi-Node Plug-In Use Cases](#)

Introduction to the vRealize Orchestrator Multi-Node Plug-In

The Multi-Node plug-in creates a primary-secondary relation between vRealize Orchestrator servers, which extends in the areas of package management and workflow execution.

Figure 11-1. Multi-Node Plug-In Schema



The plug-in contains a set of standard workflows for hierarchical orchestration, management of vRealize Orchestrator instances, and scale-out of vRealize Orchestrator activities.

Configuring the Multi-Node Plug-In

You must use the vRealize Orchestrator Client to configure the Multi-Node plug-in.

The Servers Configuration workflow category contains workflows that allow you to configure the connected vRealize Orchestrator servers.

To access these workflows, navigate to **Library > Workflows** and enter the **orchestrator** and **servers_configuration** tags in the workflow search box.

Workflow Name	Description
Add an Orchestrator server	Adds a vRealize Orchestrator server to the plug-in inventory.
Delete an Orchestrator server	Removes a vRealize Orchestrator server from the plug-in inventory and deletes all created proxies for this server.
Update an Orchestrator server	Updates a vRealize Orchestrator server from the plug-in inventory by changing its details.

Add an Orchestrator Server

You can run a workflow to establish a connection to a new vRealize Orchestrator server.

Prerequisites

Verify that the primary and secondary vRealize Orchestrator servers are the same version.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Navigate to **Library > Workflows** and enter the **orchestrator** and **servers_configuration** tags in the workflow search box.
- 3 Locate the **Add an Orchestrator server** workflow and click **Run**.
- 4 On the **Server details** tab, provide the host address and the port of the remote vRealize Orchestrator server.
 - a Select whether the certificate is accepted silently and added to the trusted store.
 - b Select whether to generate proxy workflows for the remote vRealize Orchestrator server.
- 5 On the **Connection settings** tab, provide the connection settings.
 - a In the **Connection timeout** text box, enter the number of seconds within which vRealize Orchestrator must connect to the remote server, otherwise the connection times out.
 - b In the **Socket timeout** text box, enter the number of seconds within which the request must succeed before it times out.
 - c In the **Retry timeout** text box, enter the number of seconds within which the proxy workflows wait to receive a notification from the remote vRealize Orchestrator server if there is no connectivity.

- 6 On the **Connection mode** tab, select whether the connection is shared.

Option	Description
No	The credentials of the logged-in user are used to connect to the remote vRealize Orchestrator server.
Yes	All users can access the remote Orchestrator server using the same credentials. Provide the credentials for the shared connection.

- 7 Click **Run**.

Using Proxy Workflows

You can use proxy workflows to manage the interaction between the local vRealize Orchestrator server and workflows on a remote vRealize Orchestrator server.

You can use the Multi-Node plug-in to generate local workflows which interact with remote workflows. These local workflows are called proxy workflows. A proxy workflow takes the input parameters from the inventory of the Multi-Node plug-in. When you run the proxy workflow, it converts the parameters to the types required by the remote workflow. When the remote workflow finishes its run, the output parameters are converted back to the local representation on the primary vRealize Orchestrator server.

Synchronous Proxy Workflows

The synchronous type of proxy workflows preserve the API and the operation contract of the remote workflows.

The schema of all synchronous proxy workflows is the same, but contains different scripting.



The synchronous proxy workflow completes the run after the remote workflow completes and provides output parameters.


The local workflow consumes no server resources while waiting for the results of the remote workflow.

At the end of a successful run the output parameters of the proxy workflow contain a local representation of the remote workflow token. The output parameters can be used directly by other workflows on the local vRealize Orchestrator server when they are of simple type, such as, boolean, number, string, and similar.

Asynchronous Proxy Workflows

You can use asynchronous proxy workflows to optimize the run of remote workflows.

The schema of all asynchronous proxy workflows is the same, but contains different scripting.



An asynchronous proxy workflow returns immediately a result that is a local wrapper of the remote workflow token object. The proxy workflow uses this token to check the state of the run and to retrieve the output parameters when the remote workflow completes its run. The output parameters can be used directly by other workflows on the local vRealize Orchestrator server when they are of simple type, such as, boolean, number, string, and similar.

Remote Execution Workflows

The Remote Execution workflow category contains workflows that allow you to manage proxy workflows.

Remote Execution Standart Workflows

To access these workflows, navigate to **Library > Workflows** and enter the **orchestrator** and **remote_execution** tags in the workflow search box.

Workflow Name	Description
Create a multi proxy action	Creates a multi-proxy action to run workflows on multiple servers.
Create a proxy workflow	Creates a proxy workflow that you can use to start a workflow on a remote Orchestrator server.
Create proxy workflows from a folder	Creates proxy workflows for all workflows in a folder on the remote Orchestrator server.

Server Proxies

To access these workflows, navigate to **Library > Workflows** and enter the **orchestrator**, **remote_execution** and **server_proxies** tags in the workflow search box.

Workflow Name	Description
Create proxy workflows for an Orchestrator server	Creates proxy workflows on the local Orchestrator server by mirroring the remote server's structure.
Delete proxy workflows for an Orchestrator server	Removes the proxy workflows for the local Orchestrator server and deletes all generated workflows.
Refresh proxy workflows for an Orchestrator server	Regenerates all proxy workflows for the local Orchestrator server from the remote server.

Using the Multi-Node Plug-In Inventory

The Multi-Node plug-in mirrors all inventories of the connected vRealize Orchestrator servers in the **Inventory** view.

The inventory for a single remote server consists of two major parts, system objects and plug-in objects. Both objects are wrappers of the remote objects into locally usable types:

System object

System objects are under a top-level group called **System**. They contain configurations, packages, workflows, actions, and related folders. Remote system objects have individual wrapper types.

Plug-in objects

Plug-in objects mirror the inventories of all plug-ins attached to the remote vRealize Orchestrator server. Remote plug-in objects are all wrapped into a single local type **VCO:RemotePluginObject**.

Remote Management Workflows

The Remote Management workflow category contains workflows that allow you to manage packages and workflows on remote vRealize Orchestrator instances.

Remote Management Packages

To access these workflows, navigate to **Library > Workflows** and enter the **orchestrator**, **remote_management** and **packages** tags in the workflow search box.

Workflow Name	Description
Delete a package	Deletes a package and its contents from a remote vRealize Orchestrator server.
Delete a package by name	Deletes a package and its contents by name on a remote vRealize Orchestrator server.
Deploy a package from a local server	Deploys a package from a local vRealize Orchestrator server to remote Orchestrator servers.
Deploy a package from a remote server	Deploys a package from one remote vRealize Orchestrator server to a list of remote Orchestrator servers.
Deploy packages from a local server	Deploys packages from a local vRealize Orchestrator server to remote vRealize Orchestrator servers.

Remote Management Workflows

To access these workflows, navigate to **Library > Workflows** and enter the **orchestrator**, **remote_management** and **workflows** tags in the workflow search box.

Workflow Name	Description
Delete a remote workflow	Deletes a workflow from a remote vRealize Orchestrator server.
Delete all finished workflow runs	Deletes all finished workflow runs from a remote workflow.

Workflow Name

Deploy a workflow from a local server	Deploys a workflow from a local vRealize Orchestrator server to a list of remote Orchestrator servers.
Deploy a workflow from a remote server	Deploys a workflow from a remote vRealize Orchestrator server to a list of other remote Orchestrator servers.

Access the Multi-Node Plug-In API

Orchestrator provides an API Explorer to allow you to search the Multi-Node plug-in API and see the documentation for JavaScript objects that you can use in scripted elements.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Access the API Explorer from either the vRealize Orchestrator Client or from the **Scripting** tabs of the workflow, policy, and action editors.
 - To access the API Explorer from the vRealize Orchestrator Client, click **API Explorer** in the vRealize Orchestrator Client navigation pane.
 - To access the API Explorer from the **Scripting** tabs of the workflow, policy, and action editors, click **Search API** on the left.
- 3 To expand the hierarchical list of Multi-Node plug-in API objects, double-click the **VCO** module in the left pane.

What to do next

You can copy code from API elements and paste it into scripting boxes. For more information about API scripting, see *Developing with VMware vRealize Orchestrator*.

Multi-Node Plug-In Use Cases

The Multi-Node plug-in use cases include user scenarios such as importing a package from the local vRealize Orchestrator server to the remote servers, using multi proxy actions, as well as information about maintenance of remote and proxy workflows.

Create a Multi-Proxy Action

You can run the Create a multi-proxy action workflow to run a workflow on several servers.

You can create an action, so that you can run a workflow on a remote vRealize Orchestrator server at a later stage.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Navigate to **Library > Workflows** and enter the **orchestrator** and **remote_execution** tags in the workflow search box.

3 Locate the **Create a multi-proxy action** workflow and click **Run**.

4 On the **Action details** tab, enter the action name and module.

The action name must contain only alpha-numeric characters without spaces.

A new action is created even if another action with the same name exists.

5 On the **Workflow details** tab, select whether the workflow is local or remote.

Option	Description
Yes	Select the remote workflow that you want to use for this action.
No	Select the local workflow that you want to use for this action.

6 Click **Run**.

Results

The generated action accepts the same parameters as the source workflow but promotes the parameters to an array in case of multi-selection of objects. The values in the array are indexed.

Maintenance of Remote and Proxy Workflows

If the remote and proxy workflows change, you might want to update the proxies or to delete them if you do not need them anymore. For maintenance purposes, the Multi-Node plug-in provides workflows that allow you to update or delete proxy and remote workflow information.

To access the workflows for managing the proxy workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **orchestrator**, **remote_execution**, and **servers_proxies** tags in the workflow search box.

Workflow Name	Description
Refresh proxy workflows for an Orchestrator server	Regenerates all proxy workflows for the local vRealize Orchestrator server from the remote server.
Delete proxy workflows for an Orchestrator server	Removes the proxy workflows for the local vRealize Orchestrator server and deletes all generated workflows.

To access the workflows for further maintenance of the proxy workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **orchestrator**, **remote_management**, and **workflows** tags in the workflow search box.

Workflow Name	Description
Delete all finished workflow runs	Deletes all finished workflow runs from a remote workflow.
Delete a remote workflow	Deletes a workflow from a remote vRealize Orchestrator server.
Deploy a workflow from a local server	Deploys a workflow from a local vRealize Orchestrator server to a list of remote vRealize Orchestrator servers.

Deploy a Package from a Local Server

You can run a workflow to deploy a package from a local vRealize Orchestrator server to remote vRealize Orchestrator servers.

In this example, you can deploy a package from a local server to an array of remote servers.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Navigate to **Library > Workflows** and enter the **orchestrator** and **remote_management** tags in the workflow search box.
- 3 Locate the **Deploy a package from a local server** workflow and click **Run**.
- 4 Select the package to deploy from the local storage.
- 5 Select the remote servers to deploy the package to.
- 6 Select whether you want to overwrite the remote server packages.

Option	Description
Yes	The packages on the remote server are replaced, discarding the version of the packaged elements.
No	A version check of the server and the deploying packages is performed. The packages are deployed after a successful check.

- 7 Click **Run**.

Results

After running the workflow, the status information is displayed in the log view and in the inventory of the plug-in.

Using the Net Plug-In

12

You can use the Net plug-in to implement the Telnet, FTP, POP3, and IMAP protocols in workflows. The POP3 and IMAP implementations allow downloading and reading email. In combination with the Mail plug-in, the Net plug-in provides full email sending and receiving capabilities in workflows.

Using the PowerShell Plug-In

13

The PowerShell plug-in workflow library contains workflows that allow you to manage PowerShell hosts and run custom PowerShell operations.

You can use the **Inventory** view in the vRealize Orchestrator Client to manage the available PowerShell resources. You can use the scripting API of the plug-in to develop custom workflows.

This chapter includes the following topics:

- [Introduction to the vRealize Orchestrator PowerShell Plug-In](#)
- [Configuring the PowerShell Plug-In](#)
- [Access the PowerShell Plug-In API](#)
- [Using the PowerShell Plug-In Inventory](#)
- [Running PowerShell Scripts](#)
- [Generating Actions](#)
- [Passing Invocation Results Between Actions](#)
- [PowerCLI Integration with the PowerShell Plug-In](#)
- [Working with PowerShell Results](#)
- [Sample Workflows](#)
- [Examples of Scripts for Common PowerShell Tasks](#)
- [Troubleshooting](#)

Introduction to the vRealize Orchestrator PowerShell Plug-In

The PowerShell plug-in allows interaction between vRealize Orchestrator and Windows PowerShell.


You use the plug-in to call PowerShell scripts and cmdlets from vRealize Orchestrator actions and workflows, and to work with the result. The plug-in contains a set of standard workflows. You can also create custom workflows that implement the plug-in API.

PowerShell Plug-In Components

The PowerShell plug-in relies on a number of components to function properly.

vRealize Orchestrator and Windows PowerShell provide the platform for the plug-in, and the plug-in provides interaction between those products. The PowerShell plug-in can also interact with other components, such as vCenter Server and vSphere PowerCLI.

Figure 13-1. Component Relations



The plug-in can communicate with Windows PowerShell through the OpenSSH and WinRM communication protocols. See [Configuring WinRM](#).

Optionally, you can integrate the PowerShell plug-in with vSphere PowerCLI and vCenter Server. See [PowerCLI Integration with the PowerShell Plug-In](#).

Note You can install all components on a local host. The usage, functionality, and communication protocol requirements of the PowerShell plug-in do not change if vRealize Orchestrator and Windows PowerShell are installed on the same machine.

Configuring WinRM

To establish a connection between the PowerShell plug-in and Windows PowerShell, you must configure WinRM to use one of the supported communication protocols.

The PowerShell plug-in supports Windows Remote Management (WinRM) 2.0 as a management protocol.

The following authentication methods are supported.

Authentication method	Details
Basic	Non-secure authentication mechanism that requires a user name and a password.
Kerberos	Secure authentication protocol that uses tickets to verify the identity of the client and the server.

Note The PowerShell plug-in does not support delegation of user credentials in WinRM and CredSSP is not a supported authentication method.

WinRM Through HTTP

The PowerShell plug-in supports communication with the WinRM host through the HTTP protocol. Although WinRM authenticates the communication, the data transfer is not encrypted and is sent as plain text on the network. You should use the HTTP protocol if IPsec is configured between the machines that communicate.

To use Basic authentication, you must set the `AllowUnencrypted` property to `true` in both the service and client WinRM configuration. For an example of HTTP configuration, see [Configure WinRM to Use HTTP](#).

WinRM Through HTTPS

The PowerShell plug-in supports communication with the WinRM host through the HTTPS protocol. You can use the HTTPS protocol as a more secure communication method.

To use the HTTPS protocol, you must generate a certificate for server authentication and install the certificate on the WinRM host. For an example of HTTPS configuration, see [Configure WinRM to Use HTTPS](#).

Configure WinRM to Use HTTP

You can configure the WinRM host to enable communication with the PowerShell plug-in through the HTTP protocol.

You must modify the WinRM configuration by running commands on the WinRM host machine. You can use the same machine as both the WinRM service and WinRM client.

Important If you skip any of the steps when configuring WinRM to use HTTP, the host might not be added, and you might get an error message in the logs such as

```
Caused by: org.dom4j.DocumentException: Error on line -1 of document : Premature end of file.
Nested exception: Premature end of file.
at org.dom4j.io.SAXReader.read(SAXReader.java:482)
at org.dom4j.DocumentHelper.parseText(DocumentHelper.java:278)
at
com.xebialabs.overthere.cifs.winrm.connector.JdkHttpConnector.sendMessage(JdkHttpConnector.java:117)
```

Procedure

- 1 Run the following command to set the default WinRM configuration values.

```
c:\> winrm quickconfig
```

- 2 (Optional) Run the following command to check whether a listener is running, and verify the default ports.

```
c:\> winrm e winrm/config/listener
```

The default ports are 5985 for HTTP, and 5986 for HTTPS.

- 3 Enable basic authentication on the WinRM service.

- a Run the following command to check whether basic authentication is allowed.

```
c:\> winrm get winrm/config/service
```

- b Run the following command to enable basic authentication.

```
c:\> winrm set winrm/config/service/auth @{Basic="true"}
```

- 4 Run the following command to allow transfer of unencrypted data on the WinRM service.

```
c:\> winrm set winrm/config/service @{AllowUnencrypted="true"}
```

- 5 If the channel binding token hardening level of the WinRM service is set to **strict**, change its value to **relaxed**.

```
c:\> winrm set winrm/config/service/auth @{CbthHardeningLevel="relaxed"}
```

- 6 Enable basic authentication on the WinRM client.

- a Run the following command to check whether basic authentication is allowed.

```
c:\> winrm get winrm/config/client
```

- b Run the following command to enable basic authentication.

```
c:\> winrm set winrm/config/client/auth @{Basic="true"}
```

- 7 Run the following command to allow transfer of unencrypted data on the WinRM client.

```
c:\> winrm set winrm/config/client @{AllowUnencrypted="true"}
```

- 8 If the WinRM host machine is in an external domain, run the following command to specify the trusted hosts.

```
c:\> winrm set winrm/config/client @{TrustedHosts="host1, host2, host3"}
```

- 9 Run the following command to test the connection to the WinRM service.

```
c:\> winrm identify -r:http://winrm_server:5985 -auth:basic -u:user_name  
-p:password -encoding:utf-8
```

Configure WinRM to Use HTTPS

You can configure the WinRM host to enable communication with the PowerShell plug-in through the HTTPS protocol.

The WinRM host requires a certificate so that it can communicate through the HTTPS protocol. You can either obtain a certificate or generate one. For example, you can generate a self-signed certificate by using the Certificate Creation tool (`makecert.exe`) that is part of the .NET Framework SDK.

Prerequisites

- Configure WinRM to use the HTTP protocol. For more information, see [Configure WinRM to Use HTTP](#).
- Verify that you can access the Microsoft Management Console (`mmc.exe`) on the WinRM host.

Procedure

- 1 Generate a self-signed certificate.

The following command line contains example syntax for creating a certificate on the WinRM host by using `makecert.exe`.

```
makecert.exe -r -pe -n "CN=host_name-3,0=organization_name" -e mm/dd/yyyy -eku 1.3.6.1.5.5.7.3.1 -ss my -sr localMachine -sky exchange -sp "Microsoft RSA SChannel Cryptographic Provider" -sy 12 certificate_name.cer
```

- 2 Add the generated certificate by using the Microsoft Management Console.

- a Run `mmc.exe`.
- b Select **File > Add/Remove Snap-in**.
- c From the list of available snap-ins, select **Certificates** and click **Add**.
- d Select **Computer account** and click **Next**.
- e Click **Finish**.
- f Verify that the certificate is installed in **Console Root > Certificates (Local Computer) > Personal > Certificates** and **Console Root > Certificates (Local Computer) > Trusted Root Certification Authorities > Certificates**.

If the certificate is not installed in the Trusted Root Certification Authorities and Personal folders, you must install it manually.

- 3 Create an HTTPS listener by using the correct thumbprint and host name.

The following command line contains example syntax for creating an HTTPS listener.

```
winrm create winrm/config/Listener?Address=*&Transport=HTTPS @{"Hostname"="host_name";CertificateThumbprint="certificate_thumbprint"}
```

Note Omit the spaces in the certificate thumbprint.

- 4 Test the connection.

The following command line contains example syntax for testing the connection.

```
winrs -r:https://host_name:port_number -u:user_name -p:password hostname
```

Configure Kerberos Authentication

You can use Kerberos authentication when you add and manage a PowerShell host.

With Kerberos authentication, domain users can run commands on remote PowerShell-enabled machines over WinRM.

Procedure

- 1 Configure WinRM on the PowerShell host.

```
winrm quickconfig
winrm set winrm/config/service/auth @{Kerberos="true"}
winrm set winrm/config/service @{AllowUnencrypted="true"}
winrm set winrm/config/winrs @{MaxMemoryPerShellMB="2048"}
```

- 2 Create or edit the `krb5.conf` file at `/data/vco/usr/lib/vco/app-server/conf/`.

A `krb5.conf` file has the following structure:

```
[libdefaults]
default_realm = YOURDOMAIN.COM
[realms]
YOURDOMAIN.COM = {
kdc = dc.yourdomain.com
default_domain = yourdomain.com
}
[domain_realm]
.yourdomain.com=YOURDOMAIN.COM
yourdomain.com=YOURDOMAIN.COM
```

The `krb5.conf` must contain specific configuration parameters with their values.

Kerberos configuration tags	Details
default_realm	The default Kerberos realm that a client uses to authenticate against an Active Directory server. Note Must be in uppercase letters.
kdc	The domain controller that acts as a Key Distribution Center (KDC) and issues Kerberos tickets.
default_domain	The default domain that is used to produce a fully qualified domain name. Note This tag is used for Kerberos 4 compatibility.

Note By default, the Java Kerberos configuration uses the UDP protocol. To use only the TCP protocol, you must specify the `udp_preference_limit` parameter with a value **1**.

Note The Kerberos authentication requires a Fully Qualified Domain Name (FQDN) host address.

Important When you add or modify the `krb5.conf` file, you must restart the vRealize Orchestrator server service.

- 3 Change permissions by running the following command.

```
chmod 644 krb5.conf
```

- 4 Redeploy the vRealize Orchestrator pod.

```
kubectl -n prelude get pods
```

Look for an entry similar to the following.

```
vco-app-<ID>
```

- 5 Destroy the pod.

```
kubectl -n prelude delete pod vco-app-<ID>
```

A new pod is automatically deployed to replace the pod you destroyed.

What to do next

In the vRealize Orchestrator Client, run the **Add PowerShell host** workflow.

Configuring the PowerShell Plug-In

You must use the vRealize Orchestrator Client to configure the PowerShell plug-in.

Configuration Workflows

The Configuration workflow category contains workflows that allow you to manage PowerShell hosts.

To access these workflows, navigate to **Library > Workflows** and enter the **powershell** and **configuration** tags in the workflow search box.

Workflow Name	Description
Add a PowerShell host	Adds a PowerShell host to the plug-in inventory.
Remove a PowerShell host	Removes a PowerShell host from the plug-in inventory.
Update a PowerShell host	Updates the specified PowerShell host in the plug-in inventory.
Validate a PowerShell host	Validates the configuration of the specified PowerShell host.

Add a PowerShell Host

You add a PowerShell host and configure the host connection parameters by running a workflow. You can set up a connection to a remote or a local PowerShell host.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Navigate to **Library > Workflows** and enter the **powershell** and **configuration** tags in the workflow search box.
- 3 Locate the Add a PowerShell host workflow and click **Run**.
- 4 In the **Name** text box, enter the name of the host.
- 5 In the **Host / IP** text box, enter the address of the host.

Note The Kerberos authentication requires a Fully Qualified Domain Name (FQDN) host address.

- 6 (Optional) In the **Port** text box, type the port of the host.
You use port 5985 for the HTTP or 5986 for the HTTPS protocol.
- 7 On the **Host Type** tab, specify the PowerShell host type that the plug-in connects to.
 - a Select a transport protocol.

Note If you use the HTTPS transport protocol, the certificate of the remote PowerShell host is imported into the Orchestrator keystore.

- b Select the authentication type.

Important If you want to use Kerberos authentication, you must enable it on the WinRM service.

- 8 On the **User Credentials** tab, select the type of session mode that the plug-in uses to connect to the PowerShell host.

Option	Description
Shared Session	The plug-in uses shared credentials to connect to the remote host. You must provide the PowerShell host credentials for the shared session.
Session per User	The Orchestrator client retrieves credentials from the user who is logged in. You must log in with a <i>user@domain</i> format to Orchestrator to use the Session per User mode.

- 9 On the **Advanced Options** tab, from the **Shell Code Page** drop-down menu, select the type of encoding that the PowerShell uses.

- 10 Click **Run**.

Results

After the workflow runs successfully, the PowerShell host appears in the **Inventory** view.

Access the PowerShell Plug-In API

With the Orchestrator API Explorer you can search the PowerShell plug-in API and see the documentation for JavaScript objects that you can use in scripted elements.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Access the API Explorer from either the vRealize Orchestrator Client or from the **Scripting** tabs of the workflow, policy, and action editors.
 - To access the API Explorer from the vRealize Orchestrator Client, click **API Explorer** in the vRealize Orchestrator Client navigation pane.
 - To access the API Explorer from the **Scripting** tabs of the workflow, policy, and action editors, click **Search API** on the left.
- 3 To expand the hierarchical list of PowerShell plug-in API objects, double-click the **PowerShell** module in the left pane.

What to do next

You can copy code from API elements and paste it into scripting boxes. For more information about API scripting, see *Developing with VMware vRealize Orchestrator*.

Using the PowerShell Plug-In Inventory

The PowerShell plug-in exposes all objects in the connected PowerShell hosts in the **Inventory** view.

Within the inventory of the plug-in, you can monitor PowerShell hosts and their snap-ins and cmdlets. Each remote host can contain snap-ins and each snap-in can contain cmdlets.

Running PowerShell Scripts

You can run workflows to invoke an external or custom script on a PowerShell host.

Invoke a PowerShellScript

You can run an existing or custom PowerShell script on a host in the plug-in inventory.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a PowerShell host from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **powershell** tag in the workflow search box.
- 2 Locate the Invoke a PowerShell script workflow and click **Run**.
- 3 On the **PowerShell Host** tab, select a PowerShell host on which to run the script.
- 4 On the **Script** tab, in the **Script** text box, type or paste the PowerShell script that you want to run.
- 5 Click **Run**.

Invoke an External Script

You can run an external PowerShell script on a host in the plug-in inventory.

External PowerShell scripts are contained in .ps1 files. The .ps1 file that you want to run must be stored on the PowerShell host.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a PowerShell host from the **Inventory** view.
- Verify that you have access to other .ps1 files that the script might reference.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **powershell** tag in the workflow search box.
- 2 Locate the **Invoke an external script** workflow and click **Run**.
- 3 On the **PowerShell Host** tab, select a PowerShell host on which to run the script.

- 4 On the **External Script** tab, in the **Name** text box, type the filename of the external .ps1 script that you want to run.

Note If the .ps1 file is not in the default folder, you must type the absolute file path. You can use system environment variables to specify script paths. For example, **\$env:HOME\test1.ps1**.

- 5 In the **Arguments** text box, type the script arguments.
The valid syntax is the same as used in the PowerShell console.
- 6 Click **Run**.

Generating Actions

You can run workflows to generate actions based on a PowerShell script or a PowerShell cmdlet. You can use the generated actions as building blocks for custom workflows.

Generate an Action from a PowerShell Script

You can run a workflow to generate an action from a PowerShell script that you provide. You can optionally generate a sample workflow that can run the generated action.

You can customize the script of the action that you generate by using placeholders. For each placeholder, the workflow creates a corresponding action parameter of type string in the generated action. When you run the action, you can provide an actual value as the action parameter to replace the placeholder.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a PowerShell host from the **Inventory** view.

Procedure

- 1 In the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **powershell** and **generate** tags in the workflow search box.
- 2 Locate the **Generate an action from a PowerShell script** workflow and click **Run**.
- 3 On the **Script** tab, in the **Script** text box, type or paste the PowerShell script from which to generate the action.

Note You can use **{#ParamName#}** as a placeholder for user input. If the placeholder is of type string, you must use double quotes to pass the value of the placeholder to the action.

The following script is an example of how to link the generated action parameter to a script parameter.

```
param($name={#ParamName#})
echo $name;
```

- 4 On the **Action** tab, in the **Name** text box, enter a name for the action that you want to generate, and select an existing module in which to generate the action.
- 5 On the **Workflow** tab, select whether to generate a workflow.

Option	Description
Yes	Generates a sample workflow that can run the generated action. You must select a folder in which to generate the workflow. Note The name of the generated workflow consists of the predefined string Invoke Script and the name of the generated action.
No	A sample workflow is not generated.

- 6 Click **Submit** to run the workflow.

What to do next

You can integrate the generated action in custom workflows.

Generate an Action for a PowerShell Cmdlet

You can run a workflow to generate an action for a PowerShell cmdlet and parameter set that you provide. With this action, you can use PowerShell functionality in vRealize Orchestrator. You can optionally generate a sample workflow that runs the generated action.

You can use a large set of data types with the PowerShell script engine. The data types that you can use include primitive types such as Integer, Boolean, Char, any type available from the .NET assembly, or user-defined types. When generating actions based on PowerShell cmdlet definitions, the input and output cmdlet parameters are represented by types that the vRealize Orchestrator platform supports. The PowerShell plug-in defines the type mappings. In general, primitive types are mapped to the corresponding vRealize Orchestrator types, and complex types are represented by the PowerShellRemotePSObject object.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a PowerShell host from the **Inventory** view.

Procedure

- 1 In the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **powershell** and **generate** tags in the workflow search box.
- 2 Locate the **Generate an action for a PowerShell cmdlet** workflow and click **Run**.

- 3 On the **Cmdlet** tab, select a PowerShell cmdlet to run when using the action that you generate.
- 4 Select a parameter set for the cmdlet.

The parameter set definition values appear in the **Parameter set definition** text box.

Note You cannot modify the parameter set definition values by editing the string in the **Parameter set definition** text box. You can review the string for information about the parameters that the parameter set contains.

- 5 On the **Action** tab, in the **Name** text box, enter a name for the action that you want to generate, and select an existing module in which to generate the action.
- 6 On the **Workflow** tab, select whether to generate a workflow.

Option	Description
Yes	Generates a sample workflow that can run the generated action. You must select a folder in which to generate the workflow.
	Note The name of the generated workflow consists of the predefined string Execute Cmdlet and the name of the generated action.
No	A sample workflow is not generated.

- 7 Click **Run**.

What to do next

You can integrate the generated action in custom workflows.

Passing Invocation Results Between Actions

The PowerShell plug-in supports passing of results as parameters from one PowerShell script invocation to another. To pass results correctly, both invocations must happen in the same session.

PowerCLI Integration with the PowerShell Plug-In

You can use functionality that is available in a third-party snap-in, such as VMware vSphere PowerCLI, with the PowerShell plug-in.

To use the third-party snap-in functionality, the snap-in must be available on the PowerShell host. To load the snap-in in the current session, you must also invoke the `AddPsSnapin` action. When using PowerCLI, you must set the name of the snap-in to `VMware.VimAutomation.Core`.

The PowerShell plug-in does not provide pre-generated actions for third-party snap-ins. You can generate actions for third-party snap-ins by running the `Generate an action for a PowerShell cmdlet workflow`. See [Generate an Action for a PowerShell Cmdlet](#).

The `com.vmware.library.powershell.converter` package contains basic building blocks that allow conversion from a VC: <SomeObjectType> object, to the corresponding PowerCLI object. This feature allows workflows from the vCenter Server plug-in to interact with workflows from the PowerShell plug-in and to pass parameters between the two plug-ins.

Converter Workflows

You can use the sample workflows from the Converter workflow category to test the integration between the PowerShell plug-in and PowerCLI. To test the integration, PowerCLI must be installed on the PowerShell host.

The Converter sample workflows demonstrate the conversion functionality available in the plug-in.

Note The PowerShell plug-in does not support all types that are available in PowerCLI and the vCenter Server plug-in. Unsupported types return an exception.

To access these workflows, navigate to **Library > Workflows** and enter the **powershell** and **converter** tags in the workflow search box.

Workflow Name	Description
Convert PObject to vCO object	Converts PowerShellRemotePObject to VC: <SomeObjectType>.
Convert PObject to vCO object to PObject	Converts PowerShellRemotePObject to VC: <SomeObjectType> and the reverse.
Convert vCO object to PObject	Converts VC: <SomeObjectType> to PowerShellRemotePObject.

Working with PowerShell Results

You can use objects from the PowerShell plug-in API to work with results that Windows PowerShell returns.

You can use the methods from the `PowerShellInvocationResult` class to retrieve information about a script that you run.

Method	Description
<code>getErrors()</code>	Returns a list of errors reported by the PowerShell engine during script invocation.
<code>getInvocationState()</code>	Status of the script. The possible values are <code>Completed</code> or <code>Failed</code> .
<code>getHostOutput()</code>	Output of the script as it appears on the PowerShell console.
<code>getResults()</code>	Objects returned by the PowerShell engine. The returned object is of type <code>PowerShellRemotePObject</code> .

`PowerShellRemotePObject` is a remote representation of objects returned by the PowerShell engine. `PowerShellRemotePObject` contains XML serialization of the result that can be accessed by calling the `getXml()` method.

The PowerShell plug-in also provides an object model that wraps the XML result and provides easy access to particular object properties. The `getRootObject()` method provides access to the object model. In general, the `getRootObject()` method maps the PowerShell types to types available in vRealize Orchestrator, by using the following rules.

- If the returned object is of a primitive PowerShell type, the object is mapped to the corresponding Orchestrator primitive type.
- If the returned object is of type `collection`, the object is represented as `ArrayList`.
- If the returned object is of type `dictionary`, the object is represented as `Hashtable`.
- If the returned object is of type `complex`, the object is represented as `PSObject`.

Sample Workflows

The Samples workflow category contains workflows that allow you to test basic use cases.

To access these workflows, navigate to **Library > Workflows** and enter the **powershell** and **samples** tags in the workflow search box.

Workflow Name	Description
Invoke a script via API	Demonstrates how to call a PowerShell script through the available scripting API.
List directory content	Lists the contents of a directory on the PowerShell host file system.
Pipeline execution example	Demonstrates how you can run multiple cmdlets arranged into a pipe.
Toggle virtual machine state	Toggles the power state of a virtual machine.

Examples of Scripts for Common PowerShell Tasks

You can cut, paste, and edit the JavaScript examples to write scripts for common PowerShell tasks.

For more information about scripting, see the *vRealize Orchestrator Developer's Guide*.

Example: Run a PowerShell Script Through the API

You can use JavaScript to run a PowerShell script through the plug-in API.

This example script performs the following actions.

- Opens a session to a PowerShell host.
- Provides a script to run.
- Checks invocation results.
- Closes the session.

```
var sess;
try {
    //Open session to PowerShell host
    var sess = host.openSession()
```

```

//Set executed script
var result = sess.invokeScript('dir')

//Check for errors
if (result.invocationState == 'Failed'){
    throw "PowerShellInvocationError: Errors found while executing script \n" +
result.getErrors();
}
//Show result
System.log( result.getHostOutput() );
} catch (ex){
    System.error (ex)
} finally {
    if (sess) {
        //Close session
        host.closeSession( sess.getSessionId() );
    }
}
}

```

Example: Work with Result

You can use JavaScript to work with the result of a PowerShell script run.

This example script performs the following actions.

- Checks the invocation state.
- Extracts a value from the result.
- Checks the RemotePSObject type.

```

var sess = host.openSession()
sess.addCommandFromString("dir " + directory)
var invResult = sess.invokePipeline();
//Show result
System.log( invResult.getHostOutput() );

//Check for errors
if (invResult.invocationState == 'Failed'){
    System.error(invResult.getErrors());
} else {
    //Get PowerShellRemotePSObject
    var psObject = invResult.getResults();
    var directories = psObject.getRootObject();

    var isList = directories instanceof Array
    if ( isList ){
        for (idx in directories){
            var item = directories[idx];
            if ( item instanceof('System.IO.FileInfo') ){//Check type of object
                System.log( item.getProperty('FullName') );//Extract value from result
            }
        }
    } else {
        System.log( directories.getProperty('FullName') );//Extract value from result
    }
}
}

```

```

}

host.closeSession( sess.getSessionId());

```

Example: Connect with Custom Credentials

You can use JavaScript to connect to a PowerShell host with custom credentials.

```

var sess;
try {
    sess = host.openSessionAs(userName, password);

    var invResult = sess.invokeScript('$env:username');

    //Check for errors
    if (invResult.invocationState == 'Failed'){
        System.error(invResult.getErrors());
    } else {
        //Show result
        System.log( invResult.getHostOutput() );
    }
} catch (ex){
    System.error (ex)
} finally {
    if (sess) {
        host.closeSession( sess.getSessionId());
    }
}

```

Troubleshooting

If you encounter problems when using the PowerShell plug-in, you can refer to a troubleshooting topic to understand the problem or solve it, if there is a workaround.

Enable Kerberos Event Logging

For troubleshooting purposes, you might want to enable Kerberos event logging on the Key Distribution Center (KDC) machine.

Prerequisites

Back up the Windows registry.

Procedure

- 1 Log in to the domain controller that acts as a Key Distribution Center (KDC).
- 2 Run the registry editor as an **administrator**.
- 3 In the registry window, expand
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Lsa\Kerberos\Parameters.

- 4 If a **LogLevel1** registry key value does not exist, right-click to create it.
 - a Right-click **Parameter**, select **New > DWORD (32-bit) Value**, and enter **LogLevel1**.
 - b Select **Parameter** and in the right pane, double-click **LogLevel1** and enter **1** in the **Value data:** text box.

The new setting becomes effective without a reboot on Windows Server 2003 and later.

Results

The Kerberos error event entries are recorded in the System Windows Event Log.

What to do next

To disable Kerberos event logging, delete the **LogLevel1** registry key value or change its value data to **0**.

Servers Not Found in Kerberos Database

After you add PowerShell servers with Kerberos authentication, the servers might not be found because they are not added correctly.

Problem

When you try to connect to a server, the server is not found in Kerberos database.

```
No valid credentials provided (Mechanism level: No valid
credentials provided (Mechanism level: Server not found in Kerberos
database (7)))
```

Cause

This error might be caused by several misconfigurations.

- The PowerShell host is not part of a domain.
- The host to realm mapping is not correct.
- The Service Principal Name of the PowerShell host is not built correctly.

Note Kerberos authentication does not work when the destination is an IP address.

Solution

When you add a PowerShell host using the Kerberos authentication, enter a DNS or NetBIOS destination.

Unable to Obtain a Kerberos Ticket

When you provide wrong credentials, the plug-in fails to obtain a Kerberos ticket.

Problem

You are unable to add a host to the plug-in inventory and the result is the following error message.

```
Pre-authentication information was invalid (24)
```

Cause

You have provided wrong credentials.

Solution

Provide the correct credentials.

Kerberos Authentication Fails Due to Different Time Settings

Inconsistent time settings in the environment that uses Kerberos configuration might lead to authentication failure.

Problem

Attempts to use Kerberos for initial authentication of a host or for resource access fail, and the following error message appears.

```
Clock Skew
```

Cause

If the system time on the computers in the environment differs with more than 5 minutes from the domain controller, or from one another, the Kerberos authentication fails.

Solution

Synchronize the system times in the environment.

Kerberos Authentication Session Mode Fails

When you use Kerberos authentication with Shared Session or Session per User, adding the PowerShell host might fail.

Problem

When you attempt to add a PowerShell host to the plug-in inventory using Shared Session or Session per User, the workflow fails with the following error.

```
Null realm name (601) - default realm not specified (Dynamic Script Module name : addPowerShellHost#16)
```

Cause

The default realm is not specified in the Kerberos configuration file `krb5.conf`, neither is provided as a part of the user name.

Solution

Provide a default realm in your Kerberos configuration file or include the realm in your user name when authenticating with Kerberos.

Unable to Reach a Key Distribution Center for a Realm

Any misspelling in the `krb5.conf` file might cause a failure when you add a host.

Problem

When you are adding a host, the Kerberos authentication is unable to reach a Key Distribution Center (KDC) for *yourrealm*.

```
Cannot get kdc for realm YOURREALM.COM
```

Cause

The `libdefaults` and `realms` sections in the `krb5.conf` file might be misspelled.

Solution

Verify that the `libdefaults` and `realms` sections in your `krb5.conf` file are spelled correctly.

Unable to Locate the Default Realm

vRealize Orchestrator workflows that require Kerberos authentication might fail if the Kerberos configuration file does not have the correct format or encoding.

Problem

Kerberos authentication cannot identify the default realm.

```
Cannot locate default realm
```

Cause

The Kerberos configuration file `krb5.conf` that you upload to the vRealize Orchestrator Appliance has been edited on a non-UNIX operating system. As a result, the format and the encoding might be incorrect.

Solution

In order for the vRealize Orchestrator appliance to read the `krb5.conf` file, the format of the file must be UNIX and the character encoding must be ANSI as UTF-8.

Using the SNMP Plug-In

14

The SNMP plug-in allows vRealize Orchestrator to connect and receive information from SNMP-enabled systems and devices. You can define SNMP devices as inventory objects by running workflows, and perform SNMP operations on the defined objects.

You can use the plug-in to connect to SNMP devices such as routers, switches, network printers, and UPS devices. The plug-in can also receive events from vCenter Server over the SNMP protocol.

The SNMP plug-in provides two methods of communication with the SNMP devices.

- Queries for the values of specific SNMP variables.
- Listening for events (SNMP traps) that are generated from the devices and pushed to the registered SNMP managers.

The plug-in contains a set of standard workflows related to managing SNMP devices, queries, the trap host, and performing SNMP operations. You can also create custom workflows to automate tasks in an SNMP environment.

This chapter includes the following topics:

- [Managing SNMP Devices](#)
- [Managing SNMP Queries](#)
- [Managing the SNMP Trap Host](#)
- [Receiving SNMP Traps](#)
- [Generic SNMP Request Workflows](#)

Managing SNMP Devices

You can run workflows to register SNMP devices with vRealize Orchestrator, edit the settings for existing devices, and unregister devices.

Device Management Workflows

The Device Management workflow category contains workflows that allow you to manage SNMP devices.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **snmp** and **device_management** tags in the workflow search box.

Workflow Name	Description
Edit an SNMP device	Edits the configuration of a registered SNMP device.
Register an SNMP device	Registers an SNMP-enabled device to the plug-in inventory.
Unregister an SNMP device	Unregisters an SNMP device from the plug-in inventory.

Register an SNMP Device

You can run a workflow to register an SNMP device and optionally configure advanced connection parameters.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **snmp** and **device_management** tag in the workflow search box.
- 3 Locate the **Register an SNMP device** workflow and click **Run**.
- 4 In the **Device address** text box, enter the IP address or DNS name of the SNMP device.

Note To establish a more reliable connection, use an IP address.

- 5 (Optional) In the **Name** text box, enter a name for the device as you want it to appear in the **Inventory** view.

If you leave the text box blank, the device address is used to generate a name automatically.

- 6 (Optional) To configure the advanced connection parameters, select the check box, and navigate to the **Advanced** tab.

- a In the **Port** text box, specify the connection port.

The default port is 161.

- b From the **Version** drop-down menu, select the SNMP version that you want to use and provide the credentials.

The support for SNMPv3 is limited to the AuthPriv security level with MD5 authentication. The DES passphrase is the same as the MD5 password.

Note The support for SNMPv3 is deprecated.

- c In the **Community name** text box, enter a name for the device. The default name is **public**.

- 7 Click **Run**.

Results

After the workflow runs successfully, the SNMP device appears in the **Inventory** view.

What to do next

You can add queries to the SNMP device and run workflows from the **Inventory** view.

Managing SNMP Queries

You can add queries to registered SNMP devices, run, copy, and edit existing queries, and remove queries from SNMP devices. You can use SNMP queries as building blocks in more complex workflows.

Query Management Workflows

The Query Management workflow category contains workflows that allow you to manage SNMP queries.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **snmp** and **query_management** tags in the workflow search box.

Workflow Name	Description
Add a query to an SNMP device	Adds a query to an SNMP device.
Copy an SNMP query	Copies an SNMP query from one device to another.
Edit an SNMP query	Edits an existing SNMP query.
Remove a query from an SNMP device	Removes an SNMP query from a device.
Run an SNMP query	Runs a query against an SNMP device.

Add a Query to an SNMP Device

You can run a workflow to add a query to an SNMP device from the plug-in inventory.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an SNMP device from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **snmp** and **query_management** tags in the workflow search box.
- 2 Locate the **Add a query to an SNMP device** workflow and click **Run**.
- 3 Select the device to which you want to add the query.
- 4 From the **Type** drop-down menu, select the query type.

- 5 In the **OID** text box, enter the object identifier of the variable that you want to query.

The following are example OID values.

- 1.3.6.1.2.1.1.5.0
- .1.3.6.1.2.1.1.5.0
- iso.3.6.1.2.1.1.5.0

Note The plug-in supports only OID values that are numerical or that begin with `iso` and continue with numbers.

- 6 (Optional) In the **Name** text box, enter a name for the query.

If you leave the text box blank, the type and OID parameters are used to generate a name automatically.

- 7 Click **Run**.

What to do next

You can run workflows on the query from the **Inventory** view.

Managing the SNMP Trap Host

vRealize Orchestrator can act as an SNMP listener. You can start and stop the SNMP trap host, and change the port on which vRealize Orchestrator listens for SNMP traps.

The SNMP plug-in supports SNMPv1 and SNMPv2c traps.

Note The support for SNMPv3 is deprecated.

Important When using a clustered vRealize Orchestrator deployment, you must send the SNMP trap to all nodes in the cluster.

Trap Host Management Workflows

The Trap Host Management workflow category contains workflows that allow you to manage the SNMP trap host.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **snmp** and **trap_host_management** tags in the workflow search box.

Workflow Name	Description
Set the SNMP trap port	Sets the port on which vRealize Orchestrator listens for SNMP traps.
Start the trap host	vRealize Orchestrator starts listening for SNMP traps.
Stop the trap host	vRealize Orchestrator stops listening for SNMP traps.

Add a SNMP trap port to the vRealize Orchestrator Appliance

Before running the Set the SNMP trap port you must add the port to the vRealize Orchestrator Appliance.

Procedure

- 1 Log in to the vRealize Orchestrator Appliance command line as **root**.
- 2 Create a variable for the SNMP trap port.

```
SNMP_PORT=port_value
```

Note The ports open for SNMP traps are 81 to 32767.

- 3 Create a Kubernetes NodePort service for the SMNP trap port over User Datagram Protocol (UDP).

```
kubectl -n prelude expose deployment vro-app --type=NodePort --name=vro-snm-$SNMP_PORT --port=$SNMP_PORT --target-port=$SNMP_PORT --protocol=UDP
```

- 4 Add the port to the NodePort service.

```
kubectl -n prelude patch svc vro-snm-$SNMP_PORT --type='json' -p '[{"op":"replace","path":"/spec/ports/0/nodePort","value":'$SNMP_PORT'}]'
```

- 5 Patch the NodePort service, so the source IP address can connect to the vRealize Orchestrator pod.

```
kubectl -n prelude patch svc vro-snm-$SNMP_PORT -p '{"spec":{"externalTrafficPolicy":"Local"}}'
```

- 6 Create the firewall rules for the configured SNMP port.

```
iptables -A INPUT -p udp -m udp --dport $SNMP_PORT -j ACCEPT
```

Set the SNMP Trap Port

You can run a workflow to set the port on which vRealize Orchestrator listens for SNMP traps.

The default port for SNMP traps is 162. On Linux systems, you can open ports below 1024 only with superuser privileges. The ports open for SNMP traps are 81 to 32767.

Prerequisites

- Prepare the vRealize Orchestrator Appliance for the configuration of the SNMP trap port. See [Add a SNMP trap port to the vRealize Orchestrator Appliance](#).
- In the vRealize Orchestrator Client, select **Administration > Inventory** and verify that the SNMP device is connected.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an **administrator**.
- 2 Navigate to **Library > Workflows** and enter the **snmp** and **trap_host_management** tags in the workflow search box.
- 3 Run the **Set the SNMP trap port** workflow.
- 4 Enter the port number on which vRealize Orchestrator listens for SNMP traps.
- 5 Click **Run**.

Results

The workflow stops the trap host, sets the new port, and starts the trap host again.

Note If you upgrade your vRealize Orchestrator environment, you must run the vRealize Orchestrator Appliance and the **Set the SNMP trap port** workflow again.

Receiving SNMP Traps

The SNMP plug-in can receive SNMP traps by running a workflow, which waits for a single trap message, or with a policy, which can handle traps continuously. The plug-in supports SNMPv1 and SNMPv2c traps.

Wait for a Trap on an SNMP Device

You can run a workflow that waits to receive an SNMP trap from a specified device.

This workflow features a trigger, which stops the run of the workflow and waits for an SNMP trap before continuing. When a trap is received, the workflow run resumes. You can use the workflow as part of more complex workflows, or as a sample that you can customize or extend for a specific need.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an SNMP device from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **snmp** tag in the workflow search box.
- 2 Locate the **Wait for a trap on an SNMP device** workflow and click **Run**.
- 3 Select the device on which you want to wait for an SNMP trap.
- 4 (Optional) In the **OID** text box, enter the object identifier of a specific trap.

Note If you leave the text box empty, the workflow run resumes after receiving any trap from the specified SNMP device.

- 5 Click **Run**.

Set an SNMP Trap Policy

You can set a policy to continuously listen for traps from an SNMP device that is already registered in the plug-in inventory.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an SNMP device from the **Inventory** view.

Procedure

- 1 In the vRealize Orchestrator Client, navigate to **Library > Policies**.
- 2 Open the **SNMP Trap policy** template and click **Run**.
- 3 Enter a name for the policy that you want to create.
- 4 (Optional) Enter a description for the policy.
- 5 Select an SNMP device for which to set the policy.
- 6 Click **Run** to create the policy.

The vRealize Orchestrator Client switches to **Run** perspective.

- 7 On the **Policies** view, right-click the policy that you created and select **Start policy**.

Results

The trap policy starts to listen for SNMP traps.

What to do next

You can edit the SNMP Trap policy.

Configure an SNMP Trap Host Policy

With the SNMP Trap Host policy listens for SNMP traps from hosts that might not be added as registered SNMP devices.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an SNMP device from the **Inventory** view.

Procedure

- 1 In the vRealize Orchestrator Client, navigate to **Library > Policies**.
- 2 Open the **SNMP Trap Host** policy template and click **Run**.
- 3 Enter a name for the policy that you want to create.

- 4 (Optional) Enter a description for the policy.
- 5 Select **Trap Host (OnLine)** from the inventory tree.
- 6 Click **Run** to create the policy.
The Orchestrator client switches to **Run** perspective.
- 7 Right-click the policy and select **Edit**.
- 8 In the **Scripting** tab, expand **host > OnTrapAll**.
 - a Select a workflow or a script to associate with the policy.
- 9 Click **Save and close** to apply the edited settings.
- 10 On the **Policies** view, right-click the policy that you edited and select **Start policy**.

What to do next

You can edit the SNMP Trap Host policy.

Edit a Trap Policy

You can edit a trap policy to customize it for a specific use case. When you edit a trap policy, you can change its priority and startup settings, and customize the scripting and permissions associated with the policy.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to an SNMP device from the **Inventory** view.

Procedure

- 1 In the vRealize Orchestrator Client, navigate to **Library > Policies**.
- 2 If the policy that you want to edit is running, right-click the policy and select **Stop policy**.
- 3 Right-click the policy and select **Edit**.
- 4 From the **General** tab, edit the startup settings, priority, and description of the policy.
- 5 (Optional) From the **Scripting** tab, you can associate a specific workflow or scripting code with the policy, for integration in a more complex scenario.
You can set the policy to trigger a custom workflow when a trap is received.
- 6 (Optional) From the **Permissions** tab, you can modify the access rights.
You can give permissions to a user or to a group to start the policy, without giving permissions to edit the policy.
- 7 Click **Save and close** to apply the edited settings.
- 8 On the **Policies** view, right-click the policy that you edited and select **Start policy**.

Generic SNMP Request Workflows

The SNMP workflow category contains workflows that allow you to perform basic SNMP requests without having to create a query.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **snmp** tag in the workflow search box.

Workflow Name	Description
Get bulk SNMP values	Runs a GET BULK query against an SNMP device.
Get next SNMP value	Runs a GET NEXT query against an SNMP device.
Get SNMP value	Runs a GET query against an SNMP device.
Send an SNMP trap	Sends an SNMP trap to a specified address.
Wait for a trap on all devices	Waits to receive an SNMP trap from all hosts that send traps to vRealize Orchestrator.
Wait for a trap on an SNMP device	Waits to receive an SNMP trap from a specified device.

Using the SOAP Plug-In

15

The SOAP plug-in allows you to manage SOAP Web services by providing interaction between vRealize Orchestrator and SOAP hosts. You can define SOAP services as inventory objects by running configuration workflows, and perform SOAP operations on the defined objects.

The plug-in contains a set of standard workflows related to managing SOAP hosts and invoking SOAP operations. You can also generate custom workflows to automate tasks in a SOAP environment.

This chapter includes the following topics:

- [Configuring the SOAP Plug-In](#)
- [Generate a New Workflow from a SOAP Operation](#)
- [Invoke a SOAP Operation](#)

Configuring the SOAP Plug-In

You must use the vRealize Orchestrator Client to configure the SOAP plug-in.

The Configuration workflow category contains workflows that allow you to manage SOAP hosts.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **soap** and **configuration** tags in the workflow search box.

Workflow Name	Description
Add a SOAP host	Adds a SOAP host to the plug-in inventory.
Reload plug-in configuration	Refreshes the list of SOAP hosts in the plug-in inventory.
Remove a SOAP host	Removes a SOAP host from the plug-in inventory. Caution When you remove a host from the inventory, all workflows generated from it stop working.
Update a SOAP host	Updates a SOAP host in the plug-in inventory.
Update a SOAP host with an endpoint URL	Updates a SOAP host with a preferred endpoint address. The new endpoint address is used for sending and receiving SOAP messages, instead of the endpoint address defined within the WSDL.

Add a SOAP Host

You can run a workflow to add a SOAP host and configure the host connection parameters.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Navigate to **Library > Workflows** and enter the **soap** and **configuration** tags in the workflow search box.
- 3 Locate the **Add a SOAP host** workflow and click **Run**.
- 4 On the **SOAP host** tab, provide the properties to create a host.
 - a In the **Name** text box, enter the name of the host.
 - b Select whether to provide the WSDL content as text.

Option	Action
Yes	Copy the text in the WSDL content text box.
No	Enter the correct path in the WSDL URI text box.

- c In the **Connection timeout** text box, enter the number of seconds within which vRealize Orchestrator must connect to the SOAP host, otherwise the connection times out.
 - d In the **Request timeout** text box, enter the number of seconds within which a SOAP request must succeed before it times out.
- 5 On the **Proxy** tab, select whether to use a proxy.

Option	Action
Yes	Provide the proxy address and proxy port.
No	Continue to the next step.

- 6 On the **Host authentication** tab, select the authentication type.

Option	Description
None	No authentication is required.
Basic	<p>Provides basic access authentication.</p> <p>On the User credentials tab, select the session mode.</p> <ul style="list-style-type: none"> ■ If you select Shared Session, provide credentials for the shared session. ■ If you select Per User Session, the vRealize Orchestrator Client retrieves credentials from the user who is logged in.
Digest	<p>Provides digest access authentication that uses encryption.</p> <p>On the User credentials tab, select the session mode.</p> <ul style="list-style-type: none"> ■ If you select Shared Session, provide credentials for the shared session. ■ If you select Per User Session, the vRealize Orchestrator Client retrieves credentials from the user who is logged in.

Option	Description
NTLM	<p>Provides NT LAN Manager (NTLM) access authentication within the Window Security Support Provider (SSPI) framework.</p> <p>On the User credentials tab, select the session mode.</p> <ul style="list-style-type: none"> ■ If you select Shared Session, provide credentials for the shared session. ■ If you select Per User Session, the vRealize Orchestrator Client retrieves credentials from the user who is logged in. <p>On the NTLM settings tab, enter the NTLM domain and NTLM workstation.</p>
Negotiate	<p>Provides Kerberos access authentication.</p> <p>On the User credentials tab, select the session mode.</p> <ul style="list-style-type: none"> ■ If you select Shared Session, provide credentials for the shared session. ■ If you select Per User Session, the vRealize Orchestrator Client retrieves credentials from the user who is logged in. <p>On the Negotiate tab, provide the Kerberos service SPN.</p>

7 Click **Run**.

Results

After the workflow runs successfully, the SOAP host appears in the **Inventory** view.

What to do next

You can explore the SOAP host objects and run workflows on them from the **Inventory** view.

Generate a New Workflow from a SOAP Operation

You can create a custom workflow from a SOAP operation.

You can integrate custom-generated workflows into high-level workflows. For more information about workflow development, see the *Developing Workflows with vRealize Orchestrator* guide.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a SOAP host from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **soap** tag in the workflow search box.
- 2 Locate the **Generate a new workflow from a SOAP operation** workflow and click **Run**.
- 3 Select the SOAP operation from the list of available operations.
- 4 In the **Name** text box, enter the name of the workflow to generate.
- 5 Select the workflow folder in which to generate the new workflow.

You can select any existing folder from the workflow library.

6 Click **Run**.

What to do next

You can test the generated workflow.

Test a Custom-Generated Workflow

You can run a custom workflow generated from a SOAP operation to get the output parameters of the operation.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a SOAP host from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows**.
- 2 Locate the custom workflow and click **Run**.
- 3 Provide the input parameters that the SOAP operation requires.
- 4 Click **Run**.
- 5 (Optional) In the **Logs** tab, review the list of available output parameters.

Invoke a SOAP Operation

You can call a SOAP operation directly, without generating a new workflow.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a SOAP host from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **soap** tag in the workflow search box.
- 2 Locate the **Invoke a SOAP operation** workflow and click **Run**.
- 3 Select the SOAP operation from the list of available operations.
- 4 Provide the input parameters that the SOAP operation requires.
- 5 Click **Run**.
- 6 (Optional) In the **Logs** tab, review the list of available output parameters.

Using the SQL Plug-In

16

You can use the API that the SQL plug-in provides to implement connectivity to SQL databases and other tabular data sources, such as spreadsheets or flat files.

The SQL plug-in API, which is based on JDBC, provides a call-level API for SQL-based database access. The SQL plug-in also provides sample workflows that demonstrate how to use the API in workflows.

This chapter includes the following topics:

- [Configuring the SQL Plug-In](#)
- [Running the SQL Sample Workflows](#)
- [Running SQL Operations](#)

Configuring the SQL Plug-In

You can use the workflows included in the SQL plug-in and run them from the vRealize Orchestrator client to configure the SQL plug-in and to add, update, or remove a database.

The Configuration workflow category of the SQL plug-in contains workflows that allow you to manage databases and database tables.

To access these workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **sql** and **configuration** tags in the workflow search box.

Workflow Name	Description
Add a database	Adds a database object to the SQL plug-in inventory.
Add tables to a database	Adds database tables to a database in the SQL plug-in inventory.
Remove a database	Removes a database object from the SQL plug-in inventory.
Remove a table from a database	Removes a database table from a database in the SQL plug-in inventory.
Update a database	Updates the configuration of a database object in the SQL plug-in inventory.
Validate a database	Validates a database in the SQL plug-in inventory.

Add a Database

You can run a workflow to add a database to the vRealize Orchestrator server and configure the host connection parameters.

When you add a database that requires a secure connection, you must import the database SSL certificate. You can import the SSL certificate under the **Trusted Certificates** tab in Control Center.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **sql** and **configuration** tags in the workflow search box.
- 3 Locate the **Add a database** workflow and click **Run**.
- 4 In the **Name** text box, enter the name of the database.
- 5 Select the type of the database.
- 6 In the **Connection URL** text box, enter the address of the database.

Database Type	Syntax
Oracle	<code>jdbc:oracle:thin:@database_url:port_number:SID</code>
Microsoft SQL (with SQL authentication)	<code>jdbc:jtds:sqlserver://database_url:port_number/database_name</code>
Microsoft SQL (with Windows account authentication)	<code>jdbc:jtds:sqlserver://database_url:port_number/database_name;useNTLMv2=true;domain=domain_name</code>
PostgreSQL	<code>jdbc:postgresql://database_url:port_number/database_name</code>
MySQL	<code>jdbc:mysql://database_url:port_number/database_name</code>

- 7 On the **User credentials** tab, select the session mode that the plug-in uses to connect to the database.

Option	Description
Shared Session	The plug-in uses shared credentials to connect to the database. You must provide the database credentials for the shared session.
Session Per User	The vRealize Orchestrator Client retrieves credentials from the user who is logged in.

Note To use session per user mode, you must authenticate by using a user name only. Do not use `domain\user` or `user@domain` for authentication.

- 8 Click **Run**.

Results

After the workflow runs successfully, the database and all tables that belong to it appear in the **Inventory** view.

Add Tables to a Database

You can run a workflow to add tables to a database that is in the SQL plug-in inventory.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a database from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **sql** and **configuration** tags in the workflow search box.
- 2 Locate the **Add tables to a database** workflow and click **Run**.
- 3 Select a database to which to add tables.
- 4 Select the tables that you want to add.
- 5 Click **Run**.

Results

After the workflow runs successfully, the added database tables appear in the **Inventory** view of the vRealize Orchestrator Client.

Update a Database

You can run a workflow to update the configuration of a database that is in the SQL plug-in inventory.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **sql** and **configuration** tags in the workflow search box.
- 3 Locate the **Update a database** workflow and click **Run**.
- 4 Select the database that you want to update.
- 5 In the **Name** text box, enter the new name of the database.
The database appears in the **Inventory** view with the name that you entered.
- 6 Select the type of the database.
- 7 In the **Connection URL** text box, enter the new address of the database.

- 8 On the **User credentials** tab, select the session mode that the plug-in uses to connect to the database.

Option	Description
Shared Session	The plug-in uses shared credentials to connect to the database. You must provide the database credentials for the shared session.
Session Per User	The vRealize Orchestrator Client retrieves credentials from the user who is logged in. Note To use session per user mode, you must authenticate by using a user name only. Do not use <i>domain\user</i> or <i>user@domain</i> for authentication.

- 9 Click **Run**.

Running the SQL Sample Workflows

You can run the SQL plug-in workflows to perform JDBC operations such as generating a JDBC URL, testing a JDBC connection, and managing rows in JDBC tables. You can also run the SQL plug-in workflows to manage databases and database tables, and to run SQL operations.

Generate a JDBC URL

You can run a workflow from the vRealize Orchestrator Client to generate a JDBC connection URL.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run JDBC workflows.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **jdbc** tag in the workflow search box.
- 3 Locate the **JDBC URL generator** workflow and click **Run**.
- 4 On the **General** tab, select the type of database for which to generate a URL.

Note If you use a Microsoft database, select the **Microsoft** tab and provide the database instance name and database user domain name.

- 5 Provide the required information to generate a database URL.
 - a Enter a database server name or IP address.
 - b Enter a database name.
 - c (Optional) Enter a database port number.

If you do not specify a port number, the workflow uses a default port number.

- d Enter a user name to access the database.
- e Enter a password to access the database.

6 Click **Run**.

Test a JDBC Connection

You can run a workflow from the vRealize Orchestrator Client to test the connection to a database.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run JDBC workflows.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **jdbc_examples** tag in the workflow search box.
- 3 Locate the **JDBC connection example** workflow and click **Run**.
- 4 Provide the required information to test a database connection.
 - a Enter a user name to access the database.
 - b Enter the URL to test.
 - c Enter a password to access the database.
- 5 Click **Run**.

Create a Table by Using JDBC

You can run a workflow from the vRealize Orchestrator Client to create a database.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run JDBC workflows.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **jdbc_examples** tag in the workflow search box.
- 3 Locate the **JDBC create table example** workflow and click **Run**.

- 4 Provide the required information, and click **Next**.
 - a Type a password to access the database.
 - b Type a database connection URL.
 - c Type a user name to access the database.

- 5 Enter an SQL create statement.

Example syntax is:

```
CREATE TABLE "table_name"  
("column1" "data_type_for_column1",  
"column2" "data_type_for_column2")
```

- 6 Click **Run**.

Insert a Row into a JDBC Table

You can run a workflow from the vRealize Orchestrator Client to test the insertion of a row into a JDBC table.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run JDBC workflows.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **jdbc_examples** tag in the workflow search box.
- 3 Locate the **JDBC insert into table example** workflow and click **Run**.
- 4 On the **Database connection** tab, provide the required information.
 - a Type a database connection URL.
 - b Type a user name to access the database.
 - c Type a password to access the database.
- 5 On the **SQL statement** tab, enter an SQL insert statement similar to the following example.

```
INSERT INTO "table_name" ("column1", "column2")  
VALUES ("value1", "value2")
```

- 6 On the **Values to insert** tab, enter the values to insert into the row.
- 7 Click **Run**.

Select Rows from a JDBC Table

You can run a workflow from the vRealize Orchestrator Client to select rows from a JDBC table.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run JDBC workflows.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **jdbc_examples** tag in the workflow search box.
- 3 Locate the **JDBC select from table example** workflow and click **Run**.
- 4 On the **Database connection tab**, provide the required information.
 - a Type a database connection URL.
 - b Type a user name to access the database.
 - c Type a password to access the database.
- 5 On the **SQL statement** tab, type an SQL select statement similar to the following example.
Example syntax is:

```
SELECT * FROM "table_name"
```

- 6 Click **Run**.

Delete an Entry from a JDBC Table

You can run a workflow from the vRealize Orchestrator Client to test the deletion of an entry from a JDBC table.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run JDBC workflows.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **jdbc_examples** tag in the workflow search box.
- 2 Locate the **JDBC delete entry from table example** workflow and click **Run**.
- 3 Provide the required information.
 - a Enter the first name of the user entry to be deleted.
 - b Type a user name to access the database.
 - c Enter a JDBC connection URL.

- d Enter the last name of the user entry to be deleted.
 - e Type a password to access the database.
- 4 Enter an SQL delete statement similar to the following example syntax.

```
DELETE FROM "table_name" where ("column1" = ?, "column2" = ?)
```

- 5 Click **Run**.

Delete All Entries from a JDBC Table

You can run a workflow from the vRealize Orchestrator Client to delete all entries from a JDBC table.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run JDBC workflows.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **jdbc_examples** tag in the workflow search box.
- 2 Locate the **JDBC delete all from table example** workflow and click **Run**.
- 3 Provide the required information.
 - a Type a database connection URL.
 - b Type a user name to access the database.
 - c Type a password to access the database.
- 4 Type an SQL delete statement similar to the following example syntax.

```
DELETE FROM "table_name"
```

- 5 Click **Run**.

Drop a JDBC Table

You can run a workflow from the vRealize Orchestrator Client to test the dropping of a JDBC table.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run JDBC workflows.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **jdbc_examples** tag in the workflow search box.

- 2 Locate the **JDBC drop table example** workflow and click **Run**.
- 3 Provide the required information.
 - a Type a password to access the database.
 - b Type a database connection URL.
 - c Type a user name to access the database.
- 4 Enter an SQL drop statement similar to the following example syntax.

```
DROP TABLE "table_name"
```

- 5 Click **Run**.

Run a Complete JDBC Cycle

You can run a workflow from the vRealize Orchestrator Client to test all JDBC example workflows in one full cycle.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run JDBC workflows.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **jdbc_examples** tag in the workflow search box.
- 2 Locate the **Full JDBC cycle example** workflow and click **Run**.
- 3 Provide the required information.
 - a Type a database connection URL.
 - b Type a user name to access the database.
 - c Type a password to access the database.
- 4 Enter the values to be used as entries in the database.
- 5 Click **Run**.

Running SQL Operations

You can use the SQL workflows to run SQL operations.

To access the SQL operations workflows in the vRealize Orchestrator Client, navigate to **Library > Workflows** and enter the **sql** tag in the workflow search box.

Workflow Name	Description
Execute a custom query on a database	Runs a custom query on a specified database and returns the number of affected rows. You can run the workflow to update, delete, insert, and write queries.
Generate CRUD workflows for a table	Generates Create, Read, Update, and Delete workflows for a particular table.
Read a custom query from a database	Runs a custom query on a specified database and returns the result in an array of properties. You can run the workflow to select and read queries.

Generate CRUD Workflows for a Table

You can run a workflow to generate Create, Read, Update, and Delete workflows for a particular table.

Prerequisites

- Verify that you are logged in to the vRealize Orchestrator Client as an administrator.
- Verify that you have a connection to a database from the **Inventory** view.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **sql** tag in the workflow search box.
- 2 Locate the **Generate CRUD workflows for a table** workflow and click **Run**.
- 3 Select a table for which to generate the workflows.
- 4 Select the workflow folder in which to generate the workflows.
- 5 Select whether to overwrite any existing workflows.

Option	Description
Yes	The generated workflows overwrite existing workflows with the same name.
No	New workflows are not generated if workflows with the same name exist in the folder.

- 6 (Optional) On the **Select read-only columns** tab, select columns that should not be populated.

You cannot edit the selected columns with the generated CRUD workflows.

- 7 Click **Run**.

Results

After the workflow runs successfully, the CRUD workflows appear in the selected workflow folder.

What to do next

You can run the generated workflows on the selected database table.

Using the SSH Plug-In

17

You can use the SSH plug-in workflows to run SSH commands on a remote host that supports SSH and transfer files between a vRealize Orchestrator server and a remote host through a secure connection.

This chapter includes the following topics:

- [Configuring the SSH Plug-In](#)
- [Running the SSH Plug-In Sample Workflows](#)

Configuring the SSH Plug-In

You can run the SSH plug-in configuration workflows to manage the connections between vRealize Orchestrator and SSH hosts.

To access these workflows in the vRealize Orchestrator, navigate to **Library > Workflows** and enter the **ssh** and **configuration** tags in the workflow search box.

Workflow Name	Description
Add a Root Folder to SSH Host	Adds a root folder to an existing connection to an SSH host.
Add SSH Host	Adds a connection to an SSH host to the existing configuration.
Remove a Root Folder from SSH Host	Removes a root folder from an existing connection to an SSH host.
Remove SSH Host	Removes an existing connection to an SSH host from the existing configuration.
Update SSH Host	Updates an existing connection to an SSH host.

Add an SSH Host

You can set up the SSH plug-in to ensure encrypted connections.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **ssh** and **configuration** tags in the workflow search box.
- 3 Locate the **Add SSH host** workflow and click **Run**.

- 4 On the **General Information** tab, in the **Host name** text box, enter the name of the host that you want to access with SSH through vRealize Orchestrator.
- 5 Enter the target port. The default SSH port is 22.
The host is added to the list of SSH connections.
- 6 (Optional) Configure an entry path on the server.
 - a Click **New root folder**.
 - b Enter the new path and click **Insert value**.
- 7 On the **Authentication** tab, enter the user name for a user who has the necessary permissions to run SSH commands.
- 8 Select the authentication type.

Option	Action
Yes	To use password authentication, enter a password.
No	To use key authentication, enter the path to the private key and the private key passphrase.

- 9 Click **Run**.

Results

The SSH host is available in the **Inventory** view of the vRealize Orchestrator Client.

Running the SSH Plug-In Sample Workflows

You can run the SSH plug-in sample workflows from the vRealize Orchestrator Client to test the connection between the vRealize Orchestrator server and the SSH host.

- [Generate a Key Pair](#)
You can run a workflow from the vRealize Orchestrator Client to generate a key pair. You can use the key pair to connect to an SSH host without a password.
- [Change the Key Pair Passphrase](#)
You can run a workflow from the vRealize Orchestrator Client to change the passphrase for the key pair that you generated most recently.
- [Register a vRealize Orchestrator Public Key on an SSH Host](#)
You can use a public key instead of a password. To register a vRealize Orchestrator public key on an SSH host, you can run a workflow from the vRealize Orchestrator client.
- [Run an SSH Command](#)
You can run a workflow from the vRealize Orchestrator Client to run SSH commands on a remote SSH server.

- [Copy a File from an SSH Host](#)

You can run a workflow on the vRealize Orchestrator Client to copy files from an SSH host to the vRealize Orchestrator server.

- [Copy a File to an SSH Host](#)

You can run a workflow from the vRealize Orchestrator Client to copy files from the vRealize Orchestrator server to an SSH host.

Generate a Key Pair

You can run a workflow from the vRealize Orchestrator Client to generate a key pair. You can use the key pair to connect to an SSH host without a password.

A key pair consists of a public key and a private key. vRealize Orchestrator can use the private key to connect to the public key on an SSH host. You can use a passphrase to improve security.

Caution All vRealize Orchestrator users with the right set of privileges can read, use, and overwrite your private key.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run SSH workflows.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **ssh** tag in the workflow search box.
- 3 Locate the **Generate key pair** workflow and click **Run**.
- 4 Provide the required information.
 - a Select the key type.
 - b Select the key size.
 - c (Optional) Enter a passphrase.

Note You can change the passphrase later.

- d (Optional) Enter a comment.
- 5 Click **Run**.

If a key pair exists, the new key pair overwrites it.

Change the Key Pair Passphrase

You can run a workflow from the vRealize Orchestrator Client to change the passphrase for the key pair that you generated most recently.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run SSH workflows.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **ssh** tag in the workflow search box.
- 3 Locate the **Change key pair passphrase** workflow and click **Run**.
- 4 On the **Change passphrase** tab, reset the key pair passphrase.
 - a Enter the current passphrase.
 - b Enter the new passphrase.
- 5 Click **Run**.

Register a vRealize Orchestrator Public Key on an SSH Host

You can use a public key instead of a password. To register a vRealize Orchestrator public key on an SSH host, you can run a workflow from the vRealize Orchestrator client.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run SSH workflows.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **ssh** tag in the workflow search box.
- 3 Locate the **Register vCO public key on host** workflow and click **Run**.
- 4 On the **Register VS-O on Host** tab, provide the name of the SSH host, and the user name and password to log in to this host.

Note You must provide credentials that are registered on the SSH host.

- 5 Click **Run**.

Results

You can use public key authentication instead of password authentication when you connect to the SSH host as the registered user.

Run an SSH Command

You can run a workflow from the vRealize Orchestrator Client to run SSH commands on a remote SSH server.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run SSH workflows.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **ssh** tag in the workflow search box.
- 3 Locate the **Run SSH command** workflow and click **Run**.
- 4 On the **Host selection** tab, enter an SSH host name or IP address.
- 5 On the **Command** tab, enter an SSH command to run.

Note The default SSH command is **uptime**. It shows how long the server has been active and the user load for that period.

- 6 On the **Encoding** tab, specify the encoding method.
Leave this field empty to use the default system encoding.
- 7 On the **Authentication** tab, enter a user name.
- 8 (Optional) Select the check box to use password authentication.

Note The default option is to use key file authentication.

- 9 Enter a password if the authentication method requires a password. Otherwise, enter the path to the private key and enter the passphrase for the private key.
- 10 Click **Run**.

Copy a File from an SSH Host

You can run a workflow on the vRealize Orchestrator Client to copy files from an SSH host to the vRealize Orchestrator server.

The SSH plug-in uses the Java JCraft library, which implements SFTP. The SCP get command workflow transfers files by using SFTP.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run SSH workflows.

Note vRealize Orchestrator must have explicit write permissions to write in folders.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **ssh** tag in the workflow search box.

- 3 Locate the **SCP get command** workflow and click **Run**.
- 4 On the **Host** tab, enter the source host information.
 - a Enter an SSH host name or IP address.
 - b Enter the SSH user name and password.
- 5 On the **File** tab, enter the file information.
 - a Enter the path to the file to get from the remote SSH host.
 - b Enter the path to the directory on the vRealize Orchestrator server into which to copy the file.
- 6 Click **Run**.

Copy a File to an SSH Host

You can run a workflow from the vRealize Orchestrator Client to copy files from the vRealize Orchestrator server to an SSH host.

The SSH plug-in uses the Java JCraft library, which implements SFTP. The SCP put command workflow transfers files by using SFTP.

Prerequisites

Verify that the user account you are logged in with has the necessary permissions to run SSH workflows.

Procedure

- 1 Navigate to **Library > Workflows** and enter the **ssh** tag in the workflow search box.
- 2 Locate the **SCP put command** workflow and click **Run**.
- 3 On the **Host** tab, enter the source host information.
 - a Enter an SSH host name or IP address.
 - b Enter the SSH user name and password.
- 4 On the **File** tab, enter the file information.
 - a Enter the path to the file that you want to copy from the local Orchestrator server to the remote SSH host.
 - b Enter the path to the directory on the remote SSH host into which to copy the file.
- 5 Click **Run**.

Using the vCenter Server Plug-In

18

You can use the vCenter Server plug-in to manage multiple vCenter Server instances. You can create workflows that use the vCenter Server plug-in API to automate tasks in your vCenter Server environment.

The vCenter Server plug-in maps the vCenter Server API to the JavaScript that you can use in workflows. The plug-in also provides actions that perform individual vCenter Server tasks that you can include in workflows.

The vCenter Server plug-in provides a library of standard workflows that automate vCenter Server operations. For example, you can run workflows that create, clone, migrate, or delete virtual machines.

Note Most vCenter plug-in workflows communicate only with the vCenter Server. However, some guest operations workflows require communication with the ESXi host managed by vCenter Server. Before you run these workflows, you must import the ESXi host certificate through the vRealize Orchestrator Control Center. For more information, see *Manage vRealize Orchestrator Certificates in Installing and Configuring VMware vRealize Orchestrator*.

The vCenter Server plug-in includes the Policy-Based Management (PBM) and the Storage Monitoring Service (SMS) APIs as scripting objects in the vRealize Orchestrator scripting API. The Storage Policy-Based Management policies and components appear in the **Inventory** page of the vRealize Orchestrator Client.

This chapter includes the following topics:

- [Configuring the vCenter Server Plug-In](#)
- [vCenter Server Plug-In Scripting API](#)
- [Using the vCenter Server Plug-In Inventory](#)
- [Performance Considerations for Querying](#)
- [Using XPath Expressions with the vCenter Server Plug-In](#)
- [vCenter Server Plug-In Workflow Library](#)

Configuring the vCenter Server Plug-In

Before managing the objects in your vSphere inventory by using vRealize Orchestrator and to run workflows on the objects, you must configure the vCenter Server plug-in and define the connection parameters between vRealize Orchestrator and the vCenter Server instances you want to orchestrate.

You can configure the vCenter Server plug-in by running the vCenter Server configuration workflows from the vRealize Orchestrator Client. See [Configuration Workflows](#)

Configure the Connection to a vCenter Server Instance

You can configure the connections to vCenter Server instances by running the vCenter Server configuration workflows in the vRealize Orchestrator client.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Navigate to **Library > Workflows** and enter the **vccenter** and **configuration** tags in the workflow search box.
- 3 Locate the **Add a vCenter Server instance** workflow and click **Run**.
- 4 On the **Set the vCenter Server instance properties** tab, enter the IP address or the host name of the machine on which the vCenter Server instance you want to add is installed.

Note The host name that you enter is case-sensitive.

- 5 Retain the default port value, **443**.
- 6 Retain the default location of the SDK to use to connect to your vCenter Server instance.
- 7 Select whether you want to manage the vCenter Server instance through vRealize Orchestrator.
- 8 Select whether you want to ignore certificate warnings for the vCenter Server instances that you want to add.

If you decide to ignore certificate warnings, the vCenter Server instance certificate is accepted silently and the certificate is added to the trusted store.

- 9 On the **Set the connection properties** tab, select whether you want to use a session per user method to manage user access on the vCenter Server system.

Option	Description
Share a unique session	<p>Select if vRealize Orchestrator does not use the same PSC as an authentication provider as the vCenter server instance that you want to orchestrate.</p> <p>Allows vRealize Orchestrator to create only one connection to vCenter Server.</p> <p>In the User name and Password text boxes, enter the credentials for vRealize Orchestrator to use to establish the connection to the vCenter Server host.</p> <p>The user that you select must be a valid user with privileges to manage vCenter Server extensions and a set of custom defined privileges. vRealize Orchestrator uses these credentials to monitor the VirtualCenter Web service, typically to run vRealize Orchestrator system workflows.</p>
Session per user	<p>Select if vRealize Orchestrator and your vCenter Server use the same PSC as an authentication provider.</p> <p>Creates a session to vCenter Server.</p> <p>Note This action might rapidly use CPU, memory, and bandwidth.</p>

The user account that you select is also used by the policy engine to collect statistical and other data. If the user that you select does not have enough privileges, the policy engine cannot access the necessary parts of the vCenter Server inventory and cannot collect the necessary data.

- 10 (Optional) Enter the user domain.

You must specify the user domain name only when you select to use a shared session.

Note Fill this text box if Session per user is selected.

- 11 (Optional) On the **Additional Endpoints** tab, enter the URLs for the vSphere storage management endpoints.

You can configure the Policy-Based Management (PBM) endpoint, the Storage Monitoring Service (SMS) endpoint, or both.

- a Enter the URL of PBM endpoint. The default vSphere 6.5 PBM endpoint URL is **https://vSphereHostName:443/pbm**.
- b Enter the URL of SMS endpoint. The default vSphere 6.5 SMS endpoint URL is **https://vSphereHostName:443/sms/sdk**.

- 12 Click **Run**.

Results

After the workflow runs successfully, the vCenter Server instance and all vSphere objects that belong to it appear in the **Inventory** view.

vCenter Server Plug-In Scripting API

The vCenter Server scripting API contains classes, with their respective attributes, methods, and constructors that allow interaction between vRealize Orchestrator and vCenter Server. You can use the API to develop custom workflows.

For a list of available API objects, see <https://www.vmware.com/support/orchestrator/doc/vro-vsphere65-api/index.html>.

Using the vCenter Server Plug-In Inventory

The vCenter Server plug-in exposes all objects of the connected vCenter Server instances in the Inventory view.

To display the workflows that are available for a vCenter Server inventory object, navigate to **Administration > Inventory > vSphere vCenter Plug-in** in the vRealize Orchestrator Client.

Performance Considerations for Querying

With the vCenter Server plug-in for vRealize Orchestrator, you can query the vCenter Server inventory for specific objects.

Querying Methods

For querying, you can either use the `vCSearchIndex` managed object, or the object finder methods that are included in the plug-in inventory, such as `getAllDatastores()`, `getAllVirtualMachines()`, `findAllForType()`, and others.

Performance

By default, both methods return the queried objects without including any of their properties, unless you specify a set of properties as an argument for the method parameters in the search query.

Note You must always use query expressions with the `getAll...()` and `findAll...()` finder objects to prevent the Orchestrator client from filtering large sets of returned objects, which might affect the overall performance of the Orchestrator server.

You can use two types of expressions for querying the vCenter Server inventory.

Type of Expression	Description
Name expressions	<p>You can specify a name as an argument for a query parameter.</p> <hr/> <p>Note The objects are filtered by the specified name argument according to the name of the plug-in object as it appears in the vCenter Server plug-in inventory.</p>
XPath expressions	<p>You can use expressions based on the XPath query language. For more information, see Using XPath Expressions with the vCenter Server Plug-In.</p>

When you invoke a vCenter Server inventory object with custom properties, each reference to this object, in a workflow or an action, sends a query to the vCenter Server, which generates a noticeable performance overhead. To optimize performance and avoid serializing and deserializing the object multiple times within a workflow run, it is best to use a shared resource to store the object, instead of storing it as a workflow attribute, an input, or an output parameter. Such shared resource can be a configuration element or a resource element.

Using XPath Expressions with the vCenter Server Plug-In

You can use the finder methods in the vCenter Server plug-in to query for vCenter Server inventory objects. You can use XPath expressions to define search parameters.

The vCenter Server plug-in includes a set of object finder methods such as `getAllDatastores()`, `getAllResourcePools()`, `findAllForType()`. You can use these methods to access the inventories of the vCenter Server instances that are connected to your vRealize Orchestrator server and search for objects by ID, name, or other properties.

For performance reasons, the finder methods do not return any properties for the queried objects, unless you specify a set of properties in the search query.

You can consult an online version of the Scripting API for the vCenter Server plug-in on the Orchestrator documentation home page.

Important The queries based on XPath expressions might impact the vRealize Orchestrator performance because the finder method returns all objects of a given type on the vCenter Server side and the query filters are applied on the vCenter Server plug-in side.

Using XPath Expressions with the vCenter Server Plug-In Examples

When you invoke a finder method, you can use expressions based on the XPath query language. The search returns all the inventory objects that match the XPath expressions. If you want to query for any properties, you can include them to the search script in the form of a string array.

The following JavaScript example uses the VcPlugin scripting object and an XPath expression to return the names of all datastore objects that are part of the vCenter Server managed objects and contain the string **ds** in their names.

```
var datastores = VcPlugin.getAllDatastores(null, "xpath:name[contains(.,'ds')]");
for each (datastore in datastores){
    System.log(datastore.name);
}
```

The same XPath expression can be invoked by using the Server scripting object and the findAllForType finder method.

```
var datastores = Server.findAllForType("VC:Datastore", "xpath:name[contains(.,'ds')]");
for each (datastore in datastores){
    System.log(datastore.name);
}
```

The following script example returns the names of all host system objects whose ID starts with the digit **1**.

```
var hosts = VcPlugin.getAllHostSystems(null, "xpath:id[starts-with(.,'1')]");
for each (host in hosts){
    System.log(host.name);
}
```

The following script returns the names and IDs of all data center objects that contain the string **DC**, in upper- or lower-case letters, in their names. The script also retrieves the **tag** property.

```
var datacenters = VcPlugin.getAllDatacenters(['tag'], "xpath:name[contains(translate(., 'DC', 'dc'), 'dc')]");
for each (datacenter in datacenters){
    System.log(datacenter.name + " " + datacenter.id);
}
```

vCenter Server Plug-In Workflow Library

The vCenter Server plug-in workflow library contains workflows that you can use to run automated processes related to the management of vCenter Server.

- [Batch Workflows](#)

Batch workflows populate configuration elements or run workflows on a selected vCenter Server object.

- [Cluster and Compute Resource Workflows](#)

With the cluster and compute resource workflows, you can create, rename, or delete a cluster. You can also enable or disable high availability, Distributed Resource Scheduler, and vCloud Distributed Storage on a cluster.

- [Configuration Workflows](#)

The Configuration workflow category of the vCenter Server plug-in contains workflows that let you manage the connections to vCenter Server instances.

- [Custom Attributes Workflows](#)

With custom attributes workflows, you can add custom attributes to virtual machines or get a custom attribute for a virtual machine.

- [Datacenter Workflows](#)

With datacenter workflows, you can create, delete, reload, rename, or rescan a datacenter.

- [Datastore and Files Workflows](#)

With the datastore and files workflows, you can delete a list of files, find unused files in a datastore, and so on.

- [Datacenter Folder Management Workflows](#)

With datacenter folder management workflows, you can create, delete, or rename a datacenter folder.

- [Host Folder Management Workflows](#)

With host folder management workflows, you can create, delete, or rename a host folder.

- [Virtual Machine Folder Management Workflows](#)

With virtual machine folder management workflows, you can create, delete, or rename a virtual machine folder.

- [Guest Operation Files Workflows](#)

With the guest operation files workflows, you can manage files in a guest operating system.

- [Guest Operation Processes Workflows](#)

With guest operation processes workflows, you can get information and control the running processes in a guest operating system.

- [Power Host Management Workflows](#)

With power host management workflows you can reboot or shut down a host.

- [Basic Host Management Workflows](#)

With the basic host management workflows, you can put a host into maintenance mode and make a host exit maintenance mode. You can also move a host to a folder or a cluster, and reload data from a host.

- [Host Registration Management Workflows](#)

With the host registration management workflows, you can add a host to a cluster, disconnect, or reconnect a host from a cluster, and so on.

- [Networking Workflows](#)

With networking workflows you can add a port group to distributed virtual switch, create a distributed virtual switch with a port group, and so on.

- [Distributed Virtual Port Group Workflows](#)

With the distributed virtual port group workflows, you can update or delete a port group, and reconfigure the port group.

- [Distributed Virtual Switch Workflows](#)

With distributed virtual switch workflows, you can create, update or delete a distributed virtual switch, and create, delete, or update a private VLAN.

- [Standard Virtual Switch Workflows](#)

With the standard virtual switch workflows you can create, update, or delete a standard virtual switch, and create, delete, or update port groups in standard virtual switches.

- [Networking Virtual SAN Workflows](#)

With Virtual SAN workflows, you can configure Virtual SAN network traffic.

- [Resource Pool Workflows](#)

With the resource pool workflows you can create, rename, reconfigure or delete a resource pool, and get resource pool information.

- [Storage Workflows](#)

With the storage workflows, you can perform storage-related operations.

- [Storage DRS Workflows](#)

With the storage DRS workflows, you perform storage-related operations, such as creating and configuring a datastore cluster, removing a datastore from cluster, adding storage to a cluster, and others.

- [Storage VSAN Workflows](#)

With the Virtual SAN workflows, you can manage non-SSD disks and disk groups in a Virtual SAN cluster.

- [Basic Virtual Machine Management Workflows](#)

With the basic virtual machine management workflows, you can perform basic operations on virtual machines, for example, create, rename or delete a virtual machine, upgrade virtual hardware, and others.

- [Clone Workflows](#)

With clone workflows, you can clone virtual machines with or without customizing the virtual machine properties.

- [Linked Clone Workflows](#)

With the linked clone workflows, you can perform linked clone operations such as restoring a virtual machine from a linked clone, creating a linked clone, or others.

- [Linux Customization Clone Workflows](#)

With Linux customization workflows, you can clone a Linux virtual machine and customize the guest operating system.

- [Tools Clone Workflows](#)

With the tools clone workflows, you can obtain customization information about the operating system of the virtual machine, information required to update a virtual device, and others.

- [Windows Customization Clone Workflows](#)

With the Windows customization clone workflows, you can clone Windows virtual machines and customize the guest operating system.

- [Device Management Workflows](#)

With the device management workflows, you can manage the devices that are connected to a virtual machine or to a host datastore.

- [Move and Migrate Workflows](#)

With the move and migrate workflows, you can migrate virtual machines.

- [Other Workflows](#)

With the workflows from the Others category, you can enable and disable Fault Tolerance (FT), extract virtual machine information, and find orphaned virtual machines.

- [Power Management Workflows](#)

With the power management workflows, you can power on and off virtual machines, reboot the guest operating system of a virtual machine, suspend a virtual machine, and others.

- [Snapshot Workflows](#)

With snapshot workflows, you can perform snapshot-related operations.

- [VMware Tools Workflows](#)

With VMware Tools workflows, you can perform VMware Tools-related tasks on virtual machines.

Batch Workflows

Batch workflows populate configuration elements or run workflows on a selected vCenter Server object.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **batch** tags in the workflow search box.

Workflow Name	Description
Fill batch configuration elements	<p>Populates the configuration elements that the Run a workflow on a selection of objects workflow uses. Performs the following tasks:</p> <ul style="list-style-type: none"> ■ Resets the <code>BatchObject</code> and <code>BatchAction</code> configuration elements. ■ Fills the <code>BatchObject</code> configuration element with all the workflows that have only one input parameter. ■ Fills the <code>BatchAction</code> configuration element with all the actions that have no input parameters or one input parameter and that have an array as the <code>returnType</code>.
Run a workflow on a selection of objects	<p>Runs a workflow on a selection of vCenter Server objects, taking one action as input. This is the action that retrieves the list of objects on which to run the workflow. To return the objects without running the selected workflow, run the workflow in simulation mode.</p>

Cluster and Compute Resource Workflows

With the cluster and compute resource workflows, you can create, rename, or delete a cluster. You can also enable or disable high availability, Distributed Resource Scheduler, and vCloud Distributed Storage on a cluster.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **cluster_and_compute_resource** tags in the workflow search box.

Workflow Name	Description
Add DRS virtual machine group to cluster	Adds a DRS virtual machine group to a cluster.
Add virtual machines to DRS group	Adds a virtual machine list to an existing DRS virtual machine group.
Create cluster	Creates a cluster in a host folder.
Delete cluster	Deletes a cluster.
Disable DRS on cluster	Disables DRS on a cluster.
Disable HA on cluster	Disables high availability on a cluster.
Disable vCloud Distributed Storage on cluster	Disables vCloud Distributed Storage on a cluster.
Enable DRS on cluster	Enables DRS on a cluster.
Enable HA on cluster	Enables high availability on a cluster.
Enable vCloud Distributed Storage on cluster	Enables vCloud Distributed Storage on a cluster.
Remove virtual machine DRS group from cluster	Removes a DRS virtual machine group from a cluster.
Remove virtual machines from DRS group	Removes virtual machines from a cluster DRS group.
Rename cluster	Renames a cluster.

Configuration Workflows

The Configuration workflow category of the vCenter Server plug-in contains workflows that let you manage the connections to vCenter Server instances.

You can access these workflows from **Library > vCenter > Configuration** in the **Workflows** view of the Orchestrator client.

Workflow Name	Description
Add a vCenter Server instance	Configures Orchestrator to connect to a new vCenter Server instance so that you can run workflows over the objects in the vSphere infrastructure.
List the Orchestrator extensions of vCenter Server	Lists all Orchestrator extensions of vCenter Server.
Register Orchestrator as a vCenter Server extension	Registers the Orchestrator instance as a vCenter Server extension.
Remove a vCenter Server instance	Removes a vCenter Server instance from the Orchestrator inventory. You cannot orchestrate this vCenter Server instance any longer.
Update a vCenter Server instance	Updates the connection to a vCenter Server instance. For example, if the IP address of your vCenter Server system changes, you must update the connection parameters to the vCenter Server instance so that you can manage your vSphere inventory with Orchestrator.
Unregister a vCenter Server extension	Unregisters a vCenter Server extension.

Custom Attributes Workflows

With custom attributes workflows, you can add custom attributes to virtual machines or get a custom attribute for a virtual machine.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **custom_attributes** tags in the workflow search box.

Workflow Name	Description
Add custom attribute to a virtual machine	Adds a custom attribute to a virtual machine.
Add custom attribute to multiple virtual machines	Adds a custom attribute to a selection of virtual machines.
Get custom attribute	Gets a custom attribute for a virtual machine in vCenter Server.

Datacenter Workflows

With datacenter workflows, you can create, delete, reload, rename, or rescan a datacenter.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **datacenter** tags in the workflow search box.

Workflow Name	Description
Create datacenter	Creates a data center in a data center folder.
Delete datacenter	Deletes a data center.
Reload datacenter	Forces vCenter Server to reload data from a data center.
Rename datacenter	Renames a data center and waits for the task to complete.
Rescan datacenter HBAs	Scans the hosts in a data center and initiates a rescan on the host bus adapters to discover new storage.

Datastore and Files Workflows

With the datastore and files workflows, you can delete a list of files, find unused files in a datastore, and so on.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **datastore_and_files** tags in the workflow search box.

Workflow Name	Description
Delete all files	Deletes a list of files.
Delete all unused datastore files	Searches all datastores in the vCenter Server environment and deletes all unused files.
Export unused datastore files	Searches all datastores and creates an XML descriptor file that lists all unused files.
Find unused files in datastores	Searches the vCenter Server environment for all unused disks (*.vmdk), virtual machines (*.vmtx), and template (*.vmtx) files that are not associated with any vCenter Server instances registered with Orchestrator.
Get all configuration, template, and disk files from virtual machines	Creates a list of all virtual machine descriptor files and a list of all virtual machine disk files, for all datastores.
Log all datastore files	Creates a log for every virtual machine configuration file and every virtual machine file found in all datastores.
Log unused datastore files	Searches the vCenter Server environment for unused files that are registered on virtual machines and exports a log of the files in a text file.
Upload file to datastore	Uploads a file to an existing folder on a specific datastore. The uploaded file overwrites any existing file with the same name in the same destination folder.

Datacenter Folder Management Workflows

With datacenter folder management workflows, you can create, delete, or rename a datacenter folder.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **datacenter_folder** tags in the workflow search box.

Workflow Name	Description
Create datacenter folder	Creates a data center folder.
Delete datacenter folder	Deletes a data center folder and waits for the task to complete.
Rename datacenter folder	Renames a data center folder and waits for the task to complete.

Host Folder Management Workflows

With host folder management workflows, you can create, delete, or rename a host folder.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **host_folder** tags in the workflow search box.

Workflow Name	Description
Create host folder	Creates a host folder.
Delete host folder	Deletes a host folder and waits for the task to complete.
Rename host folder	Renames a host folder and waits for the task to complete.

Virtual Machine Folder Management Workflows

With virtual machine folder management workflows, you can create, delete, or rename a virtual machine folder.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **vm_folder** tags in the workflow search box.

Workflow Name	Description
Create virtual machine folder	Creates a virtual machine folder.
Delete virtual machine folder	Deletes a virtual machine folder and waits for the task to complete.
Rename virtual machine folder	Renames a virtual machine folder and waits for the task to complete.

Guest Operation Files Workflows

With the guest operation files workflows, you can manage files in a guest operating system.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **guest_operations** and **files** tags in the workflow search box.

Workflow Name	Description
Check for directory in guest	Verifies that a directory exists in a guest virtual machine.
Check for file in guest	Verifies that a file exists in a guest virtual machine.
Copy file from guest to Orchestrator	Copies a specified file from a guest file system to an Orchestrator server.
Copy file from Orchestrator to guest	Copies a specified file from an Orchestrator server to a guest file system.
Create directory in guest	Creates a directory in a guest virtual machine.
Create temporary directory in guest	Creates a temporary directory in a guest virtual machine.
Create temporary file in guest	Creates a temporary file in a guest virtual machine.
Delete directory in guest	Deletes a directory from a guest virtual machine.
Delete file in guest	Deletes a file from a guest virtual machine.
List path in guest	Shows a path in a guest virtual machine.
Move directory in guest	Moves a directory in a guest virtual machine.
Move file in guest	Moves a file in a guest virtual machine.

Guest Operation Processes Workflows

With guest operation processes workflows, you can get information and control the running processes in a guest operating system.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **guest_operations** and **processes** tags in the workflow search box.

Workflow Name	Description
Get environment variables from guest	Returns a list with environmental variables from a guest. An interactive session returns the variables of the user who is currently logged in.
Get processes from guest	Returns a list with the processes running in the guest operating system and the recently completed processes started by the API.
Kill process in guest	Terminates a process in a guest operating system.
Run program in guest	Starts a program in a guest operating system.

Power Host Management Workflows

With power host management workflows you can reboot or shut down a host.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **host_management** and **power** tags in the workflow search box.

Workflow Name	Description
Reboot host	Reboots a host. If the Orchestrator client is connected directly to the host, it loses the connection to the host and does not receive an indication of success in the returned task.
Shut down host	Shuts down a host. If the Orchestrator client is connected directly to the host, it loses the connection to the host and does not receive an indication of success in the returned task.

Basic Host Management Workflows

With the basic host management workflows, you can put a host into maintenance mode and make a host exit maintenance mode. You can also move a host to a folder or a cluster, and reload data from a host.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **host_management** and **basic** tags in the workflow search box.

Workflow Name	Description
Enter maintenance mode	Puts the host into maintenance mode. You can cancel the task.
Exit maintenance mode	Exits maintenance mode. You can cancel the task.
Move host to cluster	Moves an existing host to a cluster. The host must be part of the same data center, and if the host is part of a cluster, the host must be in maintenance mode.
Move host to folder	Moves a host into a folder as a standalone host. The host must be part of a ClusterComputeResource in the same data center and the host must be in maintenance mode.
Reload host	Forces vCenter Server to reload data from a host.

Host Registration Management Workflows

With the host registration management workflows, you can add a host to a cluster, disconnect, or reconnect a host from a cluster, and so on.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **host_management** and **registration** tags in the workflow search box.

Workflow Name	Description
Add host to cluster	Adds a host to the cluster. This workflow fails if it cannot authenticate the SSL certificate of the host.
Add standalone host	Registers a host as a standalone host.
Disconnect host	Disconnects a host from the vCenter Server instance.
Reconnect host	Reconnects a disconnected host by providing only the host information.
Reconnect host with all information	Reconnects a disconnected host by providing all information about the host.
Remove host	Removes a host and unregisters it from the vCenter Server instance. If the host is part of a cluster, you must put it in maintenance mode before attempting to remove it.

Networking Workflows

With networking workflows you can add a port group to distributed virtual switch, create a distributed virtual switch with a port group, and so on.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **networking** tags in the workflow search box.

Workflow Name	Description
Add port group to distributed virtual switch	Adds a new distributed virtual port group to a specified distributed virtual switch.
Attach host system to distributed virtual switch	Adds a host to a distributed virtual switch.
Create distributed virtual switch with port group	Creates a new distributed virtual switch with a distributed virtual port group.

Distributed Virtual Port Group Workflows

With the distributed virtual port group workflows, you can update or delete a port group, and reconfigure the port group.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **networking** and **distributed_virtual_port_group** tags in the workflow search box.

Workflow Name	Description
Connect virtual machine NIC number to distributed virtual port group	Reconfigures the network connection of the specified virtual machine NIC number to connect to the specified distributed virtual port group. If no NIC number is specified, the number zero is used.
Delete distributed virtual port group	Deletes a specified distributed virtual port group.
Set teaming options	Provides an interface to manage the teaming options for a distributed virtual port group.
Update distributed virtual port group	Updates the configuration of a specified distributed virtual port group.

Distributed Virtual Switch Workflows

With distributed virtual switch workflows, you can create, update or delete a distributed virtual switch, and create, delete, or update a private VLAN.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter, networking** and **distributed_virtual_switch** tags in the workflow search box.

Workflow Name	Description
Create distributed virtual switch	Creates a distributed virtual switch in the specified network folder with a name and uplink port names that you specify. You must specify at least one uplink port name.
Create private VLAN	Creates a VLAN on the specified distributed virtual switch.
Delete distributed virtual switch	Deletes a distributed virtual switch and all associated elements.
Delete private VLAN	Deletes a VLAN from a specified distributed virtual switch. If a secondary VLAN exists, you must first delete the secondary VLAN.
Update distributed virtual switch	Updates the properties of a distributed virtual switch.
Update private VLAN	Updates a VLAN on the specified distributed virtual switch.

Standard Virtual Switch Workflows

With the standard virtual switch workflows you can create, update, or delete a standard virtual switch, and create, delete, or update port groups in standard virtual switches.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter, networking** and **standard_virtual_switch** tags in the workflow search box.

Workflow Name	Description
Add port group in standard virtual switch	Adds a port group in a standard virtual switch.
Create standard virtual switch	Creates a standard virtual switch.
Delete port group from standard virtual switch	Deletes a port group from a standard virtual switch
Delete standard virtual switch	Deletes a standard virtual switch from a host network configuration.
Retrieve all standard virtual switches	Retrieves all standard virtual switches from a host.
Update port group in standard virtual switch	Updates the properties of a port group in a standard virtual switch.
Update standard virtual switch	Updates the properties of a standard virtual switch.
Update vNIC for port group in standard virtual switch	Updates a virtual NIC associated with a port group in a standard virtual switch.

Networking Virtual SAN Workflows

With Virtual SAN workflows, you can configure Virtual SAN network traffic.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter, networking** and **vsan** tags in the workflow search box.

Workflow Name	Description
Set a cluster's VSAN traffic network	Sets a Virtual SAN traffic network of the cluster.
Set a host's VSAN traffic network	Sets a Virtual SAN traffic network of the host.

Resource Pool Workflows

With the resource pool workflows you can create, rename, reconfigure or delete a resource pool, and get resource pool information.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **resource_pool** tags in the workflow search box.

Workflow Name	Description
Create resource pool	Creates a resource pool with the default CPU and memory allocation values. To create a resource pool in a cluster, the cluster must have VMware DRS enabled.
Create resource pool with specified values	Creates a resource pool with CPU and memory allocation values that you specify. To create a resource pool in a cluster, the cluster must have VMware DRS enabled.
Delete resource pool	Deletes a resource pool and waits for the task to complete.
Get resource pool information	Returns CPU and memory information about a given resource pool.
Reconfigure resource pool	Reconfigures CPU and memory allocation configuration for a given resource pool.
Rename resource pool	Renames a resource pool and waits for the task to complete

Storage Workflows

With the storage workflows, you can perform storage-related operations.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **storage** tags in the workflow search box.

Workflow Name	Description
Add datastore on iSCSI/FC/local SCSI	Creates a datastore on a Fibre Channel, iSCSI or local SCSI disk. Only disks that are not currently in use by an existing VMFS are applicable to new datastore creation. The new datastore allocates the maximum available space of the specified disk.
Add datastore on NFS	Adds a datastore on an NFS server.
Add iSCSI target	Adds iSCSI targets to a vCenter Server host. The targets can be of the type Send or Static.
Create VMFS for all available disks	Creates a VMFS volume for all available disks of a specified host.
Delete datastore	Deletes datastores from a vCenter Server host.
Delete iSCSI target	Deletes already configured iSCSI targets. The targets can be of type Send or Static.
Disable iSCSI adapter	Disables the software iSCSI adapter of a specified host.
Display all datastores and disks	Displays the existing datastores and available disks on a specified host.
Enable iSCSI adapter	Enables an iSCSI adapter.
List all storage adapters	Lists all storage adapters of a specified host.

Storage DRS Workflows

With the storage DRS workflows, you perform storage-related operations, such as creating and configuring a datastore cluster, removing a datastore from cluster, adding storage to a cluster, and others.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter** and **storage_drs** tags in the workflow search box.

Workflow Name	Description
Add datastore to cluster	Adds datastores to a datastore cluster. Datastores must be able to connect to all hosts to be included in the datastore cluster. Datastores must have the same connection type to reside within a datastore cluster.
Change Storage DRS per virtual machine configuration	Sets Storage DRS settings for each virtual machine.
Configure datastore cluster	Configures datastore cluster setting values for automation and runtime rules.
Create simple datastore cluster	Creates a simple datastore cluster with default configuration. The new datastore cluster contains no datastores.
Create Storage DRS scheduled task	Creates a scheduled task for reconfiguring a datastore cluster. Only automation and runtime rules can be set.
Create virtual machine anti-affinity rule	Creates an anti-affinity rule to indicate that all virtual disks of certain virtual machines must be kept on different datastores.
Create VMDK anti-affinity rule	Creates a VMDK anti-affinity rule for a virtual machine that indicates which of its virtual disks must be kept on different datastores. The rule applies to the virtual disks of the selected virtual machine.
Remove datastore cluster	Removes a datastore cluster. Removing a datastore cluster also removes all the settings and the alarms for the cluster from the vCenter Server system.
Remove datastore from cluster	Removes a datastore from a datastore cluster and puts the datastore in a datastore folder.
Remove Storage DRS scheduled task	Removes a scheduled Storage DRS task.
Remove virtual machine anti-affinity rule	Removes a virtual machine anti-affinity rule for a given datastore cluster.
Remove VMDK anti-affinity rule	Removes a VMDK anti-affinity rule for a given datastore cluster.

Storage VSAN Workflows

With the Virtual SAN workflows, you can manage non-SSD disks and disk groups in a Virtual SAN cluster.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **storage** and **vsan** tags in the workflow search box.

Workflow Name	Description
Add disks to a disk group	Adds non-SSD disks to a Virtual SAN disk group.
Claim disks into disk groups	Claims disks for use by the Virtual SAN system and automatically creates disk groups and distributes the disks into existing disk groups.
Create a disk group	Creates a Virtual SAN disk group.
List hosts, disk groups and disks	Lists all hosts in a cluster, their disk groups and disks, used or eligible for use by the Virtual SAN system.
Remove disk groups	Removes Virtual SAN disk groups.
Remove disks from disk groups	Removes non-SSD disks from Virtual SAN disk groups.

Basic Virtual Machine Management Workflows

With the basic virtual machine management workflows, you can perform basic operations on virtual machines, for example, create, rename or delete a virtual machine, upgrade virtual hardware, and others.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **virtual_machine_management** and **basic** tags in the workflow search box.

Workflow Name	Description
Create custom virtual machine	Creates a virtual machine with the specified configuration options and additional devices.
Create simple dvPortGroup virtual machine	Creates a simple virtual machine. The network used is a Distributed Virtual Port Group.
Create simple virtual machine	Creates a virtual machine with the most common devices and configuration options.
Delete virtual machine	Removes a virtual machine from the inventory and datastore.
Get virtual machines by name	Returns a list of virtual machines from all registered vCenter Server instances that match the provided expression.
Mark as template	Converts an existing virtual machine to a template, not allowing it to start. You can use templates to create virtual machines.
Mark as virtual machine	Converts an existing template to a virtual machine, allowing it to start.
Move virtual machine to folder	Moves a virtual machine to a specified virtual machine folder.
Move virtual machine to resource pool	Moves a virtual machine to a resource pool. If the target resource pool is not in the same cluster, you must use the migrate or relocate workflows.
Move virtual machines to folder	Moves several virtual machines to a specified virtual machine folder.
Move virtual machines to resource pool	Moves several virtual machines to a resource pool.
Register virtual machine	Registers a virtual machine. The virtual machine files must be placed in an existing datastore and must not be already registered.
Reload virtual machine	Forces vCenter Server to reload a virtual machine.
Rename virtual machine	Renames an existing virtual machine on the vCenter Server system or host and not on the datastore.

Workflow Name	Description
Set virtual machine performance	Changes performance settings such as shares, minimum and maximum values, shaping for network, and disk access of a virtual machine.
Unregister virtual machine	Removes an existing virtual machine from the inventory.
Upgrade virtual machine hardware (force if required)	Upgrades the virtual machine hardware to the latest revision that the host supports. This workflow forces the upgrade to continue, even if VMware Tools is out of date. If the VMware Tools is out of date, forcing the upgrade to continue reverts the guest network settings to the default settings. To avoid this situation, upgrade VMware Tools before running the workflow.
Upgrade virtual machine	Upgrades the virtual hardware to the latest revision that the host supports. An input parameter allows a forced upgrade even if VMware Tools is out of date.
Wait for task and answer virtual machine question	Waits for a vCenter Server task to complete or for the virtual machine to ask a question. If the virtual machine requires an answer, accepts user input and answers the question.

Clone Workflows

With clone workflows, you can clone virtual machines with or without customizing the virtual machine properties.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **virtual_machine_management** and **clone** tags in the workflow search box.

Workflow Name	Description
Clone virtual machine from properties	Clones virtual machines by using properties as input parameters.
Clone virtual machine, no customization	Clones a virtual machine without changing anything except the virtual machine UUID.
Customize virtual machine from properties	Customizes a virtual machine by using properties as input parameters.

Linked Clone Workflows

With the linked clone workflows, you can perform linked clone operations such as restoring a virtual machine from a linked clone, creating a linked clone, or others.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **virtual_machine_management** and **linked_clone** tags in the workflow search box.

Workflow Name	Description
Linked clone, Linux with multiple NICs	Creates a linked clone of a Linux virtual machine, performs the guest operating system customization, and configures up to four virtual network cards.
Linked clone, Linux with single NIC	Creates a linked clone of a Linux virtual machine, performs the guest operating system customization, and configures one virtual network card.
Linked clone, no customization	Creates the specified number of linked clones of a virtual machine.
Linked clone, Windows with multiple NICs and credential	Creates a linked clone of a Windows virtual machine and performs the guest operating system customization. Configures up to four virtual network cards and a local administrator user account.

Workflow Name	Description
Linked clone, Windows with single NIC and credential	Creates a linked clone of a Windows virtual machine and performs the guest operating system customization. Configures one virtual network card and a local administrator user account.
Restore virtual machine from linked clone	Removes a virtual machine from a linked clone setup.
Set up virtual machine for linked clone	Prepares a virtual machine to be link cloned.

Linux Customization Clone Workflows

With Linux customization workflows, you can clone a Linux virtual machine and customize the guest operating system.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **virtual_machine_management**, **clone** and **linux_customization** tags in the workflow search box.

Workflow Name	Description
Clone, Linux with multiple NICs	Clones a Linux virtual machine, performs the guest operating system customization, and configures up to four virtual network cards.
Clone, Linux with a single NIC	Clones a Linux virtual machine, performs the guest operating system customization, and configures one virtual network card.

Tools Clone Workflows

With the tools clone workflows, you can obtain customization information about the operating system of the virtual machine, information required to update a virtual device, and others.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **virtual_machine_management**, **clone** and **tools** tags in the workflow search box.

Workflow Name	Description
Get a VirtualEthernetCard to change the network	Returns a new ethernet card to update a virtual device. Contains only the device key of the given virtual device and the new network.
Get Linux customization	Returns the Linux customization preparation.
Get multiple VirtualEthernetVard device changes	Returns an array of VirtualDeviceConfigSpec objects for add and remove operations on VirtualEthernetCard objects.
Get NIC setting map	Returns the setting map for a virtual network card by using VimAdapterMapping. Changes NIC information for workflows that clone and reconfigure virtual machines. Other clone workflows call this workflow.
Get Windows customization, Sysprep with credentials	Returns customization information about the Microsoft Sysprep process, with credentials. Workflows for cloning Windows virtual machines use this workflow.
Get Windows customization, Sysprep with Unattended.txt	Returns customization information about the Microsoft Sysprep process by using an Unattended.txt file. Workflows for cloning Windows virtual machines use this workflow.
Get Windows customizations for Sysprep	Returns customization information about the Microsoft Sysprep process. Workflows for cloning Windows virtual machines use this workflow.

Windows Customization Clone Workflows

With the Windows customization clone workflows, you can clone Windows virtual machines and customize the guest operating system.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **virtual_machine_management**, **clone** and **windows_customization** tags in the workflow search box.

Workflow Name	Description
Clone thin provisioned, Windows with single NIC and credential	Clones a Windows virtual machine performing the guest operating system customization. Specifies virtual disk thin provisioning policy and configures one network card and a local administrator user account. Sysprep tools must be available on vCenter Server system.
Clone, Windows Sysprep with single NIC and credential	Clones a Windows virtual machine performing the guest operating system customization. Configures one virtual network card and a local administrator user account. Sysprep tools must be available on vCenter Server system.
Clone, Windows with multiple NICs and credential	Clones a Windows virtual machine performing the guest operating system customization. Configures the local administrator user account and up to four virtual network cards. Sysprep tools must be available on the vCenter Server system.
Clone, Windows with single NIC	Clones a Windows virtual machine performing the guest operating system customization and configures one virtual network card. Sysprep tools must be available on the vCenter Server system.
Clone, Windows with single NIC and credential	Clones a Windows virtual machine performing the guest operating system customization. Configures one virtual network card and a local administrator user account. Sysprep tools must be available on the vCenter Server system.
Customize, Windows with single NIC and credential	Performs guest operating system customization, configures one virtual network card and a local administrator user account on a Windows virtual machine.

Device Management Workflows

With the device management workflows, you can manage the devices that are connected to a virtual machine or to a host datastore.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **virtual_machine_management** and **device_management** tags in the workflow search box.

Workflow Name	Description
Add CD-ROM	Adds a virtual CD-ROM to a virtual machine. If the virtual machine has no IDE controller, the workflow creates one.
Add disk	Adds a virtual disk to a virtual machine.
Change RAM	Changes the amount of RAM of a virtual machine.
Convert disks to thin provisioning	Converts thick-provisioned disks of virtual machines to thin-provisioned disks.
Convert independent disks	Converts all independent virtual machine disks to normal disks by removing the independent flag from the disks.

Workflow Name	Description
Disconnect all detachable devices from a running virtual machine	Disconnects floppy disks, CD-ROM drives, parallel ports, and serial ports from a running virtual machine.
Mount CD-ROM	Mounts the CD-ROM of a virtual machine. If the virtual machine has no IDE controller and/or CD-ROM drive, the workflow creates them.
Mount floppy disk drive	Mounts a floppy disk drive FLP file from the ESX datastore.

Move and Migrate Workflows

With the move and migrate workflows, you can migrate virtual machines.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **virtual_machine_management** and **move_and_migrate** tags in the workflow search box.

Workflow Name	Description
Mass migrate virtual machines with storage vMotion	Uses Storage vMotion to migrate a single virtual machine, a selection of virtual machines, or all available virtual machines.
Mass migrate virtual machines with vMotion	Uses vMotion, Storage vMotion, or both vMotion and Storage vMotion to migrate a single virtual machine, a selection of virtual machines, or all available virtual machines. Note vCenter Server does not allow storage vMotion and vMotion in the same pass for a powered on virtual machine. You must power off the virtual machine to use storage vMotion and vMotion in the same pass.
Migrate virtual machine with vMotion	Migrates a virtual machine from one host to another by using the MigrateVM_Task operation from the vSphere API.
Move virtual machines to another vCenter Server	Moves a list of virtual machines to another vCenter Server system.
Quick migrate multiple virtual machines	Suspends the virtual machines if they are powered on and migrates them to another host using the same storage.
Quick migration of virtual machine	Suspends the virtual machine if it is powered on and migrates it to another host using the same storage.
Relocate virtual machine disks	Relocates virtual machine disks to another host or datastore while the virtual machine is powered off by using the ReLocateVM_Task operation from the vSphere API.

Other Workflows

With the workflows from the Others category, you can enable and disable Fault Tolerance (FT), extract virtual machine information, and find orphaned virtual machines.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **virtual_machine_management** and **others** tags in the workflow search box.

Workflow Name	Description
Disable FT	Disables Fault Tolerance for a specified virtual machine.
Enable FT	Enables Fault Tolerance for a specified virtual machine.

Workflow Name	Description
Extract virtual machine information	Returns the virtual machine folder, host system, resource pool, compute resource, datastore, hard drive sizes, CPU and memory, network, and IP address for a given virtual machine. Might require VMware Tools.
Find orphaned virtual machines	Lists all virtual machines in an orphaned state in the Orchestrator inventory. Lists the VMDK and VMTX files for all datastores in the Orchestrator inventory that have no association with any virtual machines in the Orchestrator inventory. Sends the lists by email (optional).
Get VM by Name and BIOS UUID	Searches virtual machines by name and then filters the result with particular universally unique identifier (UUID) in order to identify a unique virtual machine. Note This workflow is needed when DynamicOps calls vRealize Orchestrator workflows having input parameters of VC:VirtualMachine type in order to make the correspondence between a particular DynamicOps and vRealize Orchestrator virtual machine.
Get VM by Name and UUID	Searches virtual machines by name and then filters the result with particular universally unique identifier (UUID) in order to identify a unique virtual machine. Note This workflow is needed when DynamicOps calls vRealize Orchestrator workflows having input parameters of VC:VirtualMachine type in order to make the correspondence between a particular DynamicOps and vRealize Orchestrator virtual machine.
Get VM UUID	Searches virtual machines by name and then filters the result with particular universally unique identifier (UUID) in order to identify a unique virtual machine. Note This workflow is needed when DynamicOps calls vRealize Orchestrator workflows having input parameters of VC:VirtualMachine type in order to make the correspondence between a particular DynamicOps and vRealize Orchestrator virtual machine.

Power Management Workflows

With the power management workflows, you can power on and off virtual machines, reboot the guest operating system of a virtual machine, suspend a virtual machine, and others.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter, virtual_machine_management** and **power_management** tags in the workflow search box.

Workflow Name	Description
Power off virtual machine and wait	Powers off a virtual machine and waits for the process to complete.
Reboot guest OS	Reboots the guest operating system of the virtual machine. Does not reset nonpersistent virtual machines. VMware Tools must be running.
Reset virtual machine and wait	Resets a virtual machine and waits for the process to complete.
Resume virtual machine and wait	Resumes a suspended virtual machine and waits for the process to complete.
Set guest OS to standby mode	Sets the guest operating system to standby mode. VMware Tools must be running.
Shut down and delete virtual machine	Shuts down a virtual machine and deletes it from the inventory and disk.
Shut down guest OS and wait	Shuts down a guest operating system and waits for the process to complete.
Start virtual machine and wait	Starts a virtual machine and waits for VMware Tools to start.
Suspend virtual machine and wait	Suspends a virtual machine and waits for the process to complete.

Snapshot Workflows

With snapshot workflows, you can perform snapshot-related operations.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **virtual_machine_management** and **snapshot** tags in the workflow search box.

Workflow Name	Description
Create a snapshot	Creates a snapshot.
Create snapshots of all virtual machines in a resource pool	Creates a snapshot of each virtual machine in a resource pool.
Remove all snapshots	Removes all existing snapshots without reverting to a previous snapshot.
Remove excess snapshots	Finds virtual machines with more than a given number of snapshots and optionally deletes the oldest snapshots. Sends the results by email.
Remove old snapshots	Gets all snapshots that are older than a given number of days and prompts the user to select which ones to delete.
Remove snapshots of a given size	Gets all snapshots that are larger than a given size and prompts the user to confirm deletion.
Revert to current snapshot	Reverts to the current snapshot.
Revert to snapshot and wait	Reverts to a specific snapshot. Does not delete the snapshot.

VMware Tools Workflows

With VMware Tools workflows, you can perform VMware Tools-related tasks on virtual machines.

To access these workflows, navigate to **Library > Workflows** and enter the **vcenter**, **virtual_machine_management** and **vmware_tools** tags in the workflow search box.

Workflow Name	Description
Mount tools installer	Mounts the VMware Tools installer on the virtual CD-ROM.
Set console screen resolution	Sets the resolution of the console window. The virtual machine must be powered on.
Turn on time synchronization	Turns on time synchronization between the virtual machine and the ESX server in VMware Tools.
Unmount tools installer	Unmounts the VMware Tools CD-ROM.
Update tools on Windows virtual machine without rebooting	Updates VMware Tools on a Windows virtual machine without performing a reboot.
Upgrade tools	Upgrades VMware Tools on a virtual machine.
Upgrade tools at next reboot	Deprecated: use the workflow Update tools on Windows virtual machine without rebooting

Using the vCloud Suite API (vAPI) Plug-In

19

The vCloud Suite API plug-in provides the ability to consume API exposed by any vCloud Suite API provider. The vCloud Suite API provides a service-oriented architecture for accessing resources in the virtual environment by issuing requests to vCenter Server, through the vCloud Suite Endpoint.

The plug-in contains a set of standard workflows and example workflows. You can also create custom workflows that implement the plug-in to automate tasks in your virtual environment. For information about vCloud Suite API, see *VMware vCloud Suite SDKs Programming Guide*.

This chapter includes the following topics:

- [Configuring the vCloud Suite API Plug-In](#)
- [Access the vCloud Suite API Plug-In API](#)

Configuring the vCloud Suite API Plug-In

You can configure vCloud Suite API by running the configuration workflows included in the plug-in.

Import a vCloud Suite API Metamodel

The vCloud Suite API plug-in discovers vCloud Suite API services dynamically by querying a vCloud Suite API provider metadata service. vCloud Suite API providers which are not exposing metadata service are not supported.

You must import a vCloud Suite API metamodel and add endpoints afterwards.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Navigate to **Library > Workflows** and enter the **vapi** tag in the workflow search box.
- 3 Locate the **Import vAPI metamodel** workflow and click **Run**.
- 4 In the **vAPI endpoint URL** text box, enter the URL of your vCloud Suite API endpoint.

- 5 Select whether to use a secure protocol connection.

Option	Description
No	Import the vCloud Suite API metamodel, without using a secure protocol connection.
Yes	To import the vCloud Suite API metamodel with secure protocol connection: <ol style="list-style-type: none"> Select whether to ignore certificate warnings and accept the vCloud Suite endpoint automatically. Provide the user credentials to authenticate with the vCloud Suite endpoint.

- 6 Select whether to add a vAPI endpoint using the same credentials.

- 7 Click **Run**.

What to do next

[Add a vCloud Suite API Endpoint](#)

Add a vCloud Suite API Endpoint

Add a vCloud Suite API endpoint.

Prerequisites

Import a vCloud Suite API metamodel.

Procedure

- Log in to the vRealize Orchestrator Client as an administrator.
- Navigate to **Library > Workflows** and enter the **vapi** tag in the workflow search box.
- Locate the **Add vAPI endpoint** workflow and click **Run**.
- In the **vAPI endpoint URL** text box, enter the URL of your vCloud Suite API endpoint.
- Choose whether to use a secure protocol connection:

Option	Description
No	Import the vCloud Suite API metamodel, without using a secure protocol connection.
Yes	To import the vCloud Suite API metamodel with secure protocol connection: <ol style="list-style-type: none"> Choose whether to ignore certificate warnings and accept the vCloud Suite endpoint automatically. Provide the user credentials to authenticate with the vCloud Suite endpoint.

- 6 Click **Run**.

Access the vCloud Suite API Plug-In API

vRealize Orchestrator provides an API Explorer to allow you to search the vCloud Suite API plug-in API and see the documentation for JavaScript objects that you can use in scripted elements.

Procedure

- 1 Log in to the vRealize Orchestrator Client as an administrator.
- 2 Access the API Explorer from either the vRealize Orchestrator Client or from the **Scripting** tabs of the workflow, policy, and action editors.
 - To access the API Explorer from the vRealize Orchestrator Client, click **API Explorer** in the vRealize Orchestrator Client navigation pane.
 - To access the API Explorer from the **Scripting** tabs of the workflow, policy, and action editors, click **Search API** on the left.
- 3 To expand the hierarchical list of vCloud Suite API plug-in API objects, double-click the **VAPI** module in the left pane.

What to do next

You can copy code from API elements and paste it into scripting boxes. For more information about API scripting, see *Developing with VMware vRealize Orchestrator*.

Using the XML Plug-In

20

You can use the XML plug-in to run workflows that create and modify XML documents.

The XML plug-in adds an implementation of a Document Object Model (DOM) XML parser to the Orchestrator JavaScript API. The XML plug-in also provides some sample workflows to demonstrate how you can create and modify XML documents from workflows.

Alternatively, you can use the ECMAScript for XML (E4X) implementation in the Orchestrator JavaScript API to process XML documents directly in JavaScript. For an E4X scripting example, see *Developing Workflows with vRealize Orchestrator*.

For information about E4X, go to the website of the organization that maintains the ECMA-357 standard.

This chapter includes the following topics:

- [Running the XML Plug-In Sample Workflows](#)

Running the XML Plug-In Sample Workflows

You can run the XML plug-in sample workflows from the vRealize Orchestrator Client to create and modify XML documents for testing purposes.

Because the workflows can create, read, or modify files, you must have sufficient access rights to the working directory.

Orchestrator has read, write, and execute rights to a folder named `orchestrator`, at the root of the server system. Although workflows have permission to read, write, and execute in this folder, you must create the folder on the server system. If you use the Orchestrator Appliance, the folder is named `vco` and is located at `/var/run/vco`.

You can allow access to other folders by changing the settings for server file system access from workflows and JavaScript. See *Installing and Configuring VMware vRealize Orchestrator, Setting Server File System Access from Workflows and Actions*.

- [Create a Simple XML Document](#)

You can run a workflow from the vRealize Orchestrator Client to create a simple XML document for testing purposes.

- [Find an Element in an XML Document](#)

You can run a workflow from the vRealize Orchestrator Client to find an element in the XML created by the Create a simple XML document workflow.

- [Modify an XML Document](#)

You can run a workflow from the vRealize Orchestrator Client to modify the XML that the Create a simple XML document workflow creates.

- [Create an Example Address Book from XML](#)

You can run a workflow from the vRealize Orchestrator Client to create an address book for testing purposes.

Create a Simple XML Document

You can run a workflow from the vRealize Orchestrator Client to create a simple XML document for testing purposes.

Prerequisites

- Verify that the user account you are logged in with has the necessary permissions to run XML workflows.
- Verify that you created the `c:/orchestrator` folder at the root of the Orchestrator server system or set access rights to another folder.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the `xml` and `samples_xml_(simple)` tags in the workflow search box.
- 3 Locate the **Create a simple XML document** workflow and click **Run**.
- 4 Enter the filepath to the XML document to create.
For example, `c:/orchestrator/filename.xml`.
- 5 Click **Run**.

Results

The workflow creates an XML document that contains a list of users. The attributes for each entry are `user ID` and `name`.

Find an Element in an XML Document

You can run a workflow from the vRealize Orchestrator Client to find an element in the XML created by the Create a simple XML document workflow.

Prerequisites

- Verify that the user account you are logged in with has the necessary permissions to run XML workflows.
- Verify that you created the `c:/orchestrator` folder at the root of the Orchestrator server system or set access rights to another folder.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **xml** and **samples_xml_(simple)** tags in the workflow search box.
- 3 Locate the **Find element in document** workflow and click **Run**.
- 4 Type the filepath to the XML document.
For example, `c:/orchestrator/filename.xml`.
- 5 Click **Run**.
The workflow searches for an element and displays the result in the system log.

What to do next

To view the result, select the completed workflow run in the vRealize Orchestrator Client and click **Logs** on the **Schema** tab.

Modify an XML Document

You can run a workflow from the vRealize Orchestrator Client to modify the XML that the Create a simple XML document workflow creates.

Prerequisites

- Verify that the user account you are logged in with has the necessary permissions to run XML workflows.
- Verify that you created the `c:/orchestrator` folder at the root of the Orchestrator server system or set access rights to another folder.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the **xml** and **samples_xml_(simple)** tags in the workflow search box.
- 3 Locate the **Modify XML document** workflow and click **Run**.

- 4 Provide the input and output filepaths.
 - a Type the filepath to the XML document to modify.
For example, `c:/orchestrator/filename.xml`.
 - b Type the filepath to the modified XML document.
For example, `c:/orchestrator/filename.xml`.

Note If you type the same filepath in both fields, the workflow overwrites the original file with the modified file. If you type an output filepath to a file that does not exist, the workflow creates a modified file.

- 5 Click **Run**.

Results

The workflow searches for an element and modifies the entry where the element is found.

Create an Example Address Book from XML

You can run a workflow from the vRealize Orchestrator Client to create an address book for testing purposes.

Prerequisites

- Verify that the user account you are logged in with has the necessary permissions to run XML workflows.
- Verify that you created the `c:/orchestrator` folder at the root of the Orchestrator server system or set access rights to another folder.

Procedure

- 1 Log in to the vRealize Orchestrator Client.
- 2 Navigate to **Library > Workflows** and enter the `xml` and `samples_xml_(address_book)` tags in the workflow search box.
- 3 Locate the **Full address book test** workflow and click **Run**.
- 4 Type the path to the address book folder.
For example, `c:/orchestrator/foldername`.
The workflow automatically creates the folder if it does not exist.
- 5 Click **Run**.

Results

The workflow creates a DTD, an XML, and a CSS file, appends the stylesheet, and stores the files in the specified folder.