

# VMware vSphere Replication Security Guide

vSphere Replication 8.4

You can find the most up-to-date technical documentation on the VMware website at:

<https://docs.vmware.com/>

**VMware, Inc.**  
3401 Hillview Ave.  
Palo Alto, CA 94304  
[www.vmware.com](http://www.vmware.com)

Copyright © 2012-2023 VMware, Inc. All rights reserved. [Copyright and trademark information.](#)

# Contents

<b>1</b>	<b>About VMware vSphere Replication Security Guide</b>	<b>4</b>
<b>2</b>	<b>vSphere Replication Security Reference</b>	<b>5</b>
	Services, Ports, and External Interfaces That the vSphere Replication Virtual Appliance Uses	5
	vSphere Replication Configuration Files	9
	vSphere Replication Private Key, Certificate, and Keystore	9
	vSphere Replication License and EULA File	9
	vSphere Replication Log Files	9
	vSphere Replication User Accounts	11
	Security Updates and Patches for vSphere Replication	12

# About VMware vSphere Replication Security Guide

# 1

The *VMware vSphere Replication Security Guide* provides a concise reference to the security features of vSphere Replication.

To help you protect your vSphere Replication installation, this guide describes security features built into vSphere Replication and the measures that you can take to safeguard it from attack.

- External interfaces, ports, and services that are necessary for the proper operation of vSphere Replication
- Configuration options and settings that have security implications
- Location of log files and their purpose
- Required system accounts
- Information about obtaining the latest security patches

## Intended Audience

This information is intended for IT decision makers, architects, administrators, and others who must familiarize themselves with the security components of vSphere Replication.

# vSphere Replication Security Reference

## 2

You can use the Security Reference to learn about the security features of vSphere Replication and the measures that you can take to safeguard your environment from attack.

This chapter includes the following topics:

- [Services, Ports, and External Interfaces That the vSphere Replication Virtual Appliance Uses](#)
- [vSphere Replication Configuration Files](#)
- [vSphere Replication Private Key, Certificate, and Keystore](#)
- [vSphere Replication License and EULA File](#)
- [vSphere Replication Log Files](#)
- [vSphere Replication User Accounts](#)
- [Security Updates and Patches for vSphere Replication](#)

## Services, Ports, and External Interfaces That the vSphere Replication Virtual Appliance Uses

The operation of vSphere Replication depends on certain services, ports, and external interfaces.

### vSphere Replication Services

The operation of vSphere Replication depends on several services that run on the vSphere Replication virtual appliance.

Table 2-1. vSphere Replication Services

Service Name	Startup Type	Description
hms	Automatic for the vSphere Replication appliance. Deactivated for the vSphere Replication add-on appliance.	vSphere Replication Management Service
hbrsrv	Automatic	vSphere Replication Service
sshd	Deactivated by default.	SSH Service

Table 2-1. vSphere Replication Services (continued)

Service Name	Startup Type	Description
ntpd	Automatic	Time service for syncing-up with Internet Time Server through Network Time Protocol.  <b>Note</b> After you install or upgrade a vSphere Replication virtual appliance, you must synchronize the appliance with a time server.
vaos	Automatic	Guest OS initialization that drives network settings, host name settings, ssh keys creation, EULA acceptance, boot scripts execution, and VRMS Appliance Management Interface initialization.

## Communication Ports

vSphere Replication uses several communication ports and protocols.

The vSphere Replication appliance requires certain ports to be open.

**Note** vSphere Replication servers must have NFC traffic access to target ESXi hosts.

Table 2-2. Ports Used by the vSphere Replication Appliance

Source	Target	Port	Protocol	Description
vSphere Replication appliance	Local vCenter Server	80	TCP	All management traffic to the local vCenter Server proxy system. vSphere Replication opens an SSL tunnel to connect to the vCenter Server services.
vSphere Replication appliance	Remote Lookup Service	443	TCP	All calls to the remote Lookup Service.
Site Recovery HTML 5 user interface	vSphere Replication appliance	443	HTTPS	Default port for the Site Recovery HTML 5 user interface when you open it from the vSphere Replication appliance.
Site Recovery HTML 5 user interface	Local and remote vCenter Server or all vCenter Server instances in Enhanced Linked Mode with a registered vSphere Replication.	443	HTTPS	Default port for the Site Recovery HTML 5 user interface when you open it from the vSphere Replication appliance.

Table 2-2. Ports Used by the vSphere Replication Appliance (continued)

Source	Target	Port	Protocol	Description
Site Recovery HTML 5 user interface	Local and remote Platform Services Controller instances or all Platform Services Controller instances in Enhanced Linked Mode with a registered vSphere Replication.	443	HTTPS	Default port for the Site Recovery HTML 5 user interface when you open it from the vSphere Replication appliance.
Site Recovery HTML 5 user interface	Remote Site Recovery Manager appliance	443	TCP	TCP port 443 must be open when you access the Site Recovery HTML 5 user interface from the vSphere Replication appliance.
vSphere Replication server in the vSphere Replication appliance	Local ESXi host (intra-site)	80	HTTP	Traffic between the vSphere Replication server and the ESXi hosts on the same site. vSphere Replication opens an SSL tunnel to the ESXi services.
vSphere Replication appliance	Local and remote vCenter Server	443	TCP	All management traffic to the vSphere Replication appliance.
vSphere Replication appliance	<a href="https://vcsa.vmware.com">https://vcsa.vmware.com</a>	443	TCP	Customer Experience Improvement Program (CEIP) for vSphere Replication.
vSphere Replication server in the vSphere Replication appliance	ESXi host (intra-site only) on target site	902	TCP and UDP	Traffic between the vSphere Replication server and the ESXi hosts on the same site. Specifically the traffic of the NFC service to the destination ESXi servers.
Browser	vSphere Replication appliance	5480	HTTPS	VRMS Appliance Management Interface.
vSphere Replication appliance	vSphere Replication appliance	8043	SOAP	Inter-site communication from the vSphere Replication Management servers of the source and the target site.
vCenter Server	vSphere Replication appliance	8043	SOAP	Intra-site communication used for SDRS.
vSphere Replication appliance	vSphere Replication server	8123	SOAP	Intra-site management traffic from the vSphere Replication Management server to additional vSphere Replication server in the environment.

**Table 2-2. Ports Used by the vSphere Replication Appliance (continued)**

Source	Target	Port	Protocol	Description
ESXi host on the source site	vSphere Replication server at the target site	31031	TCP	Initial and outgoing replication traffic from the ESXi host on the source site to the vSphere Replication appliance or vSphere Replication server at the target site for replication traffic without network encryption.
ESXi host on the source site	vSphere Replication server at the target site	32032	TCP	Initial and outgoing replication traffic from the ESXi host on the source site to the vSphere Replication appliance or vSphere Replication server at the target site for replication traffic with network encryption.

If you deploy additional vSphere Replication servers, you must open the ports that vSphere Replication requires on those servers.

**Table 2-3. Ports Used by the vSphere Replication Server**

Source	Target	Port	Protocol	Description
vSphere Replication server	ESXi host (intra-site only) on target site	902	TCP and UDP	Traffic between the vSphere Replication server and the ESXi hosts on the same site. Specifically the traffic of the NFC service to the destination ESXi servers.
Browser	vSphere Replication server	5480	HTTPS	VRMS Appliance Management Interface.
vSphere Replication Management server	vSphere Replication server	8123	SOAP	Intra-site management traffic from the vSphere Replication Management server to the vSphere Replication server.
ESXi host on the source site	vSphere Replication server at the target site	31031	TCP	Initial and outgoing replication traffic from the ESXi host on the source site to the vSphere Replication server at the target site for replication traffic without network encryption.
ESXi host on the source site	vSphere Replication server at the target site	32032	TCP	Initial and outgoing replication traffic from the ESXi host on the source site to the vSphere Replication server at the target site for replication traffic with network encryption.

## Open Source and Third-Party Components

For the complete text of the open-source licenses, a list of all open-source and third-party components, and the open-source code used in vSphere Replication, you can go to [http://www.vmware.com/download/open\\_source.html](http://www.vmware.com/download/open_source.html) and see the *VMware vSphere Replication Open Source and Licenses* section under the *VMware vSphere Open Source* link. If a certain open-source license requires it, the vSphere Replication Open Source Disclosure Package (ODP) contains text files with instructions how to build and replace the software libraries.



## vSphere Replication Configuration Files

Some configuration files contain settings that affect the security of vSphere Replication.

**Note** All security-related resources are protected with the correct permissions and ownership. Do not change the ownership or permissions of these files.

File Location	Description
/opt/vmware/hms/conf/hms-configuration.xml	The default system configuration of the vSphere Replication Management server.
/opt/vmware/hms/conf/embedded_db.cfg	The configuration file for the embedded database .

## vSphere Replication Private Key, Certificate, and Keystore

The private key, the certificate, and the keystore of vSphere Replication are located on the vSphere Replication virtual appliance.

**Note** All security-related resources are protected with the correct permissions and ownership. Do not change the ownership or permissions of these files.

- /etc/vmware/ssl/hbrsrv.crt
- /etc/vmware/ssl/hbrsrv.key
- /opt/vmware/hms/security/hms-keystore.jks
- /opt/vmware/hms/security/hms-truststore.jks

## vSphere Replication License and EULA File

The end-user license agreement (EULA) and open source license files are located in the vSphere Replication virtual appliance.

File	Location
Open Source License	/usr/share/doc/vmware-vspherereplication/open_source_licenses.txt
VMware Postgres License	/usr/share/doc/vmware-vspherereplication/ VMware_Postgres_11.10.0_open_source_licenses.txt
End-user license agreement	/opt/vmware/etc/iso/EULA/language_code/0

## vSphere Replication Log Files

The files that contain system messages are located in the vSphere Replication virtual appliance.

File Location	Description
/opt/vmware/hms/logs/hms-configtool.log	Used to log errors that occurred during the VRMS Appliance Management Interface configuration.
/opt/vmware/hms/logs/hms.n.log.gz	Used to track the runtime information of vSphere Replication Management server. The most recent log file is labeled <code>hms.log</code> , and <code>hms.n.log.gz</code> files contain older log messages. The file with the highest <i>n</i> value contains the most recent messages.
/var/log/vmware/	The folder contains the vSphere Replication server log files. Used to track replication problems.
/var/opt/apache-tomcat/logs/dr.log	Site Recovery user interface logs.
/opt/vmware/hms/logs/hms-audit.log	vSphere Replication audit logs.

## Log Messages Related to Security

The `/opt/vmware/hms/logs/hms.log` file contains login and logout event messages, authorization error messages, and certificate verification error messages in the following format.

### ■ Login message

```
2015-03-23 15:54:05.558 DEBUG jvsl.security.authentication.sessionmap
[tcweb-5] (..security.authentication.SessionMap) operationID=087657ec-
ef0f-494c-9739-a4af62a5c049-HMS-1033 | Adding new session to the session
map:com.vmware.hms.security.authentication.HmsUserSession@234f4bed:[
com.vmware.vim.binding.hms.UserSession:
key = site_...1b034,
userName = root,
fullName = root ,
loginTime = ...,
lastActiveTime = ...,
hmsServers = null,
locale = en,
messageLocale = en
]
```

### ■ Logout message

```
15-03-23 15:54:05.585 INFO jvsl.security.authorization
[tcweb-8] (..security.authorization.SessionAuthorizer) |
HmsSessionManager.HmsSessionManagerLogout called on session-manager by
root@/10.26.233.124:50776 with opId 43263a64-1681-4459-a921-1d9406308dc8-
HMS-1036
```

### ■ Authorization message

```

2015-06-25 16:10:35.994 INFO jvsl.security.authorization [tcweb-5]
(..security.authorization.SessionAuthorizer) | Authorization for method
"HmsRemoteSiteManager.HmsRemoteSiteManagerFindHmsServer" failed.

(vim.fault.NoPermission) {

  faultCause = null,

  faultMessage = null,

  object = MoRef: type = HmsRemoteSiteManager, value = site-manager,
  serverGuid = 18327b1a-dac2-44d9-972e-fa9dd99fce47,

  privilegeId = HmsRemote.com.vmware.vcHms.Hms.View

}

```

#### ■ Certificate verification error message

```

2015-06-25 16:19:13.794 WARN jvsl.sessions [hms-main-thread-1]
(..hms.net.ServerRegistryHms) | Can not start HMS connection to remote
site 'some-address.com'

java.util.concurrent.ExecutionException:
com.vmware.vim.vmomi.client.exception.SslException:
javax.net.ssl.SSLHandshakeException:
com.vmware.vim.vmomi.client.exception.VlsiCertificateException: Server
certificate chain is not trusted and thumbprint doesn't match

```

## vSphere Replication User Accounts

You must set up a root and admin accounts for vSphere Replication. The admin account is used to access both the virtual appliance console and the VRMS Appliance Management Interface.

vSphere Replication currently uses the admin account as the administrator of the VRMS Appliance Management Interface. No other user is created.

When you deploy the vSphere Replication virtual appliance, you set the password for the root and admin accounts in the OVF Deployment wizard.

The root and admin passwords must be at least 8 characters long.

## Privileges Assigned to Default User Roles

vSphere Replication includes a set of roles. Each role includes a set of privileges, which allow users with those roles to complete different actions.

See the topic vSphere Replication Roles and Permissions in the *VMware vSphere Replication Installation and Configuration Guide*.

## Security Updates and Patches for vSphere Replication

The vSphere Replication virtual appliance uses VMware Photon OS 3.0 as the guest operating system.

You can apply the latest security update or patch by using the corresponding ISO file.

Before you apply an update or patch to the guest operating system, take into account the dependencies. See [Services, Ports, and External Interfaces That the vSphere Replication Virtual Appliance Uses](#).

To receive the latest security announcements, you can subscribe to the [VMware Security Announcements mailing list](#).