

VMware vRealize Orchestrator Plug-In for vSphere Replication 8.3.1 Release Notes

VMware vRealize Orchestrator Plug-In for vSphere Replication 8.3.1 | 15 SEP 2020 | Build 16874829 | [Download](#)

vRealize Orchestrator Appliance 8.1.0 Patch 1 | 29 JUN 2020 | Build 16419934 | [Release Notes](#)

VMware vSphere Replication 8.3.1 | 15 SEP 2020 | Build 16877246 | [Release Notes](#)

Check frequently for additions and updates to these release notes.

What's in the Release Notes

The release notes cover the following topics:

- [What's New](#)
- [Introduction to the VMware vRealize Orchestrator Plug-In for vSphere Replication 8.3.1](#)
- [Installation](#)
- [Featured Workflows](#)
- [Known Issues](#)

What's New

- The VMware vRealize Orchestrator Plug-in for vSphere Replication 8.3.1 release provides a fix for a synchronization issue experienced in the vRealize Orchestrator version 8.0 and above. The fix provides an improved workflow execution.
- The VMware vRealize Orchestrator Plug-in for vSphere Replication 8.3.1 release introduces the following new workflows:
 - Enhancements to **Configure** and **Reconfigure** workflows – ability to configure datastore and define storage policy and disk format per disk.
 - Automatically add new disks to replication - **autoReplicateNewDisks** as part of **Configure** workflow and **Reconfigure** workflow.
 - **Get Replication Issues** workflow reveals replication operations with errors.

Introduction to the VMware vRealize Orchestrator Plug-In for vSphere Replication 8.3.1

The VMware vRealize Orchestrator Plug-In for vSphere Replication allows VMware administrators to simplify the management of their vSphere Replication infrastructure by leveraging the robust workflow automation platform of vRealize Orchestrator. The vRealize Orchestrator Plug-In for vSphere Replication extends automation capabilities for certain vSphere Replication operations by including them in vRealize Orchestrator workflows. The plug-in also delivers pre-built out-of-the-box building blocks and complete workflows that cover certain existing vSphere Replication actions.

The vRealize Orchestrator Plug-In for vSphere Replication 8.3.1 release runs with the latest version of VMware vRealize Orchestrator (8.1.0 Patch 1).

You can download the vRealize Orchestrator Plug-In for vSphere Replication 8.3.1 from the [download](#) page.

For information about creating workflows by using vRealize Orchestrator, see the [vRealize Orchestrator documentation](#).

For more information on the supported workflows, see the [Featured Workflows](#) section.

For more information on the compatibility between the VMware vRealize Orchestrator Plug-In for vSphere Replication and vRealize Orchestrator Appliance, see the [compatibility matrix](#).

Installation

The Orchestrator Plug-In for vSphere Replication software requires vRealize Orchestrator 8.1.0 Patch 1, and vSphere Replication 8.3. For information on installing vRealize Orchestrator, see the [vRealize Orchestrator documentation](#). For information on installing vSphere Replication 8.3.1, see [Installing and Setting Up vSphere Replication](#) in the VMware vSphere Replication documentation.

The Orchestrator Plug-In for vSphere Replication software is distributed as Orchestrator application file. Install and configure the plug-in by using the Orchestrator configuration interface.

After you install the Orchestrator Plug-In for vSphere Replication, the plug-in automatically discovers the vSphere Replication instances on all vCenter Servers that are currently registered.

After you install the Orchestrator Plug-In for vSphere Replication, you find the vSphere Replication workflows in the vRealize Orchestrator UI:

1. Go to **Library > Workflows**
2. Search for the workflow by name or switch to tree view from the top right icon. In tree view you can find the workflow.

Before you can run vSphere Replication workflows, which interact with remote sites, you must register the remote site, by running the corresponding workflow from **Library > vSphere Replication > Remote Site Management > Register VC Site**. Even if you want to configure replication to the same site, you must register it by selecting **self pair** in the Site field. Then, you must log in to the remote site by running the **Login to VC Site** workflow. You must run this workflow only once per vRealize Orchestrator user.

Note: vRealize Orchestrator communicates with the vSphere Replication appliance over port 8043.

Featured Workflows

The vRealize Orchestrator plug-in provides out-of-the-box workflows to help customers automate vSphere Replication operations. Below are some of the implemented workflows.

- Remote Site Management workflows:
 - i. Log in to a vCenter Server site
- Configure Replication workflows:
 - i. Reconfigure Replication
- Pause Replication workflows
- Resume Replication workflows
- Stop Replication workflows
- Replication Details Workflows
 - i. Check Replication Status
 - ii. Get Replication Configuration
 - iii. Get Replication List

Known Issues

The known issues are grouped as follows.

- [General](#)
- [Known Issues from Previous Releases](#)

General

- **NEW You cannot configure a virtual machine for replication**

vRealize Orchestrator does not display the VC:VirtualMachine inventory browser for VMware Cloud on AWS (SDDC Version 1.11) or vCenter Server 7.0.1. As a result, you are not able to configure a virtual machine for replication using the vRealize Orchestrator Plug-In for vSphere Replication.

Workaround: Upgrade your vCenter Server plug-in to version 6.5.0-16613969 (built 2020-07-21). For more information, see <https://communities.vmware.com/docs/DOC-32872>.

- **NEW Configure Replication workflow and/or Reconfigure Replication workflow fail with an error**

If you are running vRealize Orchestrator 8.1 and you try to run the **Configure Replication** workflow and/or the **Reconfigure Replication** workflow, it fails with the following error:

```
problem invoking action com.vmware.o11n.forms/evalOGNL;
```

Workaround: Upgrade to vRealize Orchestrator 8.1.0 Patch 1.

- **Protect Multiple VMs or Reconfigure Replication workflows contain empty drop-down menus.**

When you try to execute the **Protect Multiple VMs** or **Reconfigure Replication** workflows on vRealize Orchestrator 8.0.1, some of the drop down menus might be empty.

Workaround: In the empty field, start typing part of the name of the item that you are looking for.

- **Replication values do not load in Reconfigure Replication workflow**

When you try to run the **Reconfigure Replication** workflow in vRealize Orchestrator 8.0, the replication values do not load.

Workaround: Upgrade vRealize Orchestrator 8.0 to vRealize Orchestrator 8.0.1.

- **Reconfigure Replication workflow fails with an error**

When you try to run the **Reconfigure Replication** workflow in vRealize Orchestrator 8.0.1, you receive the following error:

```
Login attempt failed
```

Workaround: Deselect and select the replication again.

- **You might see an error in the vSphere Replication inventory of the vRealize Orchestrator after replacing a vSphere Replication management server certificate at the local site of a pair**

If for some reason you change the certificate of the vSphere Replication management server at the local site of a replication pair, you might not be able to see the pair in the vSphere Replication inventory of the vRealize Orchestrator. You see an error similar to:

```
Unable to execute 'fetchRelation' for type : Site : com.vmware.vim.vmomi.client.exception.SslException:
```

```
com.vmware.vim.vmomi.core.exception.CertificateValidationException: Server certificate chain is not trusted and thumbprint doesn't match
```

Workaround:

1. Restart the vRealize Orchestrator server:
 1. Launch a console to the virtual machine on which the vRealize Orchestrator server is installed.
 2. Log in to the console as root.
 3. Run the command `service vco-server restart` to restart the vRealize Orchestrator server.
2. Restart the Orchestrator client. Wait for the validation to complete. You can monitor validation progress at this url pattern: `https://{your vRealize Orchestrator server address}:8283/vco-controlcenter/config/#/control-app/validate`
3. In case the vSphere Replication management server is in a pair with another vSphere Replication management server, you must reconnect the pair.
4. In the vRealize Orchestrator inventory, unregister the old server entries and register the new ones.

Known Issues from Previous Releases

To view a list of previous known issues, click [here](#).



Company

About Us

Executive Leadership

News & Stories

Investor Relations

Customer Stories

Diversity, Equity & Inclusion

Environment, Social & Governance

AI at VMware

Careers

Blogs

Communities

Acquisitions

Office Locations

VMware Cloud Trust Center

COVID-19 Resources

Support

VMware Customer Connect

Support Policies

[Company News](#)

[Terms & Conditions](#)

[California Transparency Act Statement](#)

[Hands-on Labs & Trials](#)

 [Twitter](#)

 [YouTube](#)

 [Facebook](#)

 [LinkedIn](#)

 [Contact Sales](#)

Copyright © 2005-2024 Broadcom. All Rights Reserved. The term “Broadcom” refers to Broadcom Inc. and/or its subsidiaries.

[Terms of Use](#)

[Your California Privacy Rights](#)

[Privacy](#)

[Accessibility](#)

[Trademarks](#)

[Glossary](#)

[Help](#)

[Feedback](#)